
The Data Mining Process

Mining Massive Datasets
Prof. Carlos Castillo
Topic 01



Main Sources

- Data Mining, The Textbook (2015) by Charu Aggarwal (Chapter 1) + slides by Lijun Zhang
- Mining of Massive Datasets, 2nd edition (2014) by Leskovec et al. (Chapter 1)
- Data Mining Concepts and Techniques, 3rd edition (2011) by Han et al. (Chapters 1-2)



(Banana for scale)

Data Mining

What do these have in common?



Stone



Clay



Papyrus



Paper



Wax cylinder




Tape



Vinyl

What do these have in common?



8GB (front) vs 8B (back)




Floppy disks (8", 5 1/4", 3 1/2")



Compact disk

The age of "Big Data"

Marked by the co-evolution of storage capacity, transmission capacity, and processing capacity



Wikipedia definition

- **Data mining** is the process of
 - discovering patterns in
 - large data sets
 - involving methods at the intersection of
 - machine learning,
 - statistics, and
 - database systems.

Informal definition

Given **lots of data,** discover **patterns** and **models** that are:

- Valid: hold on new data with some certainty
- **Useful**: should be possible to act on them
- Unexpected or novel: non-obvious
- **Understandable**: interpretable
- Complete: contain most of the interesting information


Example: 300 numbers


```
8.5998019
          10.82452538 10.25496714 9.9264092 10.26304865 8.80526888 8.96569273 9.00883512 9.82813977 10.19311326
9.6545295
           10.83958189 12.20970744 10.41521275 10.15902266 9.86904675 10.17021837 10.58768438 12.07341981 8.45713965
                       9.30073426 10.12753479 11.06429886 9.80406205 9.74418407 11.15815923 10.87659275 10.39190038
9.62152893 11.2494364
10.52911904 10.84125322 11.98925384 10.63545001 9.07420116 10.48011257 11.32273164 9.4831463 10.67973822 10.87064128
9.35940084
            9.51149749 11.13211644 9.23292561 8.4767592
                                                          9.64339604 9.91374069 9.84184184 9.85576594 9.18523161
10.27107348
            8.7511958
                       8.70297841 10.50609814 11.1908866 10.59484161 10.60027882 9.06375121 10.48534475
10.37303225
            9.27441407 11.27229628 12.88441445 9.80825939 9.09844847 10.82873991 8.89169535 10.43092526 7.43215579
10.29787802 9.87946998 8.3799398 10.21263966 9.93826568 9.17325487 10.22256677 10.04892038 11.01233696 9.6145273
9.9495437
           10.51474851 9.19288505 7.87728009 9.987364
                                                         10.94639021 10.01814962 9.40505023 8.87242546 10.23686131
8.90710325 10.31678617 10.4571519
                                   9.04315227 9.85321707 11.89885306 6.99926999 10.71534924 10.29215034 10.59516732
            9.01321711 8.45289144 9.1739316
                                             7.90909364 9.42165081 10.37087284 9.57754821 9.60350044 10.75691005
9.8807174
8.24594836 10.33419146 9.7779209 9.51609087 10.25712725 12.1256587
                                                                      9.53397549 9.44765209 9.53901558 9.8006768
9.633075
           11.17692346 11.00022919 8.38767624 8.63908897 8.10049333 10.66422258 10.70986552 10.82945121 10.45206684
9.21578565 10.21230495 10.28984339 9.4130091
                                              10.54597988 10.8042254 10.52795479 10.76288124 11.3554357 11.484667
10.36068758 8.18239896
                      11.20998409 9.88574571 9.8811874 10.64332788 8.67828643 9.23619936 10.71263899
                                                                                                        9.36036772
8.80204902 8.84117879
                      9.60177677 8.82383074 9.85787872 10.30883419 10.09771435 10.33417508 8.94003225
                                                                                                        9.63795622
8.88926589 8.51484154
                      10.61543214 10.10520145 10.23046826 11.22923654 10.25575855 10.4210496
                                                                                             9.79970778 7.70796076
9.56309629 10.82893108
                       10.4055698 10.12121772 9.38935918 9.48947921 9.53357322 9.87589518 10.5455508
                                                                                                         9.98665703
9.440398
           9.67368819
                      12.94191966 10.01303924 12.14295086 9.58399348 10.92799244 10.4654533 10.14613624 9.29818262
9.25613292 11.59370587
                       8.62517536 10.29703335 9.11065832 10.68766309 9.86507094 10.58314944 10.65232968
11.0414868 10.16883849
                      10.23649503 11.51859843 9.4754405 10.88103754 8.6249062
                                                                                 9.64581983 8.80660132 10.3794072
11.7687303 9.6768357
                       10.83753706 12.39138541
                                              9.45756373 10.4746549 11.44321655 10.70109831 8.36186335
10.7221973 9.25735885
                       10.11287178 9.77908247 10.05372548 12.32358117 9.09128196 10.27487412 8.31704578
11.1712355 11.33146049
                       10.44967579 9.58649468
                                              9.5908432 10.53829167 10.16738708 10.45433891 10.79223358 11.3936216
9.27709756 8.91159056
                       8.67186161 7.83968452 11.00207472 10.61085929 11.15868605 10.13873855 9.29370024 10.49794191
10.49884897 9.77150045
                       8.80503866 10.08775177 11.38167004 10.42724794 11.11626475 10.68890453 10.49280739 9.53675721
9.74560138 10.34343033
                       10.19711682 9.20212506 9.06407316 10.07228419 11.06791431 12.10523742 8.72119193 10.04645774
11.47090441 8.92472486
                      10.04585273 10.41149437 9.90118185 9.02229964 8.66708035 11.53976046 11.40609367 9.73014878
8.94607876 11.562354
                       9.58552216 9.74172847 9.64220948 9.69459042 9.58460199 11.14917832 9.49543794 9.46369271
10.16544667 9.92277128
                       9.61975057 11.11679747 9.42894032 9.25751891 11.44948256 8.16601628 10.11500258 9.42431821
```

Example: 300 numbers (cont.)

Through statistical modeling we can find the data comes from a Normal distribution with mean 10 and standard deviation 1

• Normal(μ =10, σ =1) is a *model* for the data





Describing vs Predicting

Descriptive methods

- Find human-interpretable patterns that describe the data
- Example: Clustering

Predictive methods

- Use some variables to predict unknown or future values of other variables
- Example: Recommender systems

Characterizing vs Distinguishing

Data characterization methods

 A summarization of the general characteristics or features of a target class of data


Data discrimination methods

 A comparison of the general features of the target class data objects against the general features of objects from one or multiple contrasting classes

Data mining has several goals

- To produce a model
 - E.g., a regression model for a numerical variable, or a classification model for a categorical variable
- To create a summary
- To extract prominent features

Example summary: clustering



Picking the right features

- Representing these flowers by their petal length and sepal length was key
 - These are good features for this task
- Other features such as color or number of leaves may not be so good
- Feature selection is key!










Features: a matter of life or death







Another pattern-finding example



Source: Centauro Blog (2017)

Example: complex features

- Given shopping baskets of previous customers, determine:
 - Frequent itemsets
 (bought together)
 - Similar items(e.g., for recommendations)



Risk #1: Spurious patterns

- A risk with "Data mining" is that an analyst can "discover" patterns that are meaningless
- If you look in more places for interesting patterns than your amount of data will support, you are bound to find something (~Bonferroni principle)

If you interrogate data

hard enough

it will tell you
what you want to hear




Risk #2: Surveillance state

- Attention-grabbing evil actions are also very rare, with consequences:
 - Suppose 1 in a million in a suicide bomber
 - Catching one suicide bomber a year on average means examining 999.999 innocent people
- A system with 1% false positive rate will flag
 ~10K people as potential suicide bombers

Data mining (DM) vs other disciplines

- For a database person, DM=analytic processing
- For a machine learning person, DM=modeling
- For an algorithms person, DM=efficiency

Our focus will be on scalable algorithms



Data Collection and Database Creation (1960s and earlier) Primitive file processing Database Management Systems (1970s to early 1980s) Hierarchical and network database systems

- Relational database systems
- Data modeling: entity-relationship models, etc.
- Indexing and accessing methods
- Ouery languages: SOL, etc.
- User interfaces, forms, and reports
- Ouery processing and optimization
- Transactions, concurrency control, and recovery
- Online transaction processing (OLTP)

Advanced Database Systems

(mid-1980s to present)

- Advanced data models: extended-relational. object relational, deductive, etc.
- Managing complex data: spatial, temporal. multimedia, sequence and structured, scientific, engineering, moving objects, etc.
- Data streams and cyber-physical data systems
- Web-based databases (XML, semantic web)
- Managing uncertain data and data cleaning
- Integration of heterogeneous sources
- Text database systems and integration with information retrieval
- Extremely large data management
- Database system tuning and adaptive systems
- Advanced queries: ranking, skyline, etc.
- Cloud computing and parallel data processing
- Issues of data privacy and security

Advanced Data Analysis (late-1980s to present)

- Data warehouse and OLAP
- Data mining and knowledge discovery: classification, clustering, outlier analysis, association and correlation, comparative summary, discrimination analysis, pattern discovery, trend and deviation analysis, etc.
- Mining complex types of data: streams. sequence, text, spatial, temporal, multimedia, Web. networks, etc.
- Data mining applications: business, society, retail, banking, telecommunications, science and engineering, blogs, daily life, etc.
- Data mining and society: invisible data mining, privacy-preserving data mining, mining social and information networks, recommender systems, etc.

Data mining is a descendant of methods for Online Analytical Processing (OLAP) done over Data Warehouses

Future Generation of Information Systems

(Present to future)

Data rich but information poor

- Fast-paced data streams become data archives that become data tombs
- Decisions could be better made by using data that already exists but is hard to "mine"



Knowledge Discovery from Data

- KDD, a popular acronym
 - "Discovery" is Data Mining
- Other names: knowledge mining from data, knowledge extraction, data/pattern analysis



Typical stages of KDD

- 1)Data Cleaning
- 2) Data Integration
- 3) Data Selection
- 4) Data Transformation
- 5) Data Mining ← application of a DM algorithm
- 6)Pattern Evaluation
- 7) Knowledge Presentation

Typical stages of KDD

- 1)Data Cleaning
- 2) Data Integration
- 3) Data Selection
- 4) Data Transformation
- 5)Data Mining
- 6) Pattern Evaluation
- 7) Knowledge Presentation

Pre-processing phase

Analytical phase

Summary

Things to remember

- Define and contrast:
 - Describing vs Predicting
 - Characterizing vs Discriminating
- Describe the stages of the KDD process