ZELOVITA CLINICAL HEALTH ACADEMY

DOCTOR'S SPECIAL EDITION • CLINICAL PROTOCOL

Sleep Architecture & Cortisol Protocol

CATEGORY: NEUROSCIENCE & CIRCADIAN MEDICINE

"A Clinical Guide to Resetting the Circadian Clock, Regulating the HPA Axis, and Unlocking Deep Stage 4 Recovery"

Clinical Author: Dr. Arif Chowdhury, MBBS, M.S. Clinical Nutrition
Medical Director & Functional Metabolic Specialist | Zelovita Health

Executive Clinical Summary:

Sleep is not passive downtime — it is active cellular repair, memory consolidation, and neurochemical detoxification. Chronic sleep loss or fragmented sleep suppresses growth hormone by up to 70%, increases insulin resistance within a single night, and impairs the brain’s glymphatic clearance of metabolic waste.

© Zelovita Clinical Academy • Evidence-Based Protocols • Confidential & Protected

Chapter 1: The Circadian Molecular Clock & Light Anchors

Your master biological pacemaker — the suprachiasmatic nucleus (SCN) — coordinates every peripheral cellular clock in the liver, pancreas, and heart. Melanopsin cells in the eye respond specifically to 460-490nm blue-cyan light. Viewing morning sunlight (10,000+ lux) within 30 minutes of waking triggers a healthy cortisol pulse and starts a precise 14-hour timer for nocturnal melatonin release.

Key Action Steps & Biomarkers:

- Expose eyes to natural outdoor light for 10-15 minutes immediately upon waking.
- Avoid wearing sunglasses during morning sunlight exposure to maximize melanopsin stimulation.
- Dim indoor overhead lights after 8:00 PM and switch to warm, low-lux incandescent dimmed bulbs.

Ø=Ü¡ Clinical Pearl: Dr. Arif's Rule: light in the morning sets the anchor; absence of light in the evening allows melatonin synthesis to flourish.

Chapter 2: The Glymphatic System: Detoxifying the Brain

During Stage 3 and Stage 4 Slow-Wave Sleep, astrocytes shrink by nearly 60%, allowing cerebrospinal fluid (CSF) to wash through interstitial brain tissue and flush out beta-amyloid, tau proteins, and metabolic debris. Sleeping on your side (lateral decubitus position) has been clinically shown to maximize this cleansing pathway by up to 25%.

Key Action Steps & Biomarkers:

- Stage 4 sleep is concentrated primarily in the first third of your sleep cycle (10 PM - 2 AM).
- Avoid alcohol before bed: while sedative, alcohol fragments sleep architecture and halts REM & Deep sleep.
- Adopt a side-sleeping posture with supportive cervical neck alignment.

Ø=Ü¡ Clinical Pearl: Keep your bedroom cool: 18°C - 19°C (64°F - 66°F). A drop in core body temperature of 1°C is biologically required for sleep onset.

Chapter 3: Nighttime Cortisol Spikes & Blood Sugar Crashes

Many patients wake abruptly at 2:00 AM to 4:00 AM with racing thoughts or palpitations. This is rarely psychological; it is frequently a reactive hypoglycemia crash prompting an emergency surge of epinephrine and cortisol to raise blood glucose.

Key Action Steps & Biomarkers:

- Consume 1 tablespoon of raw organic honey or 20g of slow-digesting protein with glycine before bed.
- Avoid high-glycemic carbohydrates 3 hours before sleep to prevent postprandial reactive hypoglycemia.
- Supplement with Magnesium Bisglycinate (300-400mg) to calm central nervous system excitability.

Ø=Ü¡ Clinical Pearl: If waking at 3 AM persists, test your salivary 4-point cortisol curve to check for adrenal HPA axis dysregulation.

This digital document was generated exclusively by Zerovia Health Academy for private consultations, diagnostic lab interpretation, and health tracking purposes. Unauthorized distribution, duplication, or commercial use is strictly prohibited. For inquiries, contact clinic@zerovia.com

[Step 5]

Maintain consistent bed and wake times within 30 minutes daily

Take 300mg Magnesium L-Threonate + 50mg Apigenin 60 minutes before bed

Take 10-20mg Caffeine Anhydrous 30 minutes after waking

Take 400mg Caffeine Anhydrous 6 hours before bed

Take 2x 2g Omega-3 (1000mg EPA/DHA) with food

Take 5g Creatine Monohydrate with breakfast

Take 1000mg Vitamin C with breakfast

Take 5000 IU Vitamin D3 + 100mcg Vitamin K2 with breakfast

Take 400mg Ashwagandha KSM-66 with breakfast

Take 1000mg Rhodiola Rosea with breakfast

Take 1 Multivitamin with breakfast

Take 1 Probiotic with breakfast

Take 1 Digestive Enzyme with breakfast

Take 1 Liposomal Glutathione with breakfast

Take 1 Methylated B-Complex with breakfast

Take 1 Trace Mineral Complex with breakfast

Take 1 Iodine (150mcg) with breakfast

Take 1 Selenium (200mcg) with breakfast

Take 1 Zinc Picolinate (30mg) with breakfast

Take 1 Chromium Picolinate (200mcg) with breakfast

Take 1 Boron (3mg) with breakfast

Take 1 Molybdenum (75mcg) with breakfast

Take 1 Manganese (5mg) with breakfast

Take 1 Copper (2mg) with breakfast

Take 1 Vanadium (100mc

MEDICAL DISCLAIMER: The information provided in this guide is for informational and educational purposes only and is not intended as medical advice, diagnosis, or treatment. Always consult with a licensed healthcare physician before making dietary, supplement, or lifestyle modifications.