

Unleashing Your Cybersecurity Potential : **Unlocking Your First Bounty**

By **Marco alfan**





The Cybersecurity World





Differentiate the characteristics of Cyber Security Role



Cybersecurity Criminals vs Cybersecurity Specialists

Cybersecurity Criminals

Hackers – This group of criminals breaks into computers or networks to gain access for various reasons


- **White hat** attackers break into networks or computer systems to discover weaknesses in order to improve the security of these systems.
- **Gray hat** attackers are somewhere between white and black hat attackers. The gray hat attackers may find a vulnerability and report it to the owners of the system if that action coincides with their agenda.
- **Black hat** attackers are unethical criminals who violate computer and network security for personal gain, or for malicious reasons, such as attacking networks.

**Criminals come in many different forms.
Each have their own motives:**

- **Script Kiddies**
- **Vulnerability Brokers**
- **Hacktivists**
- **Cyber Criminals**
- **State Sponsored Hackers**



Cybersecurity Criminals vs Cybersecurity Specialists



Cybersecurity Criminals vs Cybersecurity Specialists

Cybersecurity Specialists

Vulnerability Database

The Nation Common Vulnerabilities and Exposures (CVE) database is an example of the development of a national database. The CVE National Database was developed to provide a publicly available database of all known vulnerabilities. <http://www.cvedetails.com/>

Early Warning Systems

The Honeynet project is an example of creating Early Warning Systems. The project provides a HoneyMap which displays real-time visualization of attacks.

Share Cyber Intelligence

InfraGard is an example of wide spread sharing of cyber intelligence. The InfraGard program is a partnership between the and the private sector. The participants are dedicated to sharing information and intelligence to prevent hostile cyberattacks

- Security Engineer
- Security Architect
- Security Analyst
- Developer Software Security
- Auditor Security
- Chief Information Security Officer
- Penetration Tester



Bug “Bounty” Hunter



Top Bounty Hunters in Indonesia

Peringkat	Bughunter	Poin	Total Temuan
1	 mrdoel	3015	264
2	 akun1337	1794	117
3	 xASx	1502	102
4	 batutahibnu17	1338	129
5	 owlsec	1197	72
6	 rootbakar	1150	118
7	 zetc0de	559	53

Source : (CyberArmyID, 2023)

CyberArmyID merupakan perusahaan yang bergerak di bidang Cyber Security. Kami menyediakan Security Assessment (VAPT, Program Bugbounty), Training, dan Automated Security Testing Platform berbasis cloud.

Platform Bug Bounty

- **HackerOne** (www.hackerone.com)
- **Bugcrowd** (www.bugcrowd.com)
- **Synack** (www.synack.com)
- **Open Bug Bounty** (www.openbugbounty.org)
- **BountyFactory.io** (www.bountyfactory.io)
- **YesWeHack** (www.yeswehack.com)
- **ZeroCopter** (www.zerocopter.com)
- **Intigriti** (www.intigriti.com)
- **SafeHats** (www.safehats.com)
- **Etc**



[cyberarmy.id](https://www.cyberarmy.id)

<https://www.cyberarmy.id>



[redstorm.io](https://www.redstorm.io)

<https://www.redstorm.io>

Pastikan untuk membaca panduan dan syarat dari masing-masing platform sebelum mulai berpartisipasi dalam program bug bounty. Hal ini akan membantu Anda memahami aturan dan prosedur yang terkait dengan pelaporan kerentanan dan mendapatkan imbalan.

Dorking Bug Bounty

sushiwushi / bug-bounty-dorks Public

<> Code Issues 1 Pull requests Actions Projects Security Insights

master bug-bounty-dorks / dorks.txt

ManasHarsh Update dorks.txt ...

11 contributors

89 lines (89 sloc) 3.29 KB

```
1 inurl /bug_bounty
2 inurl : / security
3 inurl:security.txt
4 inurl:security "reward"
5 inurl : /responsible disclosure
6 inurl : /responsible-disclosure/ reward
7 inurl : / responsible-disclosure/ swag
8 inurl : / responsible-disclosure/ bounty
9 inurl: '/responsible disclosure' hoodie
10 responsible disclosure swag r=h:com
11 responsible disclosure hall of fame
12 inurl:responsible disclosure $50
13 responsible disclosure europe
14 responsible disclosure white hat
15 white hat program
16 insite:"responsible disclosure" -inurl:n1
17 intext responsible disclosure
18 site eu responsible disclosure
19 site .nl responsible disclosure
20 site responsible disclosure
21 responsible disclosure:sites
```



inurl bug bounty \$100



Gambar

Video

Shopping

Berita

Buku

Maps

Penerbangan

Kuangan

Sekitar 83.800 hasil (0,33 detik)



jotform.com

<https://www.jotform.com> > b... · Terjemahkan halaman ini

Jotform Bug Bounty Program

Reward amounts typically range from **\$100** to \$500. The final award may be higher based on the impact of your report. **Bounty** payments are made via PayPal.



worreq.com

<https://www.worreq.com> > b... · Terjemahkan halaman ini

WorkEQ Bug Bounty Program

WorkEQ **Bug Bounty** Program. January 2022. Overview. WorkEQ encourages security researchers to contact us with their findings. Findings should be truly novel ...



scholarfundwa.org

<https://www.scholarfundwa.org> · Terjemahkan halaman ini

Scholar Fund Bug Bounty

Rewards ; Severity level: None - \$0 · Runtime hacking exploits that involve manipulation of running code or its environment ; Severity level: Low - **\$100** · Other low ...

Government Bug Bounty



Beranda > Aduan Siber

Aduan Siber



Laporan insiden keamanan siber dapat dilaporkan melalui Aplikasi helpdesk Hero Kemendag pada tautan tombol di bawah dengan melampirkan sekurang-kurangnya :

- Foto/Scan kartu identitas;
- Bukti insiden berupa foto atau screenshot atau log file yang ditemukan;
- Atau sesuai dengan ketentuan lain yang berlaku.

Lapor Disini

Peringatan Keamanan

01. 6 Kerentanan Keamanan Utama PHP Dan Cara Memperbaikinya
2023-03-01
02. PERINGATAN KEAMANAN KERENTANAN PADA PERANGKAT SONICWALL SMA 100 SERIES
2022-01-14
03. PERINGATAN KEAMANAN TERKAIT INDIKASI PENINGKATAN AKSI PERISTISAHAN TERHADAP

Kalau tidak ada informasi CSIRT nya
Lapor Kemana ???



bantuan70@bssn.go.id
vvip-program@bssn.go.id

Stages of Penetration Testing #1

Reconnaissance

The first stage, Reconnaissance, is the foundation of the entire process. In this phase, the tester embarks on an intelligence-gathering mission about the target system. The collection might encompass a variety of data, including information about IP addresses, domain details, network services, mail servers, and network topology.

This proactive intelligence gathering provides invaluable insights, helping to sketch a detailed blueprint of the target's environment. Armed with this information, the tester can devise an informed testing strategy that can effectively probe for vulnerabilities, setting the stage for the subsequent phases of the penetration testing process.

Scanning

Next comes the Scanning stage. This phase involves an in-depth technical review of the target system. Automated tools like vulnerability scanners, network mappers, and others are used to understand how the target system responds to various intrusions.

Vulnerability Assessment

Once the target system has been thoroughly scanned, the process proceeds to the Vulnerability Assessment stage. This phase is a careful analysis of the target system to identify potential points of exploitation.

Using a combination of automated tools and manual methodologies, the tester scrutinises the security of the systems, identifying any potential loopholes. This meticulous assessment ensures a complete understanding of the system's security posture, flagging potential vulnerabilities that could be exploited by cybercriminals.

Source : Integrity360

Stages of Penetration Testing #2

*

Exploitation

Once the Vulnerability Assessment is complete, the next stage is Exploitation. In this critical phase, the tester attempts to capitalise on the vulnerabilities discovered. The aim isn't to cause damage but to ascertain the depth of the vulnerability and assess the potential damage it could cause.

Exploitation might involve data breaches, service disruption, or unauthorized access to sensitive information. This stage needs to be carefully controlled and monitored, to ensure that the system isn't accidentally damaged during the process. It's a delicate balancing act between pushing the boundaries and maintaining the integrity of the system.



Reporting

The final stage is Reporting, where the tester compiles a comprehensive report detailing their findings. This includes the vulnerabilities discovered, data exploited, and the success of the simulated breach.

But the report is not just a list of issues. It also offers recommendations for addressing the vulnerabilities, including software patches, configuration changes, and improved security policies. The report serves as a roadmap, guiding the organization towards a more secure IT infrastructure.

Source : Integrity360



Thank You

