RAJALAKSHMI ENGINEERING COLLEGE

CHENNAI

WEB PROGRAMMING

DESIGN AND DEVELOPMENT OF A PERSONAL PORTFOLIO WEBSITE

A PROJECT REPORT

Submitted by

ARILLI JAGADEESH A

Register Number: 241901502

in partial fulfillment of the requirements for the course

WEB PROGRAMMING

BACHELOR OF ENGINEERING

COMPUTER SCIENCE AND ENGINEERING (CYBER SECURITY)

RAJALAKSHMI ENGINEERING COLLEGE

CHENNAI

OCTOBER 2026

OCTOBER 2026

BONAFIDE CERTIFICATE

This is to certify that the project report entitled “DESIGN AND DEVELOPMENT OF A PERSONAL PORTFOLIO WEBSITE” is the bonafide work of ARILLI JAGADEESH A, Register Number 241901502, who carried out the work as part of the Web Programming course in the Department of Computer Science and Engineering (Cyber Security), Rajalakshmi Engineering College, Chennai.

The work presented in this report describes the design and implementation of a responsive personal portfolio website using HTML5, CSS3 and JavaScript. The report has been prepared based on the portfolio source file submitted for academic documentation.

Certified further that, to the best of our knowledge, the work reported herein has not formed the basis of any other project report or dissertation submitted for the award of any degree or diploma.

PROJECT GUIDE

_____

HEAD OF THE DEPARTMENT

Submitted for the Web Programming Project Review held on: _____

INTERNAL EXAMINER

EXTERNAL EXAMINER

DECLARATION

I, ARILLI JAGADEESH A, hereby declare that the project report entitled “DESIGN AND DEVELOPMENT OF A PERSONAL PORTFOLIO WEBSITE” is prepared by me as part of the Web Programming course. The report documents the structure, interface, interactions and implementation approach of the portfolio website represented by the HTML file supplied for this work.

I affirm that the descriptions of technologies and features in this report are based on the submitted source code and the portfolio content visible in that file. Where a feature is only simulated in the browser, such as the contact form confirmation, it is described as a front-end interaction and not as a connected production service.

I understand that any external links, certificate details, project descriptions and contact information should be checked for accuracy before the portfolio is published or used for recruitment.

Place: Chennai

Date: _____

_____

ARILLI JAGADEESH A

Register Number: 241901502

ABSTRACT

A personal portfolio website is an important digital platform for presenting a student's technical profile, skills, projects, education, experience and credentials. This project documents the design and development of a cybersecurity-focused portfolio website for Arilli Jagadeesh A. The supplied implementation uses HTML5 to organize semantic page content, CSS3 to create a dark cybersecurity-inspired visual identity, and JavaScript to provide interactive behaviour.

The website is organized into major sections: hero/profile, about, technical skills, experience, projects, education, certificates and contact. Its interface uses a responsive navigation system, a mobile hamburger menu, animated text, a Matrix-style canvas background, scroll-reveal effects, animated skill indicators, certificate category tabs, a certificate preview modal, profile-photo upload preview and a contact form validation/confirmation interaction.

The portfolio presents three featured projects: Dosa CTF Platform, TechGlenz E-Commerce and AI Chess Engine. It also displays education details, internship experience and selected certificates or competition credentials. The design uses a green-and-cyan accent palette, terminal-inspired typography, cards, tags and responsive grid layouts to communicate a technology-oriented identity.

The report explains the requirements, design decisions, page structure, front-end implementation, interaction logic, testing considerations, security limitations and possible enhancements. The current contact form provides client-side validation and a simulated success message; a server-side endpoint or email service is not present in the supplied JavaScript. The project demonstrates how core web-programming technologies can be combined to build a structured, interactive and maintainable personal portfolio.

ACKNOWLEDGEMENT

I express my sincere gratitude to the management of Rajalakshmi Engineering College, Chennai, for providing the academic environment and facilities required to learn and apply web-programming concepts.

I thank the Principal, the Head of the Department and the faculty members of the Department of Computer Science and Engineering (Cyber Security) for their guidance and encouragement throughout the course.

I extend my special thanks to the faculty member guiding this Web Programming work for valuable suggestions on structuring the project, documenting implementation details and improving the presentation of the final report.

I also thank my friends and family for their encouragement and support. Finally, I acknowledge the developers and maintainers of the web standards, browser tools and open-source learning resources that support the development of modern websites.

TABLE OF CONTENTS

CONTENTS	PAGE	CONTENTS	PAGE
ABSTRACT	iv	3.4 Interface Design	9
ACKNOWLEDGEMENT	v	3.5 Data and Content Model	10
LIST OF TABLES	vii	CHAPTER 4 – IMPLEMENTATION	11
LIST OF FIGURES	viii	4.1 HTML Structure	11
CHAPTER 1 – INTRODUCTION	1	4.2 CSS Styling	12
1.1 Background	1	4.3 JavaScript Interactions	13
1.2 Problem Statement	2	4.4 Portfolio Modules	14
1.3 Objectives	2	4.5 Responsive Behaviour	15
1.4 Scope and Boundaries	3	CHAPTER 5 – TESTING AND EVALUATION	16
1.5 Development Methodology	3	5.1 Test Strategy	16
CHAPTER 2 – WEB TECHNOLOGY REVIEW	4	5.2 Functional Test Cases	17
2.1 HTML5	4	5.3 Compatibility and Accessibility	18
2.2 CSS3	5	5.4 Security and Privacy	19
2.3 JavaScript	6	CHAPTER 6 – RESULTS AND DISCUSSION	20
2.4 Responsive Design	6	6.1 Implemented Features	20
CHAPTER 3 – REQUIREMENTS AND SYSTEM DESIGN	7	6.2 Limitations	21
3.1 Functional Requirements	7	6.3 Learning Outcomes	22
3.2 Non-functional Requirements	8	CHAPTER 7 – CONCLUSION AND FUTURE WORK	23
3.3 Site Map and Navigation	8	REFERENCES AND APPENDIX	24

LIST OF TABLES AND FIGURES

List of Tables

Table No.	Title	Page
3.1	Functional requirements	7
3.2	Non-functional requirements	8
3.3	Portfolio content model	10
5.1	Functional test cases	17
5.2	Security and privacy review	19
6.1	Implemented feature summary	20

List of Figures

Figure No.	Title	Page
3.1	Portfolio site map	8
3.2	High-level front-end architecture	9
4.1	JavaScript interaction flow	13
4.2	Certificate modal interaction	14
5.1	Testing workflow	16
6.1	Portfolio section overview	20

Note: Figures are represented as text-based diagrams in this report. The submitted HTML file is the implementation reference.

CHAPTER 1 – INTRODUCTION

1.1 Background

The internet has become a primary channel through which students, developers and professionals communicate their skills and work. A personal portfolio website provides a single, organized location where a visitor can understand the owner's background, inspect selected projects, review technical capabilities and initiate contact. Unlike a conventional résumé, a portfolio can combine narrative, visual hierarchy, working navigation and interactive demonstrations.

The submitted website is titled "Arilli Jagadeesh | Cybersecurity Portfolio". It positions the owner as a Computer Science Engineering student specializing in Cybersecurity, with interests in vulnerability assessment, ethical hacking and secure full-stack applications. The visual design uses a dark interface with green and cyan highlights, terminal-style labels and technology-oriented motifs.

1.2 Project Overview

The project is a single-page portfolio. Navigation links point to named sections within the same document, allowing visitors to move between the profile, skills, experience, projects, education, certificates and contact information. This approach keeps the site compact while still separating content into clear regions.

CHAPTER 1 – INTRODUCTION (CONTINUED)

1.3 Problem Statement

Students often present their work through disconnected documents, repositories and social profiles. A recruiter or reviewer may need to search several locations to understand a candidate's technical profile. The problem addressed by this project is to create a consolidated, accessible and visually consistent web page that presents relevant professional information and offers clear paths to projects and contact details.

1.4 Objectives

- Develop a single-page personal portfolio using HTML5, CSS3 and JavaScript.
- Present profile information, technical skills, internship experience, projects, education and credentials in a structured format.
- Provide intuitive desktop navigation and a collapsible mobile navigation menu.
- Use responsive layouts so content adapts to different screen widths.
- Add meaningful interactions such as animated role text, scroll reveals, certificate tabs and a preview modal.
- Provide clear contact details and a front-end contact form interaction.
- Maintain readable code organization and document known limitations honestly.

1.5 Scope and Boundaries

The scope covers the front-end website represented in portfolio.html. The implementation includes visual layout, section navigation, CSS animation and browser-side JavaScript behaviour. The supplied source does not show a server-side application, persistent database, authentication system or email-delivery API. Therefore, this report does not claim that messages submitted through the form are delivered to an inbox.

CHAPTER 1 – METHODOLOGY

1.6 Development Methodology

The project follows an iterative front-end development process. First, portfolio information is grouped into sections. Next, a visual theme and navigation structure are defined. HTML elements establish the content hierarchy, CSS controls layout and appearance, and JavaScript adds interaction. The implementation is then reviewed against functional requirements and common browser behaviours.

1.7 Development Phases

1. Content planning – identify the information to present and arrange it into sections.
2. Structure development – create the page landmarks, navigation, cards, lists and contact area.
3. Visual design – define colours, typography, spacing, responsive grids and motion effects.
4. Interaction development – implement menu toggling, typing animation, scroll reveal, tabs, modal, photo preview and form feedback.
5. Review and refinement – inspect links, required fields, responsive behaviour and content accuracy.

1.8 Intended Users

The primary audience includes recruiters, internship coordinators, faculty members, peers and technology communities. The page is designed to help these visitors quickly identify the owner’s areas of interest, inspect selected work and use the listed contact channels.

CHAPTER 2 – WEB TECHNOLOGY REVIEW

2.1 HTML5

HTML (HyperText Markup Language) defines the structure and meaning of web content. HTML5 provides semantic elements and form controls that help browsers interpret a document. In a portfolio, headings organize information, navigation links connect sections, lists present skills and experience, and images or buttons support visual and interactive components.

The supplied file declares the document language as English, includes character encoding and viewport metadata, and sets the browser title to “Arilli Jagadeesh | Cybersecurity Portfolio”. It uses section identifiers such as about, skills, experience, projects, education, certs and contact as navigation targets.

2.2 Semantic Structure

A well-structured page should use landmarks such as header, nav, main, section and footer where appropriate. Headings should follow a logical hierarchy. Interactive controls should be represented by buttons or links according to their purpose. Semantic markup improves maintainability and can support assistive technologies and search engines.

CHAPTER 2 – CSS AND RESPONSIVE DESIGN

2.3 CSS3

CSS (Cascading Style Sheets) controls the presentation of HTML elements. The portfolio defines reusable design tokens through CSS custom properties, including colours for green, cyan, red, yellow and purple, background shades, border colours and font families. Reusable classes are applied to cards, tags, buttons, labels and section wrappers.

The interface combines a dark background, subtle scanline overlay, low-opacity Matrix canvas, glowing accents, bordered cards and animated transitions. CSS Grid is used for grouped content such as skills, projects and education. Flexbox is used for navigation, buttons, tags and horizontal card layouts. Hover states provide feedback when visitors interact with links and cards.

2.4 Responsive Design

Responsive web design allows the same content to adapt to different viewport sizes. The file includes viewport metadata, flexible widths, CSS clamp() for fluid typography, auto-fit grid columns and a mobile navigation panel. A hamburger control is shown for smaller layouts, while the desktop navigation presents section links in a horizontal row.

Responsive testing should include narrow mobile widths, tablet widths and desktop screens. Important checks include avoiding horizontal overflow, ensuring tap targets are large enough, keeping text readable and confirming that the mobile menu opens and closes correctly.

CHAPTER 2 – JAVASCRIPT

2.5 JavaScript

JavaScript adds behaviour to the page by reading and changing the Document Object Model (DOM), responding to events and updating element classes or properties. The supplied portfolio uses JavaScript for the animated background, typing effect, mobile menu, scroll reveal, certificate tabs, certificate modal, local photo preview, contact-form feedback and scroll-to-top visibility.

2.6 Browser APIs Used

- Canvas 2D context – draws the Matrix-style character animation.
- Window resize event – updates canvas dimensions and column positions.
- setTimeout and setInterval – schedule animation frames and timed feedback.
- IntersectionObserver – detects when reveal sections enter the viewport.
- FileReader – previews a selected local profile image in the browser.
- DOM event listeners – respond to clicks, scrolling and the Escape key.

2.7 Client-side Processing

The interactive features execute in the visitor’s browser. For example, the photo preview reads a selected file using FileReader and assigns the resulting data URL to an image element. This behaviour does not upload the photo to a server. Similarly, the contact form checks that the name, email and message fields are not empty, then displays a success notification. The current source does not transmit the message to an external service.

CHAPTER 3 – REQUIREMENTS AND SYSTEM DESIGN

3.1 Functional Requirements

ID	Requirement	Expected behaviour
FR-01	Section navigation	Links move to the relevant page section.
FR-02	Mobile menu	Menu opens and closes through the hamburger control.
FR-03	Typing role text	A sequence of professional role labels is animated.
FR-04	Skill reveal	Skill indicators animate when their section is visible.
FR-05	Certificate tabs	Selected category panel becomes visible.
FR-06	Certificate preview	Modal displays selected image and credential details.
FR-07	Photo preview	Selected local image is previewed in the hero area.
FR-08	Contact feedback	Empty fields are rejected; valid fields show client-side confirmation.

3.2 Requirement Interpretation

The requirements describe observable front-end behaviour. They do not imply server-side storage or delivery. Any later version that needs real message submission must connect the form to a secure backend endpoint or a trusted form service.

CHAPTER 3 – NON-FUNCTIONAL REQUIREMENTS

3.3 Non-functional Requirements

Category	Requirement
Usability	Visitors should understand the section layout and find key information quickly.
Responsiveness	The layout should adapt to mobile, tablet and desktop viewports.
Performance	Animations should remain lightweight and avoid unnecessary work.
Maintainability	Reusable CSS classes and clearly named JavaScript functions should be used.
Accessibility	Controls should be keyboard accessible and have clear labels and focus states.
Privacy	Local photo preview should remain local unless an explicit upload feature is added.
Security	External links, form handling and future integrations should be reviewed before deployment.

3.4 Constraints

The submitted file is a front-end artifact. No package manifest, server code, API specification or deployment configuration is included in the supplied HTML. External font loading depends on network access to Google Fonts. The certificate and project links must be checked periodically because external destinations may change.

CHAPTER 3 – SITE MAP AND ARCHITECTURE

3.5 Site Map

```
HOME / HERO
■■■ ABOUT / PROFILE
■■■ SKILLS / ARSENAL
■■■ EXPERIENCE
■■■ PROJECTS
■■■ EDUCATION
■■■ CERTIFICATES
■■■ CONTACT
```

The navigation is a section-based site map. Each menu item uses an anchor reference such as #about or #projects. This design is suitable for a compact portfolio because it reduces page transitions and keeps the visitor within one document.

3.6 High-level Front-end Architecture

```
VISITOR
↓
BROWSER RENDERING ENGINE
↓
HTML DOCUMENT ←→ CSS PRESENTATION
↓ ↓
DOM ELEMENTS RESPONSIVE LAYOUT
↓
JAVASCRIPT EVENT HANDLERS
↓
ANIMATIONS / MODALS / TABS / FORM FEEDBACK
```

The architecture is entirely client-side in the supplied implementation. HTML provides the content and controls, CSS determines presentation, and JavaScript responds to user actions. No backend service is evidenced in the provided source.

CHAPTER 3 – INTERFACE DESIGN

3.7 Visual Design

The portfolio uses a cybersecurity-inspired visual language. Its primary background is near-black, with green as the principal accent and cyan as a secondary highlight. Supporting colours distinguish categories and states. The design uses the Share Tech Mono, Rajdhani and Exo 2 font families, imported from Google Fonts.

A terminal-inspired logo, uppercase navigation labels, short section tags and numbered project labels create a consistent visual identity. Cards group related content and use subtle borders and hover effects. The hero section establishes the owner’s name, professional focus and calls to action.

3.8 Layout Components

- Hero region – name, role animation, short introduction and project/contact links.
- Profile region – biography, languages, contact summary and interests.
- Skills region – programming, web technologies, cybersecurity, database and tools.
- Experience region – internship organization, role, period and responsibilities.
- Projects region – three project summaries with technology tags and demo links.
- Education region – diploma and current B.E. programme details.
- Credentials region – certificates and competition entries grouped by category.
- Contact region – email, telephone, location and message form.

CHAPTER 3 – CONTENT MODEL

3.9 Portfolio Content Model

Entity	Fields represented in the page
Profile	Name, role, summary, location, languages and interests.
Skill group	Category title, icon, technology tags and visual proficiency indicator.
Experience	Organization, date range, role and responsibility statements.
Project	Project title, description, technology tags and demo URL.
Education	Period, qualification, institution and grade/CGPA.
Credential	Title, issuer, category, date and optional preview image.
Contact	Email address, phone number, location and form fields.

The HTML stores the content directly in the document. This is straightforward for a small portfolio and does not require a database. If the site grows, content could be moved to structured JSON or a content management system to simplify updates.

3.10 Information Accuracy

The supplied page lists a diploma from Valliammai Polytechnic College with a 9.2/10 score and a B.E. in Computer Science (Cyber Security) at Rajalakshmi Engineering College with a 7.86 CGPA. It lists a cybersecurity internship at Jyesta Corporate Entity from December 2025 to February 2026, along with projects and credentials. These values should be verified against original academic and internship records before public use.

CHAPTER 4 – IMPLEMENTATION: HTML

4.1 Document Setup

The HTML document begins with a doctype declaration and sets lang="en". The head section contains UTF-8 character encoding, responsive viewport metadata, a page title, font preconnect hints and a Google Fonts stylesheet. These declarations help the browser interpret the document and render the intended typography.

4.2 Navigation and Section Anchors

The navigation links reference section identifiers within the same document. The page includes desktop navigation, a hamburger button and a separate mobile navigation panel. JavaScript functions toggle the open class on the hamburger and mobile navigation elements. The closeMenu() function removes these classes after a mobile navigation selection.

4.3 Content Elements

The portfolio uses headings, paragraphs, lists, tags, cards, buttons and anchors to present information. Project cards include a title, summary, technology stack and live demo link. Contact details use mailto: and tel: URI schemes to allow compatible devices to open an email client or telephone handler.

CHAPTER 4 – IMPLEMENTATION: CSS

4.4 CSS Custom Properties

The :root block defines shared variables for the green, cyan, red, yellow and purple accents; multiple background shades; border and text colours; and font families. Centralized variables make it easier to adjust the theme consistently without editing every component.

4.5 Layout and Effects

The stylesheet uses flex and grid layouts for alignment and responsive cards. clamp() is used for fluid heading sizes. Transitions provide hover feedback, while keyframe animations support the pulsing status indicator, rotating photo rings and blinking terminal cursor. A fixed scanline overlay adds texture, and a canvas element is positioned behind the main content for the Matrix effect.

4.6 Visual Consistency

Reusable component classes such as skill-card, project-card, edu-card, cert-card and btn keep the interface consistent. Colour-coded tags distinguish technology categories. The same spacing and border language is reused across sections, helping the visitor recognize related information.

CHAPTER 4 – IMPLEMENTATION: JAVASCRIPT

4.7 Main JavaScript Functions

Function / feature	Purpose
drawMatrix()	Draws random characters on the background canvas.
type()	Cycles through role phrases with a typing/deleting effect.
toggleMenu()	Toggles the mobile navigation and hamburger state.
closeMenu()	Closes the mobile navigation panel.
IntersectionObserver	Adds reveal state and animates skill bars when visible.
switchTab()	Changes the active certificate tab and panel.
openCertModal()	Loads certificate preview details into the modal.
closeCertModal()	Closes the modal and restores body scrolling.
handlePhotoUpload()	Reads a local image and displays a browser preview.
handleSend()	Validates fields and shows a simulated sent state.
showNotif()	Displays a temporary notification message.

4.8 Event-driven Interaction

The JavaScript code uses event-driven programming. A click can open a menu or modal; a scroll event controls the scroll-to-top button; a resize event recalculates canvas dimensions; and a keydown event closes the certificate modal when Escape is pressed. Timers control animation cadence and temporary notification states.

CHAPTER 4 – PORTFOLIO MODULES

4.9 Projects Module

The projects section presents three items. Dosa CTF Platform is described as a web-based Capture The Flag learning platform using Flask, HTML/CSS and JavaScript. TechGlenz E-Commerce is described as a responsive e-commerce interface focused on product listings, navigation and user experience. AI Chess Engine is described as a Python-based chess game using decision-making algorithms.

4.10 Skills and Experience Modules

Skills are grouped into programming, web technologies, cybersecurity, and database/tools. The page lists Python, SQL, algorithms, HTML5, CSS3, JavaScript, Flask, vulnerability assessment, network security, threat detection, CTF, MySQL, Git, Linux and VS Code. The experience section describes a remote cybersecurity internship at Jyesta Corporate Entity, including basic vulnerability assessments, network security analysis and exposure to security tools and reporting methods.

4.11 Education and Credentials

The education section records a Diploma in Computer Science Engineering (2022–2025) and a B.E. in Computer Science (Cyber Security) (2025–2028). The credentials section groups CTF competitions, industry simulations, courses, bootcamps and internship certificates. Certificate preview controls are designed to display the associated image in a modal when a valid image source is supplied.

CHAPTER 4 – RESPONSIVE BEHAVIOUR

4.12 Mobile Navigation

The desktop navigation is hidden at smaller breakpoints and replaced by a hamburger control. The mobile navigation appears as a vertical panel beneath the fixed header. The JavaScript toggles CSS classes to update the menu and icon state. Testing should verify that menu links remain reachable and that the panel does not cover essential content unexpectedly.

4.13 Responsive Grids

Skill cards, project cards and education cards use CSS Grid with auto-fit or fixed column definitions. This allows the layout to change as the available width changes. The hero region uses flexible text sizing and spacing, while section wrappers use viewport-relative horizontal padding.

4.14 Motion and Reduced Motion

The website includes continuous or triggered animation. Motion can improve visual feedback, but excessive animation may distract users or affect people with vestibular sensitivities. A future refinement should respect the prefers-reduced-motion media query, pause non-essential animation when appropriate and ensure all content remains understandable without motion.

CHAPTER 5 – TESTING AND EVALUATION

5.1 Testing Strategy

Testing should be performed in a modern browser at multiple viewport sizes. The test process begins with page loading and navigation, then checks each interactive feature independently. The page should also be reviewed with keyboard-only interaction, browser developer tools and network inspection.

```
SOURCE REVIEW
↓
LOAD PAGE IN BROWSER
↓
CHECK SECTION NAVIGATION
↓
TEST INTERACTIVE CONTROLS
↓
CHECK MOBILE / TABLET / DESKTOP
↓
REVIEW CONSOLE, LINKS AND ACCESSIBILITY
↓
RECORD DEFECTS AND RETEST
```

5.2 Test Environment

The submitted source is a static HTML file with embedded CSS and JavaScript. It can be opened in a modern browser or served from a local development server. Testing should include a current Chromium-based browser and at least one additional browser where available. External font loading requires network access.

CHAPTER 5 – FUNCTIONAL TEST CASES

Test ID	Action	Expected result
TC-01	Load portfolio.html	Page title and hero section render.
TC-02	Select About navigation	Browser moves to About section.
TC-03	Open mobile menu	Mobile navigation panel becomes visible.
TC-04	Select mobile link	Panel closes and target section is reached.
TC-05	Wait for role animation	Role phrases type and erase in sequence.
TC-06	Scroll to skill area	Reveal effect and skill bars activate.
TC-07	Select certificate category	Corresponding panel becomes active.
TC-08	Open certificate preview	Modal displays selected certificate image/details if configured.
TC-09	Press Escape in modal	Modal closes and body scrolling is restored.
TC-10	Choose local profile image	Image preview appears in hero area.
TC-11	Submit empty contact fields	Validation notification is shown.
TC-12	Submit filled contact fields	Simulated confirmation appears; no server delivery is implied.

5.3 Test Evidence

The test cases above define expected behaviour from the source code. They should be executed in the target browser and actual outcomes recorded before formal submission. This report does not claim that an independent automated test suite or cross-browser test run was included with the supplied HTML.

CHAPTER 5 – ACCESSIBILITY AND SECURITY

5.4 Accessibility Review

- Use meaningful alternative text for profile and certificate images.
- Ensure buttons and links can be reached and activated using a keyboard.
- Provide visible focus indicators and accessible names for icon-only controls.
- Maintain sufficient contrast between text and background colours.
- Use headings in a logical order and label form fields clearly.
- Support reduced-motion preferences for animated content.
- Ensure the mobile menu communicates its expanded/collapsed state.

5.5 Security and Privacy Review

A portfolio is a public-facing website and should avoid exposing secrets, private documents or unnecessary personal information. The supplied page displays contact details and external project or credential links. These should be reviewed before publication. The local photo preview uses FileReader in the browser and does not itself upload the image.

The contact interaction currently performs required-field checks and displays a success message. Because no network request or backend endpoint appears in the supplied handler, the message is only a front-end confirmation. A production implementation should validate input on the server, protect against spam, use HTTPS, avoid logging sensitive content and provide an accurate success or failure response.

Area	Current source observation	Recommended action
Contact form	Client-side validation and simulated success	Connect to secure backend or trusted form service.
External links	Project demo and email/phone links are present	Review destinations and use safe link attributes where needed.
Personal data	Email, phone and location are displayed	Publish only details intended for public contact.
Dependencies	Google Fonts is externally loaded	Review external dependency and provide fallback fonts.

CHAPTER 6 – RESULTS AND DISCUSSION

6.1 Implemented Feature Summary

Portfolio area	Content / behaviour
Hero	Name, cybersecurity focus, intro, calls to action and animated role.
About	Profile summary, languages, contact summary and interests.
Skills	Four skill categories and visual proficiency indicators.
Experience	Jyesta Corporate Entity cybersecurity internship entry.
Projects	Dosa CTF Platform, TechGlenz E-Commerce and AI Chess Engine.
Education	Diploma and B.E. programme details with grades.
Certificates	Competition, simulation, bootcamp, internship and course entries.
Contact	Email, phone, location and client-side form feedback.

6.2 Discussion

The submitted portfolio demonstrates the integration of HTML structure, CSS presentation and JavaScript interaction in one self-contained front-end page. Its strongest feature is the consistent visual theme across sections. The project cards and skill groups make technical information easy to scan, while certificate tabs and a preview modal provide a more interactive way to browse credentials.

The portfolio is suitable as a student profile and project showcase. Before public deployment, content accuracy, certificate image paths, external destinations, mobile usability and the form’s actual submission behaviour should be verified.

CHAPTER 6 – LIMITATIONS AND LEARNING OUTCOMES

6.3 Current Limitations

- The supplied artifact is a static front-end page; it does not include a backend or database.
- The contact form confirmation is simulated and does not demonstrate message delivery.
- The profile-photo feature previews a local file but does not persist it to a server.
- Certificate preview depends on valid image paths being available.
- External fonts and demo destinations depend on third-party availability.
- The source file alone does not prove hosting, analytics, automated testing or production security configuration.

6.4 Learning Outcomes

The project provides practical experience in structuring a single-page website, defining a consistent design system, building responsive card layouts and using JavaScript to manipulate the DOM. It also demonstrates the value of separating content, presentation and behaviour, even when all three are packaged in a single HTML file.

From a professional perspective, the project reinforces the importance of honest feature descriptions. A user interface that displays a success message is not equivalent to a complete data-processing workflow. Understanding that distinction is important when building trustworthy web applications.

CHAPTER 7 – CONCLUSION AND FUTURE WORK

7.1 Conclusion

The personal portfolio website successfully brings together profile information, technical skills, internship experience, projects, education, credentials and contact details in a single web interface. The implementation uses HTML5 for structure, CSS3 for visual presentation and responsive layout, and JavaScript for interactive behaviour. The dark cybersecurity-inspired theme, section navigation, animated elements, project cards and certificate browsing features create a recognizable digital profile.

The report also identifies the boundary between front-end interaction and complete application functionality. In particular, the current contact form provides browser-side validation and simulated feedback rather than a confirmed server-side message-delivery process. With further refinement, the portfolio can become a more accessible, secure and maintainable professional website.

7.2 Future Enhancements

- Connect the contact form to a secure backend or verified form-delivery service.
- Add server-side validation, spam protection and clear submission status.
- Improve semantic HTML, keyboard support, focus visibility and screen-reader labels.
- Add prefers-reduced-motion support and performance controls for background animation.
- Store project and credential content in structured data for easier maintenance.
- Add verified repository links, project screenshots and concise project case studies.
- Optimize images, provide local font fallbacks and test Core Web Vitals.
- Set up HTTPS hosting, a custom domain and routine link/content reviews.

REFERENCES AND APPENDIX

REFERENCES

1. WHATWG. HTML Living Standard. https://html.spec.whatwg.org/
2. MDN Web Docs. HTML: HyperText Markup Language. https://developer.mozilla.org/docs/Web/HTML
3. MDN Web Docs. CSS: Cascading Style Sheets. https://developer.mozilla.org/docs/Web/CSS
4. MDN Web Docs. JavaScript Guide. https://developer.mozilla.org/docs/Web/JavaScript/Guide
5. MDN Web Docs. Intersection Observer API. https://developer.mozilla.org/docs/Web/API/Intersection_Observer_API
6. MDN Web Docs. FileReader API. https://developer.mozilla.org/docs/Web/API/FileReader
7. Google Fonts. Font families used by the supplied portfolio. https://fonts.google.com/
8. Source file supplied for this report: portfolio.html (Arilli Jagadeesh | Cybersecurity Portfolio).

APPENDIX A – SOURCE FILE SUMMARY

The supplied portfolio.html contains the document structure, embedded CSS styles and a JavaScript block. The JavaScript block implements Matrix-style canvas drawing, role typing, mobile menu toggling, scroll reveal, certificate tabs, certificate modal controls, local photo preview, contact form feedback, notifications and scroll-to-top visibility.

APPENDIX B – PRE-SUBMISSION CHECKLIST

- Verify name, register number, education dates and grades.
- Verify internship period, organization name and responsibility statements.
- Check all certificate images and project demo links.
- Replace any placeholder image or incomplete credential link.
- Test mobile navigation and all interactive controls.
- Connect or clearly label the contact form as a demonstration.
- Run an accessibility and cross-browser review before publication.