# САНКТ-ПЕТЕРБУРГСКИЙ НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ ИТМО

Дисциплина: Фронд-энд разработка

## Отчет

Лабораторная работа 3 на тему: "Разработка одностраничного вебприложения (SPA) с использованием фреймворка Vue.JS "

Выполнил: Траоре Мамуду

Группа:К33402

Проверил: Добряков Д.И.

Санкт-Петербург, 2023 г.

**Цель работы:** Перенести написанный ранее сайт на фреймворк Vue.JS Вариант 2 сайт для мероприятия

Ход работы: Роутер:

```
import { createRouter, createWebHistory } from "vue-router";
import HomeView from "../views/HomeView.vue";
import LoginView from "../views/LoginView";
import RegisterView from "../views/RegisterView";
import UserView from "../views/UserView";
import CalendarView from "../views/CalendarView";
const routes = [
   path: "/",
   name: "home",
   component: HomeView,
   path: "/login",
   name: "login",
   component: LoginView,
   path: "/register",
   name: "register",
   component: RegisterView,
   path: "/user",
   name: "user",
   component: UserView,
   path: "/calendar",
    name: "calendar",
   component: CalendarView,
const router = createRouter({
 history: createWebHistory(process.env.BASE_URL),
 routes,
export default router;
```

#### Components

• EventItem.vue

```
<div class="d-flex events" :id="itemId">
 <img class="search-image m-1" :src="imgUrl" alt="event" />
   style="width: 100%"
   class="d-flex flex-column justify-content-evenly ms-2"
   <div class="d-flex justify-content-between search-result-description">
    <span style="color: rgb(104, 91, 91)" class="fw-light"</pre>
       > {{ eventId }} attendees</span</pre>
       style="color: rgb(104, 91, 91); margin-right: 10px"
       xmlns="http://www.w3.org/2000/svg"
       width="16"
       height="16"
       fill="currentColor"
class="bi bi-box-arrow-up"
      viewBox="0 0 16 16"
         fill-rule="evenodd"
         d="M3.5 6a.5.5 0 0 0-.5.5v8a.5.5 0 0 0 .5.5h9a.5.5 0 0 0 .5.5h9a.5.5 0 0 0 .5-.5v-8a.5.5 0 0 0-.5-.5h-2a.5.5 0 0 1 0-1h2A1.5 1.5 0 0 1 14 6.5v8a1.5
         fill-rule="evenodd"
         d="M7.646.146a.5.5 0 0 1 .708 0l3 3a.5.5 0 0 1-.708.708L8.5 1.707V10.5a.5.5 0 0 1-1 0V1.707L5.354 3.854a.5.5 0 1 1-.708-.708l3-3z'
```

• GroupItem.vue

```
<div class="d-flex groups" :id="itemId">
    <div class="search-image me-2">
     <img class="search-image m-1" :src="url" alt="group" />
     style="width: 100%"
     class="d-flex flex-column justify-content-evenly ms-2"
     <div class="d-flex">
       <span style="color: black" class="fw-bold me-2">{{ user }}</span>
       <div class="group-members">
         <i style="color: gray" class="fa fa-user"> {{ collections }}</i>
         <span style="color: gray"></span>
     <i class="fa fa-thumbs-up">: {{ likes }}</i>
     <i class="fa fa-eye">: {{ views }}</i>
      <div class="d-flex justify-content-between search-result-description">
       <span> Tags: {{ tags }}</span>
         style="color: rgb(104, 91, 91); margin-right: 10px"
         xmlns="http://www.w3.org/2000/svg"
         width="16"
         height="16"
         fill="currentColor"
         class="bi bi-box-arrow-up"
         viewBox="0 0 16 16"
           fill-rule="evenodd"
           d="M3.5 6a.5.5 0 0 0-.5.5v8a.5.5 0 0 0 .5.5h9a.5.5 0 0 0 .5-.5v-8a.5.5 0 0 0-.5-.5h-2a.5.5 0 0 1 0-1h2A1.5 1.5 0 0
           fill-rule="evenodd"
           d="M7.646.146a.5.5 0 0 1 .708 0l3 3a.5.5 0 0 1-.708.708L8.5 1.707V10.5a.5.5 0 0 1-1 0V1.707L5.354 3.854a.5.5 0 1 1-
</template>
export default {
 name: "GroupItem",
 props: {
   itemId Number
   tags: String,
```

LoginSocialBtn.vue

```
<template>
    class="d-flex login-button2 form-label justify-content-between"
    type="button"
    <img
    class="login-icon align-self-center"
    :src="require(`../assets/images/${icon}`)"
   <div class="fw-light fs-6">{{ text }}</div>
   <div></div>
 </button>
</template>
<script>
export default {
 name: "LoginSocialBtn",
 props: {
   text: String,
  icon: String,
}
</script>
<style>
.login-button2 {
 cursor: pointer;
 color: □rgb(0, 0, 0);
 padding: 8px 12px;
 font-size: 1.25rem;
 line-height: 24px;
 height: 3rem;
 background-color: ■white;
border: 1px solid ■#dbdbdb;
</style>
```

#### Представление: (RegisterView.vue):

```
<template>
 <div class="container-fluid">
   <form class="d-flex flex-column register-container">
     <div class="mb-3 d-flex flex-column align-items-center">
       <span class="fs-1 fw-bold">Sign up</span>
     </div>
     <div class="d-flex flex-column">
       <SocialBtn text="Log in with Facebook" icon="facebook.jpg" />
       <SocialBtn text="Log in with Google" icon="google-logo.jpg" />
       <SocialBtn text="Log in with Apple" icon="apple-logo.png" />
     </div>
     <div class="d-flex items-center justify-content-between">
       <div style="width: 45%" class="p-1 login-orline">
       </div>
       <span class="p-1 login-orline">or</span>
       <div style="width: 45%" class="p-1 login-orline">
       </div>
     </div>
       <div class="mb-3 fw-bold">
         <label for="exampleInputEmail1" class="form-label" >Your name</label>
           type="email"
           class="form-control"
           id="exampleInputEmail1"
           aria-describedby="emailHelp"
           v-model="name"
        </div>
        <div class="mb-3 fw-bold">
         <div class="flex space-between">
           <label for="exampleInputPassword1" class="form-label font-semibold"</pre>
             >Email Address</label
         </div>
           type="email"
           class="form-control"
           id="exampleInputPassword1"
```

```
v-model="email"
  <div class="mb-3 fw-bold">
   <div class="flex space-between">
     <label for="exampleInputPassword1" class="form-label font-semibold"</pre>
       >Password</label
     type="password"
     class="form-control"
     id="exampleInputPassword1"
     v-model="pass"
Your name is public. We'll use your email address to send you updates,
 and your location to find Meetups near you
<Button
 text="Continue"
 classes="fw-bold mb-3"
 @click.prevent="register"
<div class="text-center text-decoration-none fs-6">
 When you "Continue", you agree to Meetup's
  <a class="text-viridian text-decoration-none">Terms of Service</a>. We
 will manage information about you as described in our
 <a class="text-viridian text-decoration-none">Privacy Policy</a>, and
 <a class="text-viridian text-decoration-none">Cookie Policy</a>.
<div class="d-flex justify-content-center">
 <span class="pe-1">Already a member?</span>
  href="login.html"
```

```
href="login.html"
          class="text-decoration-none text-viridian"
          @click="goToPage('login')"
          @click.prevent
         Log in.</a
     </div>
   </form>
  </div>
</template>
<script>
import SocialBtn from "../components/LoginSocialBtn.vue";
import Button from "@/components/Button.vue";
import axios from 'axios'
export default {
  name: "RegisterView",
  data: function(){
    return{
       name: '',
       email: '',
      pass: ''
  components: {
   SocialBtn,
  Button
  mounted(){
  methods: {
    goToPage(page) {
     this.$router.push(`./${page}`);
    async register(){
      const res = await axios.post(`http://localhost:3000/users`,{
        email: this.email,
        firstname: this.name,
```

```
components: {
          SocialBtn.
        mounted(){
        methods: {
          goToPage(page) {
            this.$router.push(`./${page}`);
          async register(){
            const res = await axios.post(`http://localhost:3000/users`,{
              email: this.email,
              firstname: this.name,
            password: this.pass
            });
            localStorage.setItem('user', JSON.stringify(res.data));
            alert("User Successfully Registered");
            this.$router.push({name: "home"})
            console.log(this.name , this.email)
            console.log(res)
      }:
133
     </script>
     <style>
      .register-container {
        border: 1px solid ■#dbdbdb;
       width: 550px;
       height: 100%;
        margin: 1rem auto;
        border-radius: 6px;
        padding: 4%;
        box-sizing: border-box;
     </style>
```

Представление: (LoginView.vue):

```
< <template>
    <div class="container-fluid">
      <form class="d-flex flex-column login-container">
        <div class="d-flex flex-column align-items-center mb-5">
         <h1 class="pt-3 font-title-2 font-semibold">Log in</h1>
         <div class="d-flex">
           <span class="me-2"> Not a member yet?</span>
           <router-link :to="{name: 'register'}"> Sign up</router-link>
         <div class="mb-3 fw-bold">
            <label for="exampleInputEmail1" class="form-label">Email</label>
              type="email"
             class="form-control"
             id="exampleInputEmail1"
             aria-describedby="emailHelp"
             v-model="email"
          <div class="mb-3">
           <div class="d-flex justify-content-between">
             <label for="exampleInputPassword1" class="form-label fw-bold"</pre>
               >Password</label
             <a class="text-viridian text-decoration-none" href=""</pre>
              >Forgot Password</a
             type="password"
              class="form-control"
              id="exampleInputPassword1"
              v-model="pass"
          </div>
```

```
<div class="mb-3 form-check">
        <input type="checkbox" class="form-check-input" id="exampleCheck1" />
         <label class="form-check-label" for="exampleCheck1"</pre>
          >Keep me signed in</label
       </div>
      Button
       text="Log In"
       classes="fw-bold"
      @click.prevent="LogIn"
      <div class="d-flex items-center justify-content-between my-2">
       <div style="width: 45%" class="p-1 login-orline">
       <span class="p-1 login-orline">or</span>
       <div style="width: 45%" class="p-1 login-orline">
     <div class="d-flex flex-column">
       <SocialBtn text="Log in with Facebook" icon="facebook.jpg" />
       <SocialBtn text="Log in with Google" icon="google-logo.jpg" />
       <SocialBtn text="Log in with Apple" icon="apple-logo.png" />
</template>
```

#### Представление: (RegisterView.vue):

```
<template>
   <div class="d-flex justify-content-center align-items-center">
     <img class="px-3 pt-5 pb-5" src="../assets/images/avatar.png">
     <div class="d-flex flex-column p-3">
       <h1 class="fw-bold pb-2">Traore Mamoudou</h1>
       <h3 class="fw-bold pb-3"> Member since September 2022</h3>
       <div style="color:grey" class="d-flex">
        <ion-icon class="px-1" name="location"></ion-icon>
        <span>St. Petersburg</span>
       <div style="color:grey" class="d-flex">
        <ion-icon class="px-1" name="people"></ion-icon>
        <span>Attended 0 Events
   <div class="d-flex">
     <div class="pa"></div>
     <div style="width:100%" class="d-flex pa2">
       <div class="d-flex align-items-center">
        <h6 class="b5">1</h6>
        <h6 class="fw-normal">Groups</h6>
       <div class="m-3"></div>
       <div class=" d-flex align-items-center">
    <h6 class="b5">3</h6>
         <h6 class="fw-normal">Interests</h6>
       <Button text="Edit Profile" classes="ms-auto" />
     <div class="pa"></div>
   <div class="d-flex">
     <div class="pa"></div>
     <div class="d-flex flex-column pa2">
       <h2 class=" mt-5 mb-3 fw-bold">Groups</h2>
       <div class="container">
        <div class="row row-cols-3">
```

```
<div class="row row-cols-3":
             <div class="col">
               <div class="d-flex g-box align-items-center i-g">
                 <img class="me-3" src="../assets/images/group1.jpg">
<h5 style="color: black;" class="fw-bold">Piter International </h5>
             <div class="col">
               <div class="d-flex g-box align-items-center i-g">
                <img class=" me-3" src="../assets/images/group2.jpg">

<h5 style="color: black;" class="fw-bold">Robonomics network Meetup Group </h5>
        <h2 class=" mt-5 mb-3 fw-bold">Interests</h2>
        <div class="d-flex">
          <div class="pe-5"></div>
          <span class="b6 me-2">Photography</span>
          <span class="b6 me-2">Web Design</span>
           <span class="b6 me-2">Python</span>
        <div class="my-5"></div>
      <div class="pa"></div>
</template>
```

Представление: (HomeView.vue):

```
<template>
   <section class="d-flex align-items-center p-3">
     <div class="pa"></div>
     <div class="d-flex flex-column justify-content-center pa2">
       <div class="fw-bold fs-4 pink m-1">BECOME AN ORGANIZER</div>
       <span class="m-1 fs-3 fw-bolder f1">
         We'll walk you through a few steps to build your local community</span
       <button class="b4 fw-bold m-1" type="submit">Get started</button>
     </div>
     <div class="pa"></div>
   </section>
   <section class="p-5"></section>
     style="background-color: #00455d"
     class="d-flex align-items-center p-3"
     <div class="pa"></div>
     <div class="d-flex flex-column pa2">
       <h1 style="color: white" class="pb-3 fs-3 fw-bold">
         People start Meetup groups to make new friends, pursue passions, and
         turn side hustles into careers.
       <div class="d-flex">
         <img class="i-s" src="../assets/images/meeting.jpeg" />
           style="color: white"
           class="d-flex flex-column justify-content-center"
           <h4 class="pb-2">Make an impact</h4>
             "Hosting oyster tasting events on Meetup allows me to create a
             larger impact beyond my blog and get more people interested in and
             involved with sustainable seafood."
           Mamoudou . Saint-Petersbourg
         </div>
       </div>
```

```
<div class="mb-5"></div>
 <div class="pa"></div>
<section class="d-flex align-items-start p-3">
 <div class="pa"></div>
  <div class="d-flex flex-column pa2">
   <h1 class="pw-bold pb-3">Organize your way, on your schedule</h1>
   <div class="container">
     <div class="row row-cols-3">
       <div class="col">
         <div class="d-flex flex-column justify-content-evenly">
           <img src="../assets/images/section3-1.png" />
            <h2>Find your members</h2>
             We'll help you find interested members and you can approve
             them to be sure they'll be a good fit for your community.
        <div class="col">
         <div class="d-flex flex-column">
           <img src="../assets/images/section3-2.png" />
           <h2>Schedule events in minutes</h2>
             Organizer tools make it easy to schedule and manage your
             events. You decide when, where, and how often your group
             meets.
        <div class="col">
         <div class="d-flex flex-column">
           <img src="../assets/images/section3-3.png" />
           <h2>Have others help you host</h2>
             You don't have to do it alone. Recruit a leadership team to
             help you host events and manage your group.
```

```
<div class="pa"></div>
</section>
<section class="p-5"></section>
<section class="d-flex align-items-start p-3">
 <div class="pa"></div>
 <div class="d-flex flex-column justify-content-center pa2">
   <h1 class="pw-bold pb-3">What would you like your group to do?</h1>
   Try starting simple with one of these common event formats
   <div class="container">
     <div class="row row-cols-2">
       <div class="col">
         <div class="d-flex flex-column">
           <img class="i-s2 mb-3" src="../assets/images/section4-1.jpg" />
           <h2>Hang out</h2>
             Organize a get-together at a bar or local coffee shop to
             discuss something you're interested in
           <a class="text-decoration-none text-viridian"</pre>
             >Start a group that hangs out ></a
         </div>
        </div>
       <div class="col">
         <div class="d-flex flex-column">
           <img class="i-s2 mb-3" src="../assets/images/section4-2.jpg" />
           <h2>Learn</h2>
             Teach a class, host a workshop, or invite guest speakers to
             share their expertise with the group.
           <a class="text-decoration-none text-viridian"</pre>
             >Start a group that learns ></a
       </div>
  </div>
  <div class="pa"></div>
```


Работа с внешнем API для поиска мероприятии ( Calendar View.vue)

```
computed: {},
methods: {
  updateSearch() {
    this.$store.commit("setSearch", {
     keywords: this.search.keywords.trim(),
     location: this.search.location.trim(),
  goToLogin() {
   this.$router.push("./login");
  getItems() {
    if (this.search.keywords || this.search.location) {
      if (this.activeCategory === "groups") {
        fetch(
           https://pixabay.com/api/?key=24339880-ad2e916d540f2e061b8fd1194&q=${this.search.keywords}+${this.search.location}`
          .then((res) => res.json())
          .then((data) => {
           this.items.groups = data.hits;
        const query =
          this.search.keywords && this.search.location
            ? `${this.search.keywords}&venue.city=${this.search.location}`
: `${this.search.keywords}+${this.search.location}`;
        const url = `https://api.seatgeek.com/2/events?client_id=MjQzNjQyMTl8MTYzNjQ4NDc0Ni44MzY0Njc3&q=${query}`;
        fetch(url)
          .then((res) => res.json())
          .then(async (data) => {
            this.items.events = await data.events;
```

Страницы приложения:

Главная

Страница для регистраций (Sign up)




Страница для выхода на сайте (Login)

# Log in


Not a member yet? Sign up

Email		
Password		Forgot Password
☐ Keep me signed i	in	
	Log In	
	or	
<b>F</b>	Log in with Facebook	
G	Log in with Google	
É	Log in with Apple	

## Страница для поиска evenement на сайте (Calendar)



Страница для пользователи (Users)



#### Вывод:

В ходе данной работы, ранее написанный сайт с помощью HTML, CSS и Javascript был перенесен на фреймворк Vue.JS. Библиотека axios дала возможность поработать с внешним API. Поскольку фреймворк Vue.