CONTEXTSHIELD / INVESTOR DEMO / PART 1

One booking. Controlled automation.

3:50 edited timeline | 324 spoken words | hard cap: 4:00. Read only SAY. Exact click cues are silent. Pause briefly at [pause]. No PPT or separate demo pages.

0:00-0:23 | Hook and proposition

SHOW / CLICK: Railway search page; briefly show the ContextShield popup. Leave Start agent unclicked.

SAY: Can an AI book your journey without getting unrestricted access to your private data? **[pause]** We're Team Chromium. ContextShield is our browser security layer: it filters what the planner sees and checks what the browser is allowed to do.

0:23-0:43 | Load the profile and task

SHOW / CLICK: Agent > Railway demo > Load synthetic profile. Show the filled task box and private handles. Keep Local railway rehearsal UNCHECKED. Do not paste again.

SAY: Here is an end-to-end railway sandbox booking. Loading our fictional passenger profile also prepares the task. The actual values stay in the extension's vault; the planner gets references. Nothing runs until I click Start.

0:43-1:01 | Introduce the attack

SHOW / CLICK: Dismiss popup. Presenter controls & security scenarios > Show hostile page text. Point to the attack and empty Unrelated notes; leave enabled.

SAY: I am also enabling a prompt-injection attempt asking the agent to leak those values into unrelated notes. That webpage instruction cannot authorize a vault release.

1:01-1:26 | Start; show search and train selection

SHOW / CLICK: Return to search; Agent > Start agent. Let the agent search, choose the train through Book now, then Continue as demo traveller. Show current fares and the choice.

SAY: Now I start the booking. Local vision, OCR and contextual PII detection mask sensitive content before planning. Qwen compares sanitized fares to choose the cheapest morning departure; our railway adapter handles the remaining booking steps.

1:26-2:20 | Show all three private-fill approvals

SHOW / CLICK: At each Allow this action? inspect the field and website, then Allow once: name, email, phone. Keep each request, approval and resulting fill visible. The agent operates the form.

SAY: Both pass through the local action gate. It checks the website, current page and permitted destination before execution. If the target changes or fails these checks, execution stops. Here, name, email and phone each need separate approval. Allow once releases the requested value to that field. The booking site can then read it. Afterwards, the extension checks the result.

Complete it. Show the evidence.

Continue the same booking. Match every result line to the visible outcome; finish on the ticket at 3:50.

2:20-2:46 | Review, approve payment and complete

SHOW / CLICK: Agent clicks Review journey, then Continue to payment. Show train, passenger and total; inspect and Allow once for simulated payment. Wait for the completed ticket AND a finished agent run.

SAY: I review the journey and approve the simulated payment. **[pause]** The ticket is complete. This is a controlled demonstration: no real payment or IRCTC reservation has been made.

2:46-2:58 | Show the injection-test outcome

SHOW / CLICK: Scroll to the unchanged Unrelated notes. Say this only if empty. Do not clear it. Then return to the ticket.

SAY: The unrelated notes remain empty in this run. That is an observed result, not a claim of universal prompt-injection immunity.

2:58-3:13 | Show the privacy evidence

SHOW / CLICK: Open the Privacy proof TAB inside the extension popup. Show Kept on this device, Allowed through and delivery status. Do not open a separate proof tab.

SAY: Privacy proof shows the retained sanitized context and delivery status. This makes filtering inspectable, although it is not a complete network audit.

3:13-3:36 | Verify the audit trail

SHOW / CLICK: Action ledger > Verify current ledger: show Verified. Then Tamper with a copy: show Tampering detected and Original evidence is unchanged. Speak each result only after it appears.

SAY: The action ledger provides a signed local audit trail without private credentials. The original verifies. **[pause]** An edited copy fails verification. The gate enforces permissions; the ledger detects changes against its signed checkpoint. It is not a distributed blockchain.

3:36-3:50 | Close on the completed ticket

SHOW / CLICK: Dismiss popup. End on Simulated booking complete and NOT VALID FOR TRAVEL. No extra screens or spoken outro.

SAY: The opportunity is AI automation with controlled data access, explicit permissions and inspectable evidence. ContextShield: the AI proposes, the gate checks, and you stay in control.

RECORDING NOTES / NOT SPOKEN

Keep the final video below four minutes.

These notes are for you, not extra narration. The two preceding pages contain the complete speech.

Before recording

Run **contextshield/START.command** and confirm **Server ready**. Open http://127.0.0.1:4173/railway.html at a fresh search form. Use fictional data only. Keep **Local railway rehearsal unchecked** so Qwen handles the comparison. Loading the synthetic profile replaces vault contents and prefills the exact task; do not alter it or press **Use demo task**.

Record the full run; edit only waiting

The timestamps describe the **edited video, not measured product latency**. Record a complete real run first, even if it takes longer. Condense only idle processing and unnecessary cursor travel to fit these windows. Label every time jump **Waiting time condensed**. Keep all three private-fill approvals, payment approval, stage transitions and outcomes legible. Do not compress the video by hiding decisions or speeding through them.

Voice and final duration

324 words at 125-135 words per minute is about 2.4-2.6 minutes of speech. The remaining time is for clicks, pauses and visible results. Record the voiceover against the edited sequence. Target **3:50**, with no more than nine seconds of extra padding; check the exported file is **under 4:00**. No opening animation, definition lesson or extra outro.

Keep the evidence from one run

You operate the extension and approve the intended requests; the agent operates the booking page. Check that the selected fare is the lowest departure before noon. Do not manually finish a failed run or splice a ticket or ledger from another run. If anything fails or private data appears in unrelated notes, stop and investigate before recording a success narration.

Claims stay precise

Qwen compares fares; the declared adapter handles other booking steps. The enabled attack panel does not establish what Qwen saw, and empty notes do not prove a gate rejection or universal injection resistance. The preview is not a network audit. Approved values are readable by the receiving site. The ledger is a session-local signed hash chain, not a distributed blockchain; a trusted checkpoint is needed to assess later changes.

Final check

Keep the question-led opening, the actual approval interactions and the completed ticket. Omit extra model-name lists, rehearsal explanations, definitions and separate security pages. This revision changes only the script, not the PPT, product or recorded video; it does not certify a new successful run.