

Justrite 10801 Safety Can - 7150100



"JUSTRITE 10801 (New Model No:7150100) Type I Safety Can - 5 Gallon (19L) - made of 24gauge premium coated Steel Construction Container with reinforcing the ribs to strengthen the side walls- with yellow banding with Trilingual Warning. Spring loaded Self Closing Leak tight- wide Free-span opening Lid with Gasket for controlling vapours and any leaks- provided with the rounded grip handle fitted with internal dual sensitivity flame arresters to prevent flash back ignition and to guard against the potential fire explosions. The bottom is raised 1/2"" to protect against any accidental punctures. To Store gasoline- diesel- Kerosene and variety of other chemicals- Colour: Red- Dimension: 11 1/2"" x 16 3/8"" (292 x 416)- Approvals: Make: FM- UL- ULC"

Justrite 10821 Safety Can - 7250130



"JUSTRITE 10821 (New Model: 7250130) Type II Safety Can with Hose (1"x9") - 5 Gallon (19L) made of 24gauge premium coated Steel Construction Container with reinforcing the ribs to strengthen the side walls- with yellow banding with Trilingual Warning provided with Spring loaded Self Closing Gasket fixed Leak tight- wide Free-span of Two openings- One opening is equipped with Flexible Metal Hose for smooth and accurate pouring- and the other opening is provided behind the handle for filling. The can is provided with the rounded grip handle fitted with internal dual sensitivity flame arresters to prevent flash back ignition and to guard against the potential fire explosions. The bottom is raised 1/2" to protect against any accidental punctures. To Store gasoline- diesel- Kerosene and variety of other chemicals- Colour: Red- Can Dimension: D11 1/2" x L16 3/8"- Approvals: FM- UL- ULC"

Justrite 14590Z Safety Can - 14545



JUSTRITE 14590Z (New Model No: 14545) Type I Non-Metallic Safety Can - 5 Gallon (19L) with self close brass faucet 08540 made from high density Polyethylene which resists tough acids corrosives as well as heat. Poly cans are dent puncture and chip resistant. The colours is integral to the can these cans are unique patented conductive current carrying carbon insert in bedded into the rib of the container. provide with yellow banding with Trilingual Warning. Spring loaded Self Closing Leak tight wide Free-span opening Lid (Plated Steel) with Gasket for controlling vapours and any leaks provided with the rounded grip handle fitted with internal dual sensitivity flame arresters to prevent flash back ignition and to guard against the potential fire explosions. To Store Flammable and Corrosive Chemicals Colour: Red Dimension: 11 1/2" x 17" Approvals: FM."

Justrite 14590Z Safety Can - 14545



JUSTRITE 14590Z (New Model No: 14545) Type I Non-Metallic Safety Can - 5 Gallon (19L) with self close brass faucet 08540 made from high density Polyethylene which resists tough acids corrosives as well as heat. Poly cans are dent puncture and chip resistant. The colours is integral to the can these cans are unique patented conductive current carrying carbon insert in bedded into the rib of the container. provide with yellow banding with Trilingual Warning. Spring loaded Self Closing Leak tight wide Free-span opening Lid (Plated Steel) with Gasket for controlling vapours and any leaks provided with the rounded grip handle fitted with internal dual sensivity flame arresters to prevent flash back ignition and to guard against the potential fire explosions. To Store Flammable and Corrosive Chemicals Colour: Red Dimension: 11 1/2" x 17" Approvals: FM."

Justrite 7120100Z 2 Gallon Safety Can



7120100Z Type I Steel Safety Can for flammables, 2 gallon, Red

Justrite 7120100Z 2.5 Gallon Safety Can



7120100Z Type I Steel Safety Can for flammables, 2.5 gallon, Red

Justrite 7220120Z 1 Gallon Oily Waste Can



Type II AccuFlow™ Steel Steel Safety Can for flammables, 2 gallon, 5/8" metal hose, Red

Justrite 7220120Z 2 Gallon Oily Waste Can



Type II AccuFlow™ Steel Steel Safety Can for flammables, 2 gallon, 5/8" metal hose, Red
Justrite 09100 Oily Waste Can



6 Gallon (23L) with Foot operated Cover - T Colour: Red Dimension: D 11.875" x 15.875" Approval:
FM UL Colour: Red

Justrite 09500 Oily Waste Can



1 Quart (1L) -Dasher Assembly: Steel Colour: Red Dimension: 7.25 x 5.625 Dasher Dia: 5" Approval: FM

Justrite 10108 Plunger Can



1 Quart (1L) -Dasher Assembly: Steel Colour: Red Dimension: 7.25 x 5.625 Dasher Dia: 5" Approval: FM

Justrite 10208 Plunger Can



1/2 Gallon (2L) - Dasher Assembly: Steel Colour: Red Dimension: 7 1/4" x 7 3/8" - Dasher Dia: 5" - Approval: FM

Justrite 10308 Plunger Can



1 Gallon (4L) - . Dasher Assembly: Steel Colour: Red Dimension: 7 1/4" x 10 1/2" -Dasher Dia: 5" Approval: FM

Justrite PP12755 - 5 gallon Safety disposal can



Quick-Disconnect Safety Disposal Cans offer a safe and easy way to collect liquid waste. Quick-disconnect fittings allow free flow of solvent into container through tubing. Durable polyethylene container with large strategically placed opening facilitates controlled pouring into larger vessels for proper hazardous waste disposal. Opening is equipped with a stainless steel flame arrester which dissipates heat to prevent flashback ignition. Fixed position latch on handle allows lid to stay open for easier pouring. Translucent color lets you check liquid level at a glance. Hands-free liquid waste accumulation is ideal for HPLC applications and is suitable for either pump fed or gravity flow HPLC waste methods. Double fittings eliminate back pressure in liquid flow disposal line and provide controlled handling of vapors. Size : 12" x 20"; Approval : FM

Justrite Safety Cabinet - 30 Gallon (114L) - 8930001



Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable

Shelves Provisions- Manual Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H44" x W43" x D18"- Colour: Yellow- Cabinet: Manual Closing Double Door with 1 Shelves. Approvals: FM- N- O."

Justrite Safety Cabinet - 45 Gallon (170L) - 8930001



Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions- Manual Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H44" x W43" x D18"- Colour: Yellow- Cabinet: Manual Closing Double Door with 1 Shelves. Approvals: FM- N- O."

Justrite Safety Cabinet - 60 Gallon (227L) - 8960001



Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions- Manual Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H65" x W34" x D34"- Colour: Yellow- Cabinet: Manual Closing Double Door with 2 Shelves. Approvals: FM- N- O."

Justrite Safety Cabinet - 90 Gallon (341L) - 8990001



Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions- Manual Close Doors (when pushed closed- doors will automatically self latch)

with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H65" x W43" x D34" - Colour: Yellow- Cabinet: Manual Closing Double Door with 2 Shelves. Approvals: FM- N- O."

Justrite Safety Cabinet - 30 Gallon (341L) - 8930201



"JUSTRITE Safety Cabinet - 30 Gallon (114L) - 8930201 - Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions- Self Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band Dimension: H44" x W43" x D18" - Colour: Yellow- Cabinet: Self Closing Double Door with 1 Shelves. Approvals: FM- N- O."

Justrite Safety Cabinet - 45 Gallon (341L) - 8945201



JUSTRITE Safety Cabinet - 45 Gallon (170L) - 8945201 - Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2 Inches Height Liquid tight Containment Sump to hold any leakages Adjustable Shelves Provisions Self Close Doors (when pushed closed doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H65 Inches x W43 Inches x D18 Inches Colour: Yellow Cabinet: Self Close Double Door with 2 Shelves. Approvals: FM N O.

Justrite Safety Cabinet - 60 Gallon (341L) - 8960201



"JUSTRITE Safety Cabinet - 60 Gallon (227L) - 8960201 - Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2"" Height Liquid tight Containment Sump to hold any leakages Adjustable Shelves Provisions Self Close Doors with Flush

Paddle Handle with Slip Resistant Grip with provision for double key set. Fully powder coated Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H65" x W34" x D34" Colour: Yellow Cabinet: Self Closing Double Door with 2 Shelves. Approvals: FM N O U."

Justrite Safety Cabinet - 90 Gallon (341L) - 899020



"JUSTRITE Safety Cabinet – 90 Gallon (341L)- 899020 -Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions- Manual Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable & Chemical Resistant Cabinet with High Reflective Band. Dimension: H65" x W43" x D34"- Colour: Yellow- Cabinet: Self Closing Double Door with 2 Shelves. Approvals: FM N O U"

Justrite Safety Cabinet - 30 Gallon (114L) - 8930021



JUSTRITE Blue Safety Cabinet for Corrosives - 30 Gallon (114L) 8930021 - Made of 18 gauge (1mm) Double Wall Steel with 38mm of Insulating Air Space. Fully Welded Constructions with continuous Piano Hinges fitted with dual Vents with Built-in Flame Arrester. Cabinet is provide with 2" Height Liquid tight Containment Sump to hold any leakages- Adjustable Shelves Provisions. To Resist Corrosive Chemicals these cabinets are provided polyethylene coated trays- and separate polyethylene liner is provided for bottom sump also. Manual Close Doors (when pushed closed- doors will automatically self latch) with Flush Paddle Handle with Slip Resistant Grip with provision for double key set (one keyed lock). Fully powder coated- Durable- Exclusively made to resist Acids & Chemicals. Pasted with High Reflective Band. Dimension: H44" x W43" x D18"- Colour: Blue- Cabinet: Manual Closing Double Door with 1 Shelves. Approvals: FM- N- O."

Fire resistance Type 90



Fire resistance (FR): Type 90 , Catalogue page: 44 , Doors can be opened with minimum effort, design: wing door , Door technology: classical , In case of fire, automatic and blockage-free

self-closing via thermocouple: yes , Outer width [mm]: 1194 - (47.01 inch) , Outer depth [mm]: 612 - (24.09 inch) , Outer height [mm]: 2085 - (82.09 inch) , Base height [mm]: 85 , Base version:ToeKick , Material outer carcass: sheet steel, powder-coated , Gross weight [kg]: 451 - (994.28lbs) , Number of sides: 1 , Inner width [mm]: 1098 - (43.23 inch) , Inner depth [mm]: 469 - (18.46inch) , Inner height [mm]: 1697 - (66.81 inch) , Material inner carcass: decor panels , Maximumvolume of the largest individual container [l]: 30 - (7.93 gal) , Collection volume [l]: 33 - (8.72 gal) ,Shelf type: storage shelf , Number of storage shelves: 4 , Bottom tray interior: bottom tray ,Number of bottom trays: 1 , Earthing connection according to TRGS 727 available: 1 , Number ofearthing connections: 2 , Exhaust air connection included: NW 75/110 , Standing surface material:sheet steel, powder-coated , Load-bearing capacity per standing surface with uniformly distributedload [kg]: 75 - (165.35 lbs) , Adjustment height 1 left [mm]: 398 - (15.67 inch) , Adjustment height2 left [mm]: 398 - (15.67 inch) , Adjustment height 3 [mm]: 398 - (15.67 inch) , Adjustment height4 left [inch]: 392 - (15.43 inch) , Mark of approval by TÜV: GS mark , Type-tested by recognisedtest institutes according to: DIN EN 14470-1 , TÜV-tested according to: DIN EN 14470-1, EK5/AK409-10 , Further TÜV testing (1): DIN EN 14727 , Further TÜV testing (2): TRGS 510 Annex 3 ,Added value mark of approval by TÜV: High Quality , Declaration of conformity: CE.