

Rapid Safety Shoes



- Art : Rapid
- Upper : Buff Barton Leather
- Lining : Moisture free & anti fungal b Dry Lining
- Toe Cap : Steel Toe Cap 200 Jules
- Sole : PU/PU Double Density Sole
- Insole: 3 mm moulded
- Acid & Alkali Resistant
- Heat Resistant 120° C
- Operative Standards : IS 15298:2016 (II)
- Also meet EN 20345
- Size Available : UK 2-12

Sporty Rapid Safety Shoes



- Art : Rapid
- Sporty, Multifunction Safety shoes
- UPPER - Buff Barton Leather
- LINING - Non Woven Breathable Lining
- TOECAP - Imported 200 Jules Steel Toe Cap
- INSOLE – Woven
- FOOTBED - Moulded with Eva lamination
- SOLE - Direct Injection PU Single Density
- SIZE - 36-47
- PROPERTY - Antistatic 100 KOHM - 1000 MOHM
- Approval - IS 15298 : 2011

Spike Low Safety Shoes



- Art : Spike Low
- Upper : Buff Apollo Grain Leather
- Lining : Moisture free & anti fungal bDry Lining
- Toe Cap : Imported Steel Toe Cap 200 Jules
- Sole : PU/PU Double Density Sole
- Insock: PSD 10mm
- Acid & Alkali Resistant
- Heat Resistant 120° C
- Operative Standards : IS 15298:2011 (II)
- Also meet EN 20345
- Size Available : UK 2-12

Perf Tiger Shoes



- UPPER - Suede Leather with Mesh
- LINING - Extremely breathable polyamide lining. It absorbs moisture quickly and ensures a greater comfort during the whole working day. Optimal resistance to abrasion and anti-bacterial
- TOECAP - Non-magnetic Toe Cap of composite materials. 50% lighter than steel
- ANTI-PERFORATION MIDSOLE - Non-magnetic, perforation resistance composite fabric plate. It is 40% lighter and more flexible than steel plate and at the same time guarantees an optimal protection covering 100% of the foot surface. Certified EN 12568:2010
- FOOTBED – Insole PU 10mm expanded, covered with antibacterial fabric
- SOLE - Predator PU double density with optimal absorption of strains on the vertebral column thanks to the use of expanded PU midsole. Maximum stability with oil and acid resistance sole.

Caesar Safety Shoes



- Upper : Buff Apollo Grain Leather
- Lining : Bdry Lining
- Toe Cap : Steel Toe Cap 200 Jules
- Insole : Non Woven anti-static board
- Footbed : Moulded with Eva lamination
- Sole : PU single double density
- SIZE - 36-47

Oxygen Safety Shoes



- UPPER Micro Fiber
- LINING Non woven absorbent fibers lining

- TOECAP Steel Toe Cap 200 joules
- ANTI-PERFORATION MIDSOLE non-magnetic, perforation resistance composite fabric plate. It is 40% lighter and more flexible than steel plate and at the same time guarantees an optimal protection covering
- 100% of the foot surface. Certified EN 12568:2010
- FOOTBED insole PU 6mm expanded, covered with antibacterial fabric
- SOLE PU single density with optimal absorption of strains on the vertebral column thanks to the use of expanded PU midsole. Maximum stability with oil and acid resistance sole.
- INSOCK 3mm Eva Molded

PERF PB69 Executive Brogue



- UPPER Micro Fiber
- Upper: Buff Grain Leather
- Inner Lining: Abrasion Resistant, Moisture Wicking Textile.
- Toe Cap: Steel Toe Cap Resistant to 200J
- Sole Unit: Lightweight Dual Density with optimal absorption of strains on the Vertebral column thanks to the use of expended PU midsole maximum stability With oil and acid resistance sole
- FOOTBED : insole PU 10mm expanded,covered with antibacterial fabric
- Certified EN 12568:2010

Gumboot With Steel Toe

**Sole**

- PVC Resistant to
- Solvents, Mild Acids, Alkalies, Some Chemicals, Oil and Fats.
- Wide Grip Tread for Optimum Dirt, Release and traction.

Upper

- Heavy duty PVC
- Lined or easy clean,
- Ribbed for easy liquid run off 3 trim heights for wearer comfort.
- Kick off spur on heel for easy removal.
- Reinforced ankle, heel and instep for optimum support.

Leather Leg Guard



- Leather Grade: AB
- With Kevlar Thread Stitching