

Cryo Jacket & Trouser



For cold room and other very cold environments It offers optimum protection for the Torso, Arms and Legs against the effects of spills and splashes of cryogenic material.

A bib and brace overall with long shoulder straps, with Velcro fastening, to adjust to a wide range of heights. The waist is elasticated. Over this fits a jacket of similar materials and this fastens with a Velcro strip all the way down the front. There are also Velcro fastenings on the cuffs. There are no outer pockets but the jacket has an inner pocket. The suits are of three layers but the inner overall omits the insulating layer above the waist (covered by the overlapping jacket) for comfort and to reduce bulk. The outer layer, of royal blue, woven, polyamide, has a waterproof coating to resist condensed water on cold surfaces. Yet it remains permeable to water vapour so that there is no clammy condensation inside. However, it should be noted that the stitch holes are not sealed (to reduce bulk) and, whilst this could allow liquid ingress, it has not been found a problem in normal use.

The middle layer is of special polyolefin/polyester micro-fibre, which is almost twice as effective in thermal insulation as a similar thickness of down. This minimises heat transfer without being so thick as to be cumbersome. The inner layer is of cotton for comfortable wear. The Jacket has a hanging loop inside the collar, so that they may be hung in a convenient place, away from pools of condensation, when not in use.

Tempshield waterproof Cryo Gloves Mid



- Size : Mid-Arm Waterproof Cryogenic gloves
- Protection against hazardous ultra cold environments.
- Mainly to handle liquid nitrogen.(Not for immersion in liquid nitrogen).
- Can be handle liquids upto -196 degree C.
- Size: Large model : MALWP - (345-390mm)

Tempshield waterproof Cryo Gloves Elbow



- Style: Elbow Length
- Waterproof Cryogenic gloves - protection against hazardous ultra cold environments.
- Mainly to handle liquid nitrogen.(Not for immersion in liquid nitrogen).
- Can be handle liquids upto -196 degree C

- Size: Large (440-485mm)
- Meet EU standards: EN 511, EN 388, EN 420

CA48 - Cryo Apron - Size 24" x 48" - Tempshield



- Cryogenic aprons made by Tempshield provide a high-level of thermal protection to the torso and upper legs in harsh cryogenic atmospheres.
- Our multi-layered construction allows for a maximum level of thermal protection, and a waterproof nylon outershell protects you from cryogenic splashes.
- Our cryogenic aprons have quick-release buckles at the neck and waist.
- Maximum Thermal Protection, Waterproof, Lightweight and Comfortable, Splash Protection Breathable.

Cryo - 2.1



Cryogenic waterproof gloves made of a special coated and laminated blue fabric. Internal insulation polyester fleece (240 g/m²) and polyolefin porelle membrane, 30 cm same fabric /lining 30 cm cuff. Overall length of the gloves - 40 cm

Cryo - FSH1001 Tempshield Make Protection™ Face Shield



Cryo - GHETTE Over Shoes for liquid gases splashes



Made of a special composite coated fabric, waterproof resistant. For feet protections, to wear overfoot. Universal size suitable for any application closure with polyester system VELCRO laces

Stretcher



This foldaway stretcher is made of high-intensity Aluminum alloy and canvas. It is light, small, portable and safe. This equipment is mainly used for transferring the wounded or the sick in the hospital, playground, ambulance and army. Technical parameters.

- Unfolded size (LxWxH) 205×52×14CM
- Folded size (LxWxH) 102×18×11CM
- Self-Weight 4.3KG

- Load Bearing 159KG
- Packing size (LxWxH) 105×20×12.5CM
- G.W 5.3KG

Wheel Chair



- Folding wheelchair with safety belt
- Chrome plated steel frame with fixed arm & footrest
- Superior quality wheels
- Seat width: 46 cms(approx); Max load bearing: 100 kgs(approx.)

YXH-5G Wheel Chair



Staircase Stretcher YXH - 5G- with carrying handle. Made of high strength aluminium alloy materials provided with four wheels- two flexible uplift rod with two pieces of belt to tie the patients. The wheel chair can be folded .

YXH-5E Wheel Chair



Staircase Stretcher YXH - 5E- Use of passive slides which glide over the staircase. It is also provided with 4 wheels for easy movement on the ground. Its provided with 2 pieces of belts to hold the persons during the movement. Its made of high strength aluminium alloy materials. Unfolded Size : 90cm x 54cm x 156cm. Folded Size : 120cm x 54cm x 30cm. Weight : 11.50 Kg; Load bearing weight : 159kg

YXH-5H Wheel Chair



Staircase Stretcher YXH - 5H - Premium Model Use of passive slides which glide over the staircase. It is also provided with 4 wheels for easy movement on the ground. Its provided with 2 pieces of belts to hold the persons during the movement. Its made of high strength aluminium alloy materials. Unfolded Size : 157 x 51 x 157cm, Folded Size : 102 x 51 x 26cm (L x W x H). Gross Weight: 19 Kg; Load bearing weight : 159kg.

Automated External Defibrillator



AED G5 Fully Automatic - Dimension : 9cm x 23cm x 30 cm, Weight : 2.6Kgs, Each Package Includes : Defibrillator with built-in memory card, Intellisense Lithium Battery, 1pair of Intellisense Defibrillation Adult pads, including CD-Rom with Manual, and data cable. (Defibrillator warranty 8 years and the battery guarantee is 4 years)

Sound Level Meter Model EQ 805



- Meets IEC651 type 2 standard & Extremely Cost Effective
- Max Hold and Data Hold Function , High Performance and Compact & New Design
- Display 4 digit LCD, Microphone ½ " electret condenser Microphone
- Range 35 to 130dB & Frequency weighting A and C
- Resolution 0.1dB & Accuracy ± 1.5 dB
- Operating Frequency 31.5Hz to 8KHz
- Time Weighting Fast and slow
- Level Ranges Lo (35 to 100dB) ; Hi (65 to 130dB)
- Storage Temperature - 10°C to 60°C(<80% RH)
- Over Range "OL" mark Indication
- Size (H $\times$ W $\times$ D) 210 mm $\times$ 55mm $\times$ 32 mm
- Weight 230 g

LUX Meter Model EQ – 1301



- 3½ digital LCD display & Max Hold and Data Hold
- Auto Power Off , Low battery indication and Compact & User selectable Fc/Lux
- Display LCD 1999 Counts
- Measuring Range 0 to 50,000 lux
- Accuracy $\pm 5\% + 10d < 10,000$ lux
- Repeatability $\pm 2\%$
- Measuring Rate 1.5 times / sec

- Auto Power off After 15 min. of Inactivity
- Photo Detector Silicon photo diode with filter
- Dimension 188 × 64.5 × 24.5 (H × W × D)
- 0 Storage Temperature -10 to 60 C at < 80% RH
- Power Supply 1 × 1.2 V Battery
- Weight 160gms

Breath Analyzer



- AL-6000C-Sentech hand held portable breath alcohol tester, with mouth piece Attachment, bright LED display AA cell operated.

Electrical Siren



- Range : 0.5 KM
- RPM : 8000
- Motor HP Rating : 1/8
- Weight : 2.1 KG (Un-Packed)
- Winding : Copper Wire
- Body Material : Alluminium Casting
- Colour : On Demand
- Fittment : Horizontal
- Mounting : Single Ended
- Power Supply : 220V 50HZ

Electrical Siren 1 Km



- Range : 1.0 KM
- RPM : 8000
- Motor HP Rating : 1/4
- Weight : 2.5 KG (Un-Packed)
- Winding : Copper Wire
- Body Material : Alluminium Casting
- Colour : On Demand
- Fittment : Horizontal
- Mounting : Single Ended
- Power Supply : 220V 50HZ

Electrical Siren 2 Km



- Range : 2.0 KM
- RPM : 8000
- Motor HP Rating : 1/2
- Weight : 4.8 KG (Un-Packed)
- Winding : Copper Wire
- Body Material : Alluminium Casting
- Colour : On Demand
- Fittment : Horizontal
- Mounting : Double Ended
- Power Supply : 220V 50HZ

Electrical Siren 3.25 Km



- Range : 3.25 KM
- RPM : 8000
- Motor HP Rating : 1
- Weight : 5.9 KG (Un-Packed)
- Winding : Copper Wire
- Body Material : Alluminium Casting
- Colour : On Demand
- Fittment : Horizontal
- Mounting : Double Ended
- Power Supply : 220V 50HZ

Hand Operated Siren



- Range : 0.5 KM
- Rotation : 1/25
- Weight : 5.6 KG (Un-Packed)
- Body Material : Alluminium Casting, Cast Iron & Steel
- Colour : On Demand
- Fittment : Wall Mounting

Hand Operated Siren 1 km



- Range : 1 KM
- Rotation : 1/25
- Weight : 6.5 KG (Un-Packed)

- Body Material : Alluminium Casting, Cast Iron & Steel
- Colour : On Demand
- Fittment : Wall Mounting

Hand Operated Siren 1.5 km



- Range : 1.5 KM
- Rotation : 1/25
- Weight : 9.5 KG (Un-Packed)
- Body Material : Alluminium Casting, Cast Iron & Steel
- Colour : On Demand
- Fittment : Wall / Stand Mounting

Ahuja Megaphone / public Adress System



- 20 WATTS Shoulder Sling Type Dry Cell & 12V Car Battery operation.
- Class-D Amplifier provides extremely high efficiency of power consumption that extends the battery life to around 15 hours.
- All ABS body, sturdy yet lightweight.
- Built-in Siren & Clear sound, long range & efficient.
- Microphone with Volume Control & Press-to-Talk Switch

Signages



- Photo : Luminescent type & Long Life, Energy Saving (glow in dark)
- Both types :- (Glow / Without Glow)
- ACP, Acrylic, Sunboard Sheet with Vinyl

Exit Light



- Luminary : Double high glow Led Based Beam & Exit Sign
- Battery : Double high glow Led Based Beam & Exit Sign
- Battery Backup : UPTO 4hrs on LED
- Indications : Mains ON and Fuse Blown
- Protections : Fuse protection, deep discharge and battery overcharge
- Body : White corrosion resistance metal housing
- Supply : 220V 50HZ
- Type : Wall mounting / Surface mounting

Laser Light (Double Side)



- Luminary : LED Based
- Battery : 6V 4.5 AH maintenance-free batteries
- Battery Backup : UPTO 4hrs
- Protections : Deep discharge and battery overcharge
- Body : White corrosion resistance metal housing
- Supply : 220V 50HZ
- Type : Double Sided

Laser Light (Single Side)



- Luminary : LED Based
- Battery : 6V 4.5 AH maintenance-free batteries

- Battery Backup : UPTO 4hrs
- Protections : Deep discharge and battery overcharge
- Body : White corrosion resistance metal housing
- Supply : 220V 50HZ
- Type : Single Sided

Bright Star Make 2224



- Power Source: Carbon Zinc Only: 3xD-cell
- Bulb/Lamp: PR-3
- Bulb/Lamp Life: 15 Hours
- Light Output: 150,000 Beam Candlepower 770 Candelas Peak Beam Intensity
- Weight (Without batteries): 6.0 oz (.17 kg)
- UL/CUL: Class I, Div 1, Group C & D
- Class II, Div 1, Group G
- ASTM & MSHA Approved
- For use in hazardous atmospheres
- Division 1 UL & CUL approved
- Waterproof & Anti-roll tube
- Three-way switch : On-Off-Flash
- Oversized reflector for more light output
- Glove size handle & Circuit Breaking Mechanism

Bright Star Make 2206



- Power Source: Alkaline or Carbon Zinc 6V Lantern Battery
- Bulb/Lamp: KPR 113
- Bulb/Lamp Life: 15 Hours
- Light Output: 50,000 Beam Candlepower
- Weight (Without batteries): 14.0 oz
- UL/CUL: Class I, Div 1, Group C & D
- Class II, Div 1, Group G
- Operating Temp T3B & MSHA Approved
- Class I Zone 1 Group IIB & IIA
- For use in hazardous atmospheres
- Division 1 UL & CUL approved
- Waterproof & floating
- Krypton Bulb & Alkaline Battery
- Switch guard protects switch on impacts
- Optional stand & Spare bulb compartments
- Oversized reflector for more light output
- Glove size handle & Circuit Breaking Mechanism

Head Lamp



- Spotlight Lumens: 60
- Beam Distance: 80 m
- Spotlight Runtime: 13.5 hrs
- CREE® LED technology – 50,000 + hours LED life
- High-brightness spotlight, low-brightness spotlight
- Focused spotlight beam for distance illumination
- Single switch located on top of light
- Adjustable ratchet tilt head
- Non-slip elastic head strap
- Heavy-duty rubber strap for hard hat applications
- Impact & chemical resistant
- 3 AAA alkaline batteries (included)

First Aid Kit For Medic 1000




- Thadhani make ABS Shock Resistant High Visibility first aid kit with Air/Water Resistant Neoprene Lining & Wall Mounting Bracket, model "Medic 1000 IN" with CE Approved Contents confirming to Indian Factories Act. The Complete Kit confirms to ANSI Class III Norm

First Aid Box Door




- First Aid Box - Metal Medium with Acrylic door.
- Size : 11" x 12" x 6"

Wind sock set



- Stationary wind sock set with Polyester coated Cloth 24"dia , 72" Length With free swivel metal frame mounting on a 1" dia 3 feet pipe with flange complete set.

Wind sock cloth



- Spare windsock cloth in Red and White colour.
- 24"dia , 72" Length.

Life Buoy



- life buoy made from bright orange colour synthetic material ID 40cms, OD 75 cms, width 10cms, floatability 17.5 kgs.

Life Jacket



- Life jacket W/O Light made from soft polyethylene foam, high visibility orange colour fabric and reflective stickers. Floatability 15.5kg, size 80 x37 x 10cms. MMD approved.

Anti Skid Tape



Features

- Self Adhesive& Anti Abrasive tapes. For slippery, wet and oil or greasy Floors, stair, ramp
- Superior slip resistance, long life durability.
- Quick, easy and clean to apply, no special Knowledge required.
- Permanent hold due to strong adhesive.
- Easy & clean.
- To be used inside & outside.
- Std Size : 2" * 60 Ft Roll
- Colour : Black

Anti Skid tape



Features

- Superior slip resistance, long life durability.
- Self Adhesive& Anti Abrasive tapes. For slippery, wet and oil or greasy Floors, stair, ramp
- Quick, easy and clean to apply, no special Knowledge required.
- Permanent hold due to strong adhesive.
- Easy & clean. &To be used inside & outside.
- Size – 2” x 60 Ft Roll
- Colour - Yellow & Black.

Anti Skid tape Auto glow



Features

- Superior slip resistance, long life durability.
- Self Adhesive& Anti Abrasive tapes. For slippery, wet and oil or greasy Floors, stair, ramp
- Quick, easy and clean to apply, no special Knowledge required.
- Permanent hold due to strong adhesive.
- Easy & clean. &To be used inside & outside.
- Std Size : 2” X 60 Ft Roll
- Colour - Black With Auto glow

Glow In Dark Anti Skid Tapes

**Features**

- Marking Of Hazardous Areas Day Or Night.
- For medium to high traffic. & For indoor areas.
- Long life Photo- luminescent PVC grit carrier substrate Solid Product non - laminated.
- Size: 1" x 60 Ft Roll & 2" x 60 Ft Roll

Multi-functional Anti Skid Tapes**Features**

- Marking of hazardous area by integrated warning striped.
- For indoors and outdoors use.
- For medium to high traffic.

- Temperature range of -20C to 60C Reflecting & Luminescent warning strip.
- Size: 150mm x 610mm

Anti Skid Stripped



Features

Adhesive back layer and skid resistant surface offers a convenient low cost method to reduce slippery floors, stairs, ramps, shower & bath bottoms.

- Good for use around swimming pools and marine ship to prevent skid.
- Chemical splash Grit - 60.
- Size: 50mm x 60mm

Anti Skid Slogan Treads



Features

- Good skid prevention & Bare foot zones
- Diagonal Striped Edges With Black Prints
- Designed For Areas That Require A Constant Safety Reminder.
- The durable and visible treads with eye catching color and diagonal strips edges are a must in high traffic location.
- Size: 150mm X 600mm

Non Abrasive Anti Skid Tapes



Features

- Good skid prevention & Bare foot zones

- Resist soiling, easy to clean with soap and water
- Residential , Sports, Bath Tub & Swimming Pool
- Highly flexible, Suitable for bending around edges
- Size – 2” x 60 Ft Roll
- Colors – Black, Clear, Black/Yellow striped.

Conformal Anti Skid Tape For Irregular Surface



Features

- Self Adhesive & Anti Abrasive tapes. For slippery, wet and oil or greasy Floors, stair, ramp.
- Superior slip resistance, long life durability.
- Quick, easy and clean to apply, no special Knowledge required.
- Permanent hold due to strong adhesive.
- Easy & clean, To be used inside & outside.

PVC Floor Marking Tapes



Features

- PVC Film Self- adhesive reverse side without backing film
- Thickness : 0.15mm
- Available in rolls 50mm and 75mm wide, 33m Long
- Colours : Blue , Yellow, Green, Red, Black, Black / Yellow striped, Red /White Striped
- Fast, Simple and clean installation
- For marking, securing, guiding, demarcating and blocking
- For indoor areas & For light traffic

Convenient and accurate installation with a tape applicator Priming on concrete, wood and asphalt floors recommended Easy to clean Can be walked on immediately

Snake Catcher



Features

Its a modern snake catcher that is a safe device to catch the snake in an efficient manner. It has soft grips that will not hurt the snake and the long 4-feet pole will keep you at a safe distance too. It is lightweight and very easy to use. The square tubular aluminum body with PVC grips makes it durable and easy to clean too.

- Length : 48 inches
- Weight : 750 g
- Material : Aluminium
- Dimensions : 50 (L) X 9 (B) X 1 (H) Inches.

Steel Snake Hook



Features

- WEIGHT : 0.6 KG
- LENGTH : 3.5 FEET

Cotton Snake Bag With Long Steel Handle



Features

- WEIGHT : 1 KG, LENGTH OF ROD- 3 FEET
- BAG MOUTH DIAMETER : 1 FEET



Safety Knife Model No 24g 1



10512 Pen Cutter, Ceramic Blade, Auto-Retractable



reddot design award
winner 2011



10503 Box Cutter, Ceramic Blade, Auto Retractable



10514 Mini Cutter, Ceramic Blade, Auto-Retractable



10550 Smarty Series, Manual Retractable



10593 Utility Scraper Auto Retract



00200 Safety Cutter, Ceramic Micro-Blade, Pillow Pack, Green



Easy Cut 1000 Safety Cutter



Glass fibre fire blanket



Silicone Coated Fire Blanket

