



TOTEM[®]



High Performance Cutting Tools

HIGH SPEED STEEL DRILLS

PRICE LIST

EFFECTIVE 01.05.2026



Forbes Precision Tools and Machine Parts Limited

CONTENT

4

**HSS PARALLEL SHANK TWIST
DRILL - JOBBER SERIES**



7

**HSS PARALLEL SHANK TWIST
DRILL - STUB SERIES**



10

**HSS PARALLEL SHANK TWIST
DRILL - LONG SERIES**



12

**HSS PARALLEL SHANK TWIST
DRILL - EXTRA LONG SERIES**



14

**HSS STEAM TEMPERED PARALLEL
SHANK TWIST DRILL - JOBBER SERIES**



16

**HSS PARALLEL SHANK TWIST
DRILL - M35 SERIES BLACK & GOLD**



19

REDUCED SHANK DRILL SERIES



20

DRILL SET



21

HSS TAPER SHANK TWIST DRILL



24

CENTRE DRILL



25

**BRADMA
MAGNETIC DRILLING
MACHINE**



26

**HIGH SPEED STEEL (HSS)
ANNULAR CUTTER**



29

**TUNGSTEN CARBIDE TIPPED (TCT)
ANNULAR CUTTER**



31

TECHNICAL DETAILS

IS 5101 : 2002, DIN 338 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200001	1.00		12	34	526
FBR0200002	1.10		14	36	526
FBR0200157	1.19	3/64"	16	38	526
FBR0200003	1.20		16	38	526
FBR0200004	1.30		16	38	526
FBR0200005	1.40		18	40	526
FBR0200006	1.50		18	40	526
FBR0200158	1.59	1/16"	20	43	526
FBR0200007	1.60		20	43	526
FBR0200008	1.70		20	43	563
FBR0200009	1.80		22	46	563
FBR0200010	1.90		22	46	563
FBR0200159	1.98	5/64"	24	49	563
FBR0200011	2.00		24	49	563
FBR0200012	2.10		24	49	655
FBR0200013	2.20		27	53	655
FBR0200014	2.30		27	53	655
FBR0200160	2.38	3/32"	30	57	655
FBR0200015	2.40		30	57	655
FBR0200016	2.50		30	57	655
FBR0200017	2.60		30	57	655
FBR0200018	2.70		33	61	655
FBR0200103	2.78	7/64"	33	61	655
FBR0200019	2.80		33	61	682
FBR0200020	2.90		33	61	682
FBR0200021	3.00		33	61	682
FBR0200022	3.10		36	65	738
FBR0200102	3.17	1/8"	36	65	738
FBR0200023	3.20		36	65	763
FBR0200024	3.30		36	65	763

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200025	3.40		39	70	763
FBR0200026	3.50		39	70	763
FBR0200104	3.57	9/64"	39	70	885
FBR0200027	3.60		39	70	1081
FBR0200028	3.70		39	70	1081
FBR0200029	3.80		43	75	1081
FBR0200030	3.90		43	75	1081
FBR0200105	3.97	5/32"	43	75	1081
FBR0200031	4.00		43	75	1081
FBR0200032	4.10		43	75	1306
FBR0200033	4.20		43	75	1306
FBR0200034	4.30		47	80	1306
FBR0200106	4.37	11/64"	47	80	1306
FBR0200035	4.40		47	80	1306
FBR0200036	4.50		47	80	1715
FBR0200037	4.60		47	80	1715
FBR0200038	4.70		47	80	1715
FBR0200107	4.76	3/16"	52	86	1715
FBR0200039	4.80		52	86	1715
FBR0200040	4.90		52	86	1863
FBR0200041	5.00		52	86	1863
FBR0200042	5.10		52	86	1863
FBR0200109	5.16	13/64"	52	86	1863
FBR0200043	5.20		52	86	1863
FBR0200044	5.30		52	86	2013
FBR0200045	5.40		57	93	2013
FBR0200046	5.50		57	93	2013
FBR0200161	5.56	7/32"	57	93	2013
FBR0200047	5.60		57	93	2013
FBR0200048	5.70		57	93	2263

HSS Parallel Shank Twist Drill - Jobber Series

(Full Ground Straight Shank Drill, 118° Point Angle)



IS 5101 : 2002, DIN 338 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200049	5.80		57	93	2263
FBR0200050	5.90		57	93	2263
FBR0200282	5.95	15/64"	57	93	2263
FBR0200051	6.00		57	93	2263
FBR0200052	6.10		63	101	2462
FBR0200053	6.20		63	101	2462
FBR0200054	6.30		63	101	2462
FBR0200108	6.35	1/4"	63	101	2462
FBR0200055	6.40		63	101	2462
FBR0200056	6.50		63	101	3143
FBR0200057	6.60		63	101	3143
FBR0200058	6.70		63	101	3143
FBR0200110	6.75	17/64"	69	109	3143
FBR0200059	6.80		69	109	3143
FBR0200060	6.90		69	109	3439
FBR0200061	7.00		69	109	3439
FBR0200062	7.10		69	109	3439
FBR0200162	7.14	9/32"	69	109	3439
FBR0200063	7.20		69	109	3439
FBR0200064	7.30		69	109	3632
FBR0200065	7.40		69	109	3632
FBR0200066	7.50		69	109	3632
FBR0200163	7.54	19/64"	75	117	3932
FBR0200067	7.60		75	117	3932
FBR0200068	7.70		75	117	3932
FBR0200069	7.80		75	117	3932
FBR0200070	7.90		75	117	3932
FBR0200111	7.94	5/16"	75	117	4315
FBR0200071	8.00		75	117	4315
FBR0200072	8.10		75	117	4315

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200073	8.20		75	117	4315
FBR0200074	8.30		75	117	5230
FBR0200112	8.33	21/64"	75	117	5230
FBR0200075	8.40		75	117	5230
FBR0200076	8.50		75	117	5230
FBR0200077	8.60		81	125	5230
FBR0200078	8.70		81	125	5230
FBR0200164	8.73	11/32"	81	125	5509
FBR0200079	8.80		81	125	5509
FBR0200080	8.90		81	125	5509
FBR0200081	9.00		81	125	5509
FBR0200082	9.10		81	125	5746
FBR0200165	9.13	23/64"	81	125	5746
FBR0200083	9.20		81	125	5746
FBR0200084	9.30		81	125	5746
FBR0200085	9.40		81	125	5746
FBR0200086	9.50		81	125	5746
FBR0200113	9.52	3/8"	87	133	6515
FBR0200087	9.60		87	133	6515
FBR0200088	9.70		87	133	6515
FBR0200089	9.80		87	133	6515
FBR0200090	9.90		87	133	7289
FBR0200283	9.92	25/64"	87	133	7289
FBR0200091	10.00		87	133	7289
FBR0200264	10.10		87	133	7289
FBR0200092	10.20		87	133	7289
FBR0200265	10.30		87	133	7902
FBR0200284	10.32	13/32"	87	133	7902
FBR0200266	10.40		87	133	7902
FBR0200093	10.50		87	133	7902

IS 5101 : 2002, DIN 338 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200141	10.60		87	133	7902
FBR0200094	10.70		94	142	8366
FBR0200285	10.72	27/64"	94	142	8366
FBR0200095	10.80		94	142	8366
FBR0200267	10.90		94	142	8366
FBR0200096	11.00		94	142	8366
FBR0200268	11.10		94	142	9337
FBR0200114	11.11	7/16"	94	142	9337
FBR0200269	11.20		94	142	9337
FBR0200270	11.30		94	142	9337
FBR0200271	11.40		94	142	9337
FBR0200097	11.50		94	142	9848
FBR0200286	11.51	29/64"	94	142	9848
FBR0200272	11.60		94	142	9848
FBR0200273	11.70		94	142	9848
FBR0200098	11.80		94	142	9848
FBR0200274	11.90		101	151	10519
FBR0200287	11.91	15/32"	101	151	10519
FBR0200099	12.00		101	151	10519
FBR0200275	12.10		101	151	10519
FBR0200276	12.20		101	151	10519
FBR0200277	12.30		101	151	11157
FBR0200288	12.30	31/64"	101	151	11157
FBR0200278	12.40		101	151	11157
FBR0200100	12.50		101	151	11157
FBR0200142	12.60		101	151	11157
FBR0200115	12.70	1/2"	101	151	11781
FBR0200279	12.70		101	151	11781
FBR0200280	12.80		101	151	11781
FBR0200281	12.90		101	151	11781

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200101	13.00		101	151	11781
FBR0200289	13.10	33/64"	101	151	18565
FBR0200290	13.49	17/32"	108	160	18565
FBR0200143	13.50		108	160	18565
FBR0200291	13.89	35/64"	108	160	18565
FBR0200144	14.00		108	160	18565
FBR0200292	14.29	9/16"	114	169	22162
FBR0200145	14.50		114	169	22189
FBR0200293	14.68	37/64"	114	169	22189
FBR0200146	15.00		114	169	22189
FBR0200294	15.08	19/32"	120	178	26308
FBR0200295	15.48	39/64"	120	178	26308
FBR0200147	15.50		120	178	26308
FBR0200296	15.87	5/8"	120	178	26308
FBR0200148	16.00		120	178	26308
FBR0200149	16.50		125	184	30952
FBR0200297	16.67	21/32"	125	184	30952
FBR0200150	17.00		125	184	30952
FBR0200298	17.46	11/16"	125	184	35072
FBR0200151	17.50		130	191	35072
FBR0200152	18.00		130	191	35089
FBR0200299	18.26	23/32"	135	198	40058
FBR0200153	18.50		135	198	40058
FBR0200154	19.00		135	198	40070
FBR0200300	19.05	3/4"	140	205	45758
FBR0200155	19.50		140	205	45758
FBR0200301	18.84	25/32"	140	205	45758
FBR0200156	20.00		140	205	45758
FBR0200302	20.64	13/16"	140	205	63741

HSS Parallel Shank Twist Drill - Stub Series

(Full Ground Straight Shank Drill, 118° Point Angle)



IS 5100 : 2000, DIN 1897 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200313	1.00		6	26	519
FBR0200314	1.10		7	28	519
FBR0200940	1.19	3/64"	8	30	519
FBR0200315	1.20		8	30	519
FBR0200316	1.30		8	30	519
FBR0200317	1.40		9	32	519
FBR0200318	1.50		9	32	519
FBR0200941	1.59	1/16"	10	34	519
FBR0200319	1.60		10	34	519
FBR0200320	1.70		10	34	519
FBR0200321	1.80		11	36	519
FBR0200322	1.90		11	36	519
FBR0200942	1.98	5/64"	12	38	519
FBR0200323	2.00		12	38	519
FBR0200324	2.10		12	38	519
FBR0200325	2.20		13	40	519
FBR0200326	2.30		13	40	519
FBR0200943	2.38	3/32"	14	43	519
FBR0200327	2.40		14	43	519
FBR0200328	2.50		14	43	519
FBR0200329	2.60		14	43	530
FBR0200330	2.70		16	46	530
FBR0200944	2.78	7/64"	16	46	530
FBR0200331	2.80		16	46	571
FBR0200332	2.90		16	46	571
FBR0200333	3.00		16	46	597
FBR0200334	3.10		18	49	741
FBR0200450	3.18	1/8"	18	49	741
FBR0200335	3.20		18	49	741

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200336	3.30		18	49	741
FBR0200337	3.40		20	52	741
FBR0200338	3.50		20	52	741
FBR0200451	3.57	9/64"	20	52	741
FBR0200339	3.60		20	52	818
FBR0200340	3.70		20	52	818
FBR0200341	3.80		22	55	1053
FBR0200342	3.90		22	55	1053
FBR0200452	3.97	5/32"	22	55	1053
FBR0200343	4.00		22	55	1053
FBR0200344	4.10		22	55	1069
FBR0200345	4.20		22	55	1179
FBR0200346	4.30		24	58	1188
FBR0200453	4.37	11/64"	24	58	1188
FBR0200347	4.40		24	58	1188
FBR0200348	4.50		24	58	1525
FBR0200349	4.60		24	58	1574
FBR0200350	4.70		24	58	1574
FBR0200454	4.76	3/16	26	62	1574
FBR0200351	4.80		26	62	1574
FBR0200352	4.90		26	62	1574
FBR0200353	5.00		26	62	1635
FBR0200354	5.10		26	62	1674
FBR0200456	5.16	13/64	26	62	1674
FBR0200355	5.20		26	62	1674
FBR0200356	5.30		26	62	1674
FBR0200357	5.40		28	66	1674
FBR0200358	5.50		28	66	1817
FBR0200945	5.56	7/32"	28	66	1871

IS 5100 : 2000, DIN 1897 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200359	5.60		28	66	1871
FBR0200360	5.70		28	66	1871
FBR0200361	5.80		28	66	2046
FBR0200362	5.90		28	66	2046
FBR0200946	5.95	15/64	28	66	2046
FBR0200363	6.00		28	66	2046
FBR0200364	6.10		31	70	2046
FBR0200365	6.20		31	70	2289
FBR0200366	6.30		31	70	2289
FBR0200367	6.40		31	70	2289
FBR0200455	6.35	1/4"	31	70	2398
FBR0200368	6.50		31	70	2768
FBR0200369	6.60		31	70	2819
FBR0200370	6.70		31	70	2819
FBR0200947	6.75	17/64	34	74	2819
FBR0200371	6.80		34	74	2819
FBR0200372	6.90		34	74	2819
FBR0200373	7.00		34	74	3075
FBR0200374	7.10		34	74	3091
FBR0200948	7.14	9/32"	34	74	3091
FBR0200375	7.20		34	74	3091
FBR0200376	7.30		34	74	3091
FBR0200377	7.40		34	74	3091
FBR0200378	7.50		34	74	3212
FBR0200949	7.54	19/64	37	79	3271
FBR0200379	7.60		37	79	3271
FBR0200380	7.70		37	79	3271
FBR0200381	7.80		37	79	3526
FBR0200382	7.90		37	79	3526

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0200457	7.94	5/16"	37	79	3880
FBR0200383	8.00		37	79	3880
FBR0200384	8.10		37	79	3880
FBR0200385	8.20		37	79	3808
FBR0200386	8.30		37	79	3808
FBR0200950	8.33	21/64	37	79	3808
FBR0200387	8.40		37	79	3808
FBR0200388	8.50		37	79	4820
FBR0200389	8.60		40	84	4848
FBR0200390	8.70		40	84	4848
FBR0200951	8.73	11/32"	40	84	5057
FBR0200391	8.80		40	84	5057
FBR0200392	8.90		40	84	5057
FBR0200393	9.00		40	84	5057
FBR0200394	9.10		40	84	5057
FBR0200952	9.13	23/64	40	84	5342
FBR0200395	9.20		40	84	5342
FBR0200396	9.30		40	84	5342
FBR0200397	9.40		40	84	5342
FBR0200398	9.50		40	84	5342
FBR0200458	9.52	3/8"	43	89	5609
FBR0200399	9.60		43	89	5609
FBR0200400	9.70		43	89	5609
FBR0200401	9.80		43	89	5609
FBR0200402	9.90		43	89	5609
FBR0200953	9.92	25/64	43	89	5609
FBR0200403	10.00		43	89	6777
FBR0200404	10.10		43	89	6830
FBR0200405	10.20		43	89	6830

HSS Parallel Shank Twist Drill - Stub Series

(Full Ground Straight Shank Drill, 118° Point Angle)



IS 5100 : 2000, DIN 1897 : 1984, ISO 235 : 1980, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0200406	10.30		43	89	6830
FBR0200954	10.32	13/32	43	89	6830
FBR0200407	10.40		43	89	6830
FBR0200408	10.50		43	89	7353
FBR0200409	10.60		43	89	7353
FBR0200410	10.70		47	95	7353
FBR0200955	10.72	27/64	47	95	8264
FBR0200411	10.80		47	95	8264
FBR0200412	10.90		47	95	8264
FBR0200413	11.00		47	95	8264
FBR0200414	11.10		47	95	8280
FBR0200459	11.11	7/16"	47	95	8625
FBR0200415	11.20		47	95	8625
FBR0200416	11.30		47	95	8625
FBR0200417	11.40		47	95	8625
FBR0200418	11.50		47	95	9227
FBR0200956	11.51	29/64	47	95	9227
FBR0200419	11.60		47	95	9227
FBR0200420	11.70		47	95	9227
FBR0200421	11.80		47	95	9227
FBR0200422	11.90		51	102	9227
FBR0200957	11.91	15/32	51	102	9763
FBR0200423	12.00		51	102	9763
FBR0200424	12.10		51	102	9763
FBR0200425	12.20		51	102	9763
FBR0200426	12.30		51	102	10609
FBR0200427	12.40		51	102	10609
FBR0200428	12.50		51	102	10609
FBR0200429	12.60		51	102	10609
FBR0200460	12.70	1/2"	51	102	10837

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0200431	12.80		51	102	10837
FBR0200432	12.90		51	102	10837
FBR0200433	13.00		51	102	10837
FBR0200435	13.50		54	107	13521
FBR0200437	14.00		54	107	14725
FBR0201799	14.28	9/16"	56	111	15336
FBR0200438	14.50		56	111	15336
FBR0200439	15.00		56	111	16582
FBR0200440	15.50		58	115	16582
FBR0200441	16.00		58	115	17949
FBR0200442	16.50		60	119	18236
FBR0200443	17.00		60	119	18605
FBR0200444	17.50		62	123	18943
FBR0200445	18.00		62	123	19200
FBR0200446	18.50		64	127	19908
FBR0200447	19.00		64	127	19908
FBR0200448	19.50		66	131	22817
FBR0200449	20.00		66	131	22817

FEATURES & BENEFITS

1. An excellent general purpose drill with conventional 118° point angle
2. Shorter flute & overall length increases the rigidity, resulting in less deflection, better hole accuracy & longer tool life
3. Stable cutting edge
4. Better chip evacuation
5. Better hole straightness
6. Eliminated breakages
7. Operating at higher feeds
8. Ideal to use in manual hand held drilling application
9. Superior tool life

IS 5102 : 2002 , DIN 340 : 1978 , ISO 494 : 1975 , BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	List Price Each
	MM	INCH			
FBR0200958	1.00		33	56	315
FBR0200959	1.10		37	60	315
FBR0200960	1.19	3/64"	41	65	315
FBR0200961	1.20		41	65	315
FBR0200962	1.30		41	65	315
FBR0200963	1.40		45	70	315
FBR0200964	1.50		45	70	315
FBR0200965	1.59	1/16"	50	76	315
FBR0200966	1.60		50	76	315
FBR0200967	1.80		53	80	315
FBR0200968	1.90		53	80	315
FBR0200969	1.98	5/64"	56	85	315
FBR0200561	2.00		56	85	315
FBR0200970	2.10		56	85	315
FBR0200971	2.20		59	90	315
FBR0200972	2.30		59	90	397
FBR0200973	2.38	3/32"	62	95	397
FBR0200974	2.40		62	95	397
FBR0200562	2.50		62	95	397
FBR0200975	2.60		62	95	397
FBR0200976	2.70		66	100	397
FBR0200977	2.78	7/64"	66	100	397
FBR0200978	2.80		66	100	397
FBR0200979	2.90		66	100	397
FBR0200563	3.00		66	100	399
FBR0200980	3.10		69	106	399
FBR0200981	3.17	1/8"	69	106	399
FBR0200982	3.20		69	106	399
FBR0200983	3.30		69	106	399
FBR0200984	3.40		73	112	399
FBR0200564	3.50		73	112	399
FBR0200985	3.60		73	112	432
FBR0200986	3.70		73	112	432
FBR0200987	3.80		78	119	432
FBR0200988	3.90		78	119	432
FBR0200989	3.97	5/32"	78	119	432
FBR0200565	4.00		78	119	432
FBR0200990	4.10		78	119	432
FBR0200991	4.20		78	119	432

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	List Price Each
	MM	INCH			
FBR0200992	4.30		82	126	432
FBR0200993	4.37	11/64"	82	126	432
FBR0200994	4.40		82	126	432
FBR0200566	4.50		82	126	432
FBR0200995	4.60		82	126	432
FBR0200996	4.70		82	126	432
FBR0200997	4.76	3/16"	87	132	432
FBR0200998	4.80		87	132	432
FBR0200999	4.90		87	132	504
FBR0200567	5.00		87	132	504
FBR0201000	5.10		87	132	504
FBR0201001	5.16	13/64	87	132	504
FBR0201002	5.20		87	132	504
FBR0201003	5.30		87	132	587
FBR0201004	5.40		91	139	587
FBR0201005	5.50		91	139	587
FBR0201006	5.56	7/32"	91	139	587
FBR0201007	5.60		91	139	637
FBR0201008	5.70		91	139	637
FBR0201009	5.80		91	139	637
FBR0201010	5.90		91	139	637
FBR0201011	5.95	15/64"	91	139	637
FBR0200568	6.00		91	139	637
FBR0201012	6.10		97	148	721
FBR0201013	6.20		97	148	721
FBR0201014	6.30		97	148	721
FBR0201015	6.35	1/4"	97	148	721
FBR0201016	6.40		97	148	923
FBR0201017	6.50		97	148	923
FBR0201018	6.60		97	148	1114
FBR0201019	6.70		97	148	1114
FBR0201020	6.75	17/64"	102	156	1114
FBR0201021	6.80		102	156	1114
FBR0201022	6.90		102	156	1114
FBR0201023	7.00		102	156	1114
FBR0201024	7.10		102	156	1114
FBR0201025	7.14	9/32"	102	156	1114
FBR0201026	7.20		102	156	1114
FBR0201027	7.30		102	156	1114

HSS Parallel Shank Twist Drill - Long Series

(Full Ground Straight Shank Drill, 118° Point Angle)



IS 5102 : 2002 , DIN 340 : 1978 , ISO 494 : 1975 , BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	List Price Each
	MM	INCH			
FBR0201028	7.40		102	156	1114
FBR0201029	7.50		102	156	1114
FBR0201030	7.54	19/64"	109	165	1114
FBR0201031	7.60		109	165	1114
FBR0201032	7.70		109	165	1114
FBR0201033	7.80		109	165	1114
FBR0201034	7.90		109	165	1145
FBR0201035	7.94	5/16"	109	165	1145
FBR0201036	8.00		109	165	1145
FBR0201037	8.10		109	165	1145
FBR0201038	8.20		109	165	1145
FBR0201039	8.30		109	165	1145
FBR0201040	8.33	21/64"	109	165	1145
FBR0201041	8.40		109	165	1145
FBR0201042	8.50		109	165	1156
FBR0201043	8.60		115	175	1212
FBR0201044	8.70		115	175	1212
FBR0201045	8.73	11/32"	115	175	1212
FBR0201046	8.80		115	175	1274
FBR0201047	8.90		115	175	1274
FBR0201048	9.00		115	175	1274
FBR0201049	9.10		115	175	1274
FBR0201050	9.13	23/64"	115	175	1274
FBR0201051	9.20		115	175	1274
FBR0201052	9.30		115	175	1274
FBR0201053	9.40		115	175	1274
FBR0201054	9.50		115	175	1274
FBR0201055	9.52	3/8"	121	184	1274
FBR0201056	9.60		121	184	1476
FBR0201057	9.70		121	184	1476
FBR0201058	9.80		121	184	1476
FBR0201059	9.90		121	184	1476
FBR0201060	9.92	25/64"	121	184	1476
FBR0201061	10.00		121	184	1476
FBR0201062	10.10		121	184	1476
FBR0201063	10.20		121	184	1476
FBR0201064	10.30		121	184	1604
FBR0201065	10.32	13/32"	121	184	1604
FBR0201066	10.40		121	184	1604
FBR0201067	10.50		121	184	1604

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	List Price Each
	MM	INCH			
FBR0201068	10.60		121	184	1816
FBR0201069	10.70		128	195	1816
FBR0201070	10.72	27/64	128	195	1816
FBR0201071	10.80		128	195	1816
FBR0201072	10.90		128	195	1816
FBR0201073	11.00		128	195	1816
FBR0201074	11.11	7/16"	128	195	1816
FBR0201075	11.20		128	195	1951
FBR0201076	11.30		128	195	1951
FBR0201077	11.40		128	195	1951
FBR0201078	11.50		128	195	1951
FBR0201079	11.51	29/64"	128	195	1951
FBR0201080	11.60		128	195	1951
FBR0201081	11.70		128	195	1951
FBR0201082	11.80		128	195	1951
FBR0201083	11.90		134	205	1951
FBR0201084	11.91	15/32"	134	205	1951
FBR0201085	12.00		134	205	1951
FBR0201086	12.10		134	205	1982
FBR0201087	12.20		134	205	1982
FBR0201088	12.30	31/64"	134	205	1982
FBR0201089	12.40		134	205	1982
FBR0201090	12.50		134	205	1982
FBR0201091	12.60		134	205	1982
FBR0201092	12.70	1/2"	134	205	1982
FBR0201093	12.80		134	205	2467
FBR0201094	12.90		134	205	2467
FBR0201095	13.00		134	205	2467

NOTE:

For Non-listed intermediate sizes, price of nearest higher size shall be applicable
 For M35 - 35% Extra
 For M42 - 75% Extra

AS PER IS-7823 / 2005



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Overall Length	List Price Each	MOQ (NOS)
	MM	MM		
FBR0202963	3.00	150	1189	30
FBR0202964	3.50	150	1189	30
FBR0202965	4.00	150	1189	30
FBR0202966	4.50	150	1189	30
FBR0202967	5.00	150	1189	30
FBR0202968	5.50	150	1299	30
FBR0202969	6.00	150	1299	30
FBR0202970	3.00	175	1456	30
FBR0202971	3.50	175	1456	30
FBR0202972	4.00	175	1456	30
FBR0202973	4.50	175	1456	30
FBR0202974	5.00	175	1516	30
FBR0202975	5.50	175	1620	30
FBR0202976	6.00	175	1691	30
FBR0202977	3.00	200	1647	30
FBR0202978	3.50	200	1737	30
FBR0202979	4.00	200	1737	30
FBR0202980	4.50	200	1737	30
FBR0202981	5.00	200	1882	30
FBR0202982	5.50	200	2177	30
FBR0202983	6.00	200	2177	30
FBR0202984	6.50	200	2177	20
FBR0202985	7.00	200	2263	20
FBR0202986	7.50	200	2303	20
FBR0202987	8.00	200	2417	20
FBR0202988	8.50	200	2495	20
FBR0202989	9.00	200	2495	20

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Overall Length	List Price Each	MOQ (NOS)
	MM	MM		
FBR0202990	9.50	200	2626	20
FBR0202991	10.00	200	2734	20
FBR0202992	10.50	200	2829	15
FBR0202993	3.00	225	1960	30
FBR0202994	3.50	225	2158	30
FBR0202995	4.00	225	2158	30
FBR0202996	4.50	225	2158	30
FBR0202997	5.00	225	2309	30
FBR0202998	5.50	225	2462	30
FBR0202999	6.00	225	2506	30
FBR0203000	3.00	250	2310	30
FBR0203001	3.50	250	2597	30
FBR0203002	4.00	250	2597	30
FBR0203003	4.50	250	2597	30
FBR0203004	5.00	250	2728	30
FBR0203005	5.50	250	2904	30
FBR0203006	6.00	250	3006	30
FBR0203007	6.50	250	3006	20
FBR0203008	7.00	250	3244	20
FBR0203009	7.50	250	3445	20
FBR0203010	8.00	250	3591	20
FBR0203011	8.50	250	3665	20
FBR0203012	9.00	250	3665	20
FBR0203013	9.50	250	3688	20
FBR0203014	10.00	250	3790	20
FBR0203015	10.50	250	4048	15
FBR0203016	11.00	250	4187	15

HSS Parallel Shank Twist Drill - Extra Long Series (Full Ground Straight Shank Drill, 118° Point Angle)



AS PER IS-7823 / 2005



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Overall Length	List Price Each	MOQ (NOS)
	MM	MM		
FBR0203017	11.50	250	4187	15
FBR0203018	12.00	250	4397	15
FBR0203019	12.50	250	4533	15
FBR0203020	3.00	300	2884	30
FBR0203021	3.50	300	3314	30
FBR0203022	4.00	300	3314	30
FBR0203023	4.50	300	3412	30
FBR0203024	5.00	300	3616	30
FBR0203025	5.50	300	3842	30
FBR0203026	6.00	300	3935	30
FBR0203027	6.50	300	3935	20
FBR0203028	7.00	300	4487	20
FBR0203029	7.50	300	4570	20
FBR0203030	8.00	300	4681	20
FBR0203031	8.50	300	4767	20
FBR0203032	9.00	300	4767	20
FBR0203033	9.50	300	4870	20
FBR0203034	10.00	300	5089	20
FBR0203035	10.50	300	5280	15
FBR0203036	11.00	300	5441	15
FBR0203037	11.50	300	5441	15
FBR0203038	12.00	300	5771	15
FBR0203039	12.50	300	5956	15
FBR0203040	4.00	350	4570	30
FBR0203041	4.50	350	4570	30
FBR0203042	5.00	350	4795	30
FBR0203043	5.50	350	4997	30

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Overall Length	List Price Each	MOQ (NOS)
	MM	MM		
FBR0203044	6.00	350	5188	30
FBR0203045	6.50	350	5188	20
FBR0203046	7.00	350	5822	20
FBR0203047	7.50	350	5822	20
FBR0203048	8.00	350	5958	20
FBR0203049	8.50	350	6365	20
FBR0203050	9.00	350	6365	20
FBR0203051	9.50	350	6568	20
FBR0203052	10.00	350	6864	20
FBR0203053	10.50	350	7218	15
FBR0203054	11.00	350	7447	15
FBR0203055	11.50	350	7447	15
FBR0203056	12.00	350	7642	15
FBR0203057	12.50	350	8149	15

NOTE:

For Non-listed intermediate sizes, price of nearest higher size shall be applicable
For M35 - 35% Extra
For M42 - 75% Extra

IS 5101 : 2002 , DIN 338 : 1984 , ISO 235 : 1980 , BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	DIA		Flute Length	Overall Length	Price Per 10 Nos
	MM	MM			
FBR0202591	1.00		12	34	583
FBR0202837	1.10		14	36	583
FBR0202948	1.19	3/64"	16	38	583
FBR0202592	1.20		16	38	583
FBR0202838	1.30		16	38	583
FBR0202839	1.40		18	40	583
FBR0202593	1.50		18	40	583
FBR0202949	1.59	1/16"	20	43	583
FBR0202840	1.60		20	43	583
FBR0202841	1.70		20	43	625
FBR0202540	1.80		22	46	625
FBR0202843	1.90		22	46	625
FBR0202950	1.98	5/64"	24	49	625
FBR0202594	2.00		24	49	625
FBR0202844	2.10		24	49	727
FBR0202845	2.20		27	53	727
FBR0202846	2.30		27	53	727
FBR0202951	2.38	3/32"	30	57	727
FBR0202541	2.40		30	57	727
FBR0202542	2.50		30	57	727
FBR0202686	2.60		30	57	727
FBR0202849	2.70		33	61	727
FBR0202935	2.78	7/64"	33	61	727
FBR0202850	2.80		33	61	755
FBR0202851	2.90		33	61	755
FBR0202543	3.00		33	61	755
FBR0202757	3.10		36	65	820
FBR0202934	3.17	1/8"	36	65	820
FBR0202852	3.20		36	65	846
FBR0202853	3.30		36	65	846
FBR0202854	3.40		39	70	846
FBR0202595	3.50		39	70	846
FBR0202936	3.57	9/64"	39	70	982
FBR0202855	3.60		39	70	1200
FBR0202856	3.70		39	70	1200
FBR0202857	3.80		43	75	1200
FBR0202858	3.90		43	75	1200
FBR0202937	3.97	5/32"	43	75	1200

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	DIA		Flute Length	Overall Length	Price Per 10 Nos
	MM	MM			
FBR0202544	4.00		43	75	1200
FBR0202758	4.10		43	75	1450
FBR0202690	4.20		43	75	1450
FBR0202860	4.30		47	80	1450
FBR0202938	4.37	11/64"	47	80	1450
FBR0202861	4.40		47	80	1450
FBR0202596	4.50		47	80	1904
FBR0202862	4.60		47	80	1904
FBR0202863	4.70		47	80	1904
FBR0202939	4.76	3/16"	52	86	1904
FBR0202864	4.80		52	86	1904
FBR0202865	4.90		52	86	2068
FBR0202474	5.00		52	86	2068
FBR0202759	5.10		52	86	2068
FBR0202941	5.16	13/64"	52	86	2068
FBR0202958	5.20		52	86	2068
FBR0202867	5.30		52	86	2235
FBR0202868	5.40		57	93	2235
FBR0202597	5.50		57	93	2235
FBR0202952	5.56	7/32"	57	93	2235
FBR0202869	5.60		57	93	2235
FBR0202870	5.70		57	93	2512
FBR0202871	5.80		57	93	2512
FBR0202691	5.90		57	93	2512
	5.95	15/64"	57	93	2512
FBR0202475	6.00		57	93	2512
FBR0202873	6.10		63	101	2733
FBR0202874	6.20		63	101	2733
FBR0202875	6.30		63	101	2733
FBR0202940	6.35	1/4"	63	101	2733
FBR0202876	6.40		63	101	2733
FBR0202598	6.50		63	101	3489
FBR0202877	6.60		63	101	3489
FBR0202692	6.70		63	101	3489
FBR0202942	6.75	17/64"	69	109	3489
FBR0202693	6.80		69	109	3489
FBR0202879	6.90		69	109	3817
FBR0202880	7.00		69	109	3817

HSS Steam Tempered Parallel Shank Twist Drill - Jobber Series



AS PER IS-7823 / 2005



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	DIA		Flute Length	Overall Length	Price Per 10 Nos
	MM	MM			
FBR0202881	7.10		69	109	3817
FBR0202953	7.14	9/32"	69	109	3817
FBR0202882	7.20		69	109	3817
FBR0202883	7.30		69	109	4031
FBR0202884	7.40		69	109	4031
FBR0202885	7.50		69	109	4031
FBR0202954	7.54	19/64"	75	117	4364
FBR0202886	7.60		75	117	4364
FBR0202887	7.70		75	117	4364
FBR0202888	7.80		75	117	4364
FBR0202889	7.90		75	117	4364
FBR0202943	7.94	5/16"	75	117	4789
FBR0202545	8.00		75	117	4789
FBR0202890	8.10		75	117	4789
FBR0202891	8.20		75	117	4789
FBR0202892	8.30		75	117	5806
FBR0202944	8.33	21/64"	75	117	5806
FBR0202893	8.40		75	117	5806
FBR0202296	8.50		75	117	5806
FBR0202894	8.60		81	125	5806
FBR0202694	8.70		81	125	5806
FBR0202955	8.73	11/32"	81	125	6115
FBR0202896	8.80		81	125	6115
FBR0202897	8.90		81	125	6115
FBR0202898	9.00		81	125	6115
FBR0202899	9.10		81	125	6378
FBR0202956	9.13	23/64"	81	125	6378
FBR0202293	9.20		81	125	6378
FBR0202901	9.30		81	125	6378
FBR0202902	9.40		81	125	6378
FBR0202903	9.50		81	125	6378
FBR0202945	9.52	3/8"	87	133	7232
FBR0202904	9.60		87	133	7232
FBR0202905	9.70		87	133	7232
FBR0202906	9.80		87	133	7232
FBR0202907	9.90		87	133	8092
	9.92	25/64"	87	133	8092

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	DIA		Flute Length	Overall Length	Price Per 10 Nos
	MM	MM			
FBR0202546	10.00		87	133	8092
FBR0202908	10.10		87	133	8092
FBR0202909	10.20		87	133	8092
FBR0202910	10.30		87	133	8771
	10.32	13/32"	87	133	8771
FBR0202911	10.40		87	133	8771
FBR0202599	10.50		87	133	8771
FBR0202912	10.60		87	133	8771
FBR0202913	10.70		94	142	9286
	10.72	27/64"	94	142	9286
FBR0202914	10.80		94	142	9286
FBR0202915	10.90		94	142	9286
FBR0202294	11.00		94	142	9286
FBR0202916	11.10		94	142	10364
FBR0202946	11.11	7/16"	94	142	10364
FBR0202917	11.20		94	142	10364
FBR0202918	11.30		94	142	10364
FBR0202919	11.40		94	142	10364
FBR0202920	11.50		94	142	10932
	11.51	29/64"	94	142	10932
FBR0202921	11.60		94	142	10932
FBR0202922	11.70		94	142	10932
FBR0202923	11.80		94	142	10932
FBR0202924	11.90		101	151	11676
	11.91	15/32"	101	151	11676
	12.00		101	151	11676
FBR0202926	12.10		101	151	11676
FBR0202927	12.20		101	151	11676
FBR0202928	12.30		101	151	12385
	12.30	31/64"	101	151	12385
FBR0202929	12.40		101	151	12385
FBR0202600	12.50		101	151	12385
FBR0202930	12.60		101	151	12385
FBR0202947	12.70	1/2"	101	151	13076
FBR0202932	12.80		101	151	13076
FBR0202933	12.90		101	151	13076
FBR0202295	13.00		101	151	13076

IS 5101 : 2002 , DIN 338 : 1984, ISO 235, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0201801	1.00		12	34	818
FBR0201802	1.10		14	36	818
FBR0201923	1.19	3/64	16	38	818
FBR0201803	1.20		16	38	818
FBR0201804	1.30		16	38	818
FBR0201805	1.40		18	40	818
FBR0201806	1.50		18	40	818
FBR0201924	1.59	1/16	20	43	886
FBR0201807	1.60		20	43	886
FBR0201808	1.70		20	43	886
FBR0201809	1.80		22	46	886
FBR0201810	1.90		22	46	886
FBR0201925	1.98	5/64	24	49	886
FBR0201811	2.00		24	49	886
FBR0201812	2.10		24	49	1115
FBR0201813	2.20		27	53	1115
FBR0201814	2.30		27	53	1121
FBR0201926	2.38	3/32	30	57	1121
FBR0201815	2.40		30	57	1121
FBR0201816	2.50		30	57	1121
FBR0201817	2.60		30	57	1299
FBR0201818	2.70		33	61	1299
FBR0201927	2.78	7/64	33	61	1299
FBR0201819	2.80		33	61	1299
FBR0201820	2.90		33	61	1299
FBR0201821	3.00		33	61	1299
FBR0201822	3.10		36	65	1550
FBR0201928	3.17	08-Jan	36	65	1550

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0201823	3.20		36	65	1550
FBR0201824	3.30		36	65	1550
FBR0201825	3.40		39	70	1550
FBR0201826	3.50		39	70	1550
FBR0201929	3.57	9/64	39	70	1746
FBR0201827	3.60		39	70	1878
FBR0201828	3.70		39	70	1878
FBR0201829	3.80		43	75	1878
FBR0201830	3.90		43	75	1878
FBR0201930	3.97	5/32	43	75	1878
FBR0201831	4.00		43	75	1878
FBR0201832	4.10		43	75	2320
FBR0201833	4.20		43	75	2320
FBR0201834	4.30		47	80	2336
FBR0201931	4.37	11/64	47	80	2336
FBR0201835	4.40		47	80	2336
FBR0201836	4.50		47	80	2336
FBR0201837	4.60		47	80	2816
FBR0201838	4.70		47	80	2816
FBR0201932	4.76	3/16	52	86	2816
FBR0201839	4.80		52	86	2816
FBR0201840	4.90		52	86	2816
FBR0201841	5.00		52	86	2816
FBR0201842	5.10		52	86	3506
FBR0201933	5.16	13/64	52	86	3506
FBR0201843	5.20		52	86	3506
FBR0201844	5.30		52	86	3506
FBR0201845	5.40		57	93	3506

**HSS Parallel Shank Twist Drill - M35 Series
Black & Gold (Full Ground Straight Shank Drill,
135° Point Angle With Split Point)**



IS 5101 : 2002 , DIN 338 : 1984, ISO 235, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0201846	5.50		57	93	3506
FBR0201934	5.56	7/32	57	93	3510
FBR0201847	5.60		57	93	3973
FBR0201848	5.70		57	93	3973
FBR0201849	5.80		57	93	3973
FBR0201850	5.90		57	93	3973
FBR0201935	5.95	15/64	57	93	3973
FBR0201851	6.00		57	93	3973
FBR0201852	6.10		63	101	4381
FBR0201853	6.20		63	101	4381
FBR0201854	6.30		63	101	4381
FBR0201936	6.35	1/4	63	101	4381
FBR0201855	6.40		63	101	4389
FBR0201856	6.50		63	101	4389
FBR0201857	6.60		63	101	5574
FBR0201858	6.70		63	101	5574
FBR0201937	6.75	17/64	69	109	5574
FBR0201859	6.80		69	109	5574
FBR0201860	6.90		69	109	5574
FBR0201861	7.00		69	109	5574
FBR0201862	7.10		69	109	6105
FBR0201938	7.14	9/32	69	109	6105
FBR0201863	7.20		69	109	6105
FBR0201864	7.30		69	109	6105
FBR0201865	7.40		69	109	6105
FBR0201866	7.50		69	109	6105
FBR0201939	7.54	19/64	75	117	6105
FBR0201867	7.60		75	117	6710

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	INCH	MM	MM	
FBR0201868	7.70		75	117	6710
FBR0201869	7.80		75	117	6710
FBR0201870	7.90		75	117	6710
FBR0201940	7.94	5/16	75	117	6710
FBR0201871	8.00		75	117	6710
FBR0201872	8.10		75	117	7652
FBR0201873	8.20		75	117	7652
FBR0201874	8.30		75	117	7652
FBR0201941	8.33	21/64	75	117	7652
FBR0201875	8.40		75	117	7652
FBR0201876	8.50		75	117	7652
FBR0201877	8.60		81	125	9222
FBR0201878	8.70		81	125	9222
FBR0201942	8.73	11/32	81	125	9222
FBR0201879	8.80		81	125	9222
FBR0201880	8.90		81	125	9222
FBR0201881	9.00		81	125	9222
FBR0201882	9.10		81	125	9946
FBR0201943	9.13	23/64	81	125	9946
FBR0201883	9.20		81	125	9946
FBR0201884	9.30		81	125	9946
FBR0201885	9.40		81	125	9946
FBR0201886	9.50		81	125	9946
FBR0201944	9.52	3/8	87	133	9946
FBR0201887	9.60		87	133	11314
FBR0201888	9.70		87	133	11314
FBR0201889	9.80		87	133	11314
FBR0201890	9.90		87	133	11314

IS 5101 : 2002 , DIN 338 : 1984, ISO 235, BS 328



ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0201945	9.92	25/64	87	133	11314
FBR0201891	10.00		87	133	11314
FBR0201892	10.10		87	133	12325
FBR0201893	10.20		87	133	12325
FBR0201894	10.30		87	133	12325
FBR0201946	10.32	13/32	87	133	12325
FBR0201895	10.40		87	133	12325
FBR0201896	10.50		87	133	12325
FBR0201897	10.60		87	133	14415
FBR0201898	10.70		94	142	14415
FBR0201947	10.72	27/64	94	142	14415
FBR0201899	10.80		94	142	14415
FBR0201900	10.90		94	142	14415
FBR0201901	11.00		94	142	14415
FBR0201902	11.10		94	142	15660
FBR0201948	11.11	7/16	94	142	15660
FBR0201903	11.20		94	142	15660
FBR0201904	11.30		94	142	15660
FBR0201905	11.40		94	142	15660
FBR0201906	11.50		94	142	15660
FBR0201949	11.51	29/64	94	142	15660
FBR0201907	11.60		94	142	17349
FBR0201908	11.70		94	142	17349
FBR0201909	11.80		94	142	17349
FBR0201910	11.90		101	151	17349
FBR0201950	11.91	15/32	101	151	17349
FBR0201911	12.00		101	151	17349
FBR0201912	12.10		101	151	18466

ALL RATES ARE IN RUPEES PER 10 NOS (Excl. of GST)

Material Code	Size		Flute Length MM	Overall Length MM	Price Per 10 nos
	MM	INCH			
FBR0201913	12.20		101	151	18466
FBR0201914	12.30		101	151	18466
FBR0201951	12.30	31/64	101	151	18466
FBR0201915	12.40		101	151	18466
FBR0201916	12.50		101	151	18466
FBR0201917	12.60		101	151	20366
FBR0201918	12.70		101	151	20366
FBR0201952	12.70	1/2	101	151	20366
FBR0201919	12.80		101	151	20366
FBR0201920	12.90		101	151	20366
FBR0201921	13.00		101	151	20366

FEATURES & BENEFITS

1. Made from premium grade High Speed Steel with 5% Co
2. High performance drills suitable for Production applications & also for tough Maintenance applications
3. Well suited for drilling on Stainless Steel & challenging Alloy Steel materials
4. Precision ground 135 Degree Split Point angle is Self Centreing & reduces Thrust during application
5. Special Black & Gold surface treatment to increase lubricity & reduce friction
6. Stable cutting edge
7. The strong web construction provides greater strength & rigidity to the drill
8. Better chip evacuation
9. Better hole straightness
10. Eliminated breakages
11. Operating at higher feeds
12. Superior tool life

Reduced Shank Drill Series



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Shank Dia	Price Per Piece
	MM	INCH	Each
FBR0200479	13.50	1/2"	1530
FBR0200461	14.00	1/2"	1736
FBR0200480	14.50	1/2"	1821
FBR0200462	15.00	1/2"	1947
FBR0200481	15.50	1/2"	1976
FBR0200463	16.00	1/2"	2129
FBR0200482	16.50	1/2"	2221
FBR0200464	17.00	1/2"	2296
FBR0200483	17.50	1/2"	2397
FBR0200465	18.00	1/2"	2583
FBR0200484	18.50	1/2"	2681
FBR0200466	19.00	1/2"	2847
FBR0200485	19.50	1/2"	2875
FBR0200467	20.00	1/2"	3053
FBR0200486	20.50	1/2"	3173
FBR0200469	21.00	1/2"	3293
FBR0200487	21.50	1/2"	3355

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size	Shank Dia	Price Per Piece
	MM	INCH	Each
FBR0200470	22.00	1/2"	3549
FBR0200488	22.50	1/2"	3681
FBR0200471	23.00	1/2"	4077
FBR0200489	23.50	1/2"	4077
FBR0200490	24.00	1/2"	4145
FBR0200491	24.50	1/2"	4264
FBR0200492	25.00	1/2"	4385
FBR0200493	25.50	1/2"	4905
FBR0200472	26.00	1/2"	4905
FBR0200494	26.50	1/2"	4905
FBR0200495	27.00	1/2"	5151
FBR0200496	27.50	1/2"	5420
FBR0200473	28.00	1/2"	5560
FBR0200497	28.50	1/2"	5702
FBR0200498	29.00	1/2"	5702
FBR0200499	29.50	1/2"	5981
FBR0200500	30.00	1/2"	5981



DRILL SET IS 5101:2002

ALL RATES ARE IN RUPEES PER CASE SET (Excl. of GST)

Material Code	Size	Price Per Case Set
FBR0200531	HSS Drills Case Set 1.0 mm to 13.0 mm (25 pcs)	12407
FBR0200532	HSS Drills Case Set 2.0 mm to 8.0 mm (13 pcs)	3494
FBR0200543	HSS Drills Case Set 1/16" to 1/4" (13 pcs)	2500
FBR0200545	HSS Drills Case Set 1/16" to 1/2" (29 pcs)	16663
FBR0202169	HSSD CASE SET M2 1.0 TO 10.0 MM 19 PCS	6653
FBR0202170	HSSD CASE SET M2 1.0 TO 5.9 MM 50 PCS	7247
FBR0202171	HSSD CASE SET M2 6.0 TO 10.0 MM 41 PCS	24425
FBR0202172	HSSD CASE SET M35 B&G 1.0 TO 10.0 MM 19 PCS	9584
FBR0202173	HSSD CASE SET M35 B&G 1.0 TO 13.0 MM 25 PCS	20715
FBR0202174	HSSD CASE SET M35 B&G 1.0 TO 5.9 MM 50 PCS	10964
FBR0202175	HSSD CASE SET M35 B&G 6.0 TO 10.0 MM 41 PCS	35496
FBR0202258	HSSD CASE SET M35 B&G 1/16" TO 1/2" (29P)	23074
FBR0202259	HSSD CASE SET M2 1/16" TO 3/8" 21 PCS	8207
FBR0202266	HSSD CASE SET M2 1.50 TO 6.50 MM 13 PCS	2826
FBR0202267	HSSD CASE SET M2 TiN 1.50 TO 6.50 MM 13 PCS	5443
FBR0202268	HSSD CASE SET M2 TiN 1.0 TO 10.0 MM 19 PCS	11701



HSS Taper Shank Twist Drill

(Full Ground Taper Shank Drill , 118° Point Angle)



IS 5103 : 2002, DIN 345 : 1978, ISO 235 / 1 : 1980, BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200198	8.00		75	156	1	1334
FBR0200199	8.50		75	156	1	1334
FBR0200200	9.00		81	162	1	1334
FBR0200201	9.50		81	162	1	1334
FBR0200202	9.52	3/8"	87	168	1	1334
FBR0200203	9.92	25/64"	87	168	1	1334
FBR0200204	10.00		87	168	1	1472
FBR0200205	10.32	13/32"	87	168	1	1472
FBR0200206	10.50		87	168	1	1498
FBR0200207	10.72	27/64"	94	175	1	1554
FBR0200208	11.00		94	175	1	1554
FBR0200209	11.11	7/16"	94	175	1	1554
FBR0200210	11.50		94	175	1	1605
FBR0200211	11.91	15/32"	101	182	1	1605
FBR0200116	12.00		101	182	1	1622
FBR0200212	12.50		101	182	1	1622
FBR0200118	12.70	1/2"	101	182	1	1622
FBR0200117	13.00		101	182	1	2253
FBR0200213	13.49	17/32"	108	189	1	2352
FBR0200214	13.50		108	189	1	2520
FBR0200215	13.89	35/64"	108	189	1	2520

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200119	14.00		108	189	1	2520
FBR0200120	14.29	9/16"	114	212	2	2707
FBR0200216	14.50		114	212	2	2813
FBR0200121	15.00		114	212	2	2813
FBR0200217	15.50		120	218	2	2851
FBR0200122	15.87	5/8"	120	218	2	2851
FBR0200123	16.00		120	218	2	2938
FBR0200218	16.50		125	223	2	3120
FBR0200219	17.00		125	223	2	3120
FBR0200124	17.46	11/16"	130	228	2	3171
FBR0200220	17.50		130	228	2	3308
FBR0200125	18.00		130	228	2	3469
FBR0200221	18.50		135	233	2	3469
FBR0200126	19.00		135	233	2	3511
FBR0200127	19.05	3/4"	140	238	2	3511
FBR0200222	19.50		140	238	2	3689
FBR0200128	20.00		140	238	2	3966
FBR0200223	20.50		145	243	2	4013
FBR0200129	20.64	13/16"	145	243	2	4013
FBR0200130	21.00		145	243	2	4186
FBR0200224	21.50		150	248	2	4422

IS 5103 : 2002, DIN 345 : 1978, ISO 235 / 1 : 1980, BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200308	22.00		150	248	2	4503
FBR0200131	22.22	7/8"	150	248	2	4503
FBR0200309	22.50		155	253	2	4904
FBR0200225	23.00		155	253	2	5004
FBR0200226	23.50		155	276	3	5956
FBR0200132	24.00		160	281	3	6132
FBR0200227	24.50		160	281	3	6235
FBR0200133	25.00		160	281	3	6515
FBR0200134	25.40	1"	165	286	3	6600
FBR0200228	25.50		165	286	3	7176
FBR0200135	26.00		165	286	3	7254
FBR0200229	26.50		165	286	3	7772
FBR0200230	27.00		170	291	3	8210
FBR0200231	27.50		170	291	3	8239
FBR0200136	28.00		170	291	3	9007
FBR0200232	28.50		175	296	3	9034
FBR0200138	28.57	1.1/8"	175	296	3	9034
FBR0200137	29.00		175	296	3	9459
FBR0200310	29.50		175	296	3	9496
FBR0200139	30.00		175	296	3	9693
FBR0200233	30.50		180	301	3	11023

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200234	31.00		180	301	3	12520
FBR0200235	31.50		180	301	3	13010
FBR0200312	31.75	1-1/4"	185	306	3	13263
FBR0200140	32.00		185	334	4	14243
FBR0200236	32.50		185	334	4	14243
FBR0200237	33.00		185	334	4	14585
FBR0200238	33.50		185	334	4	15087
FBR0200239	34.00		190	339	4	15368
FBR0200240	34.50		190	339	4	16832
FBR0200475	34.93	1-3/8"	190	339	4	16981
FBR0200241	35.00		190	339	4	16987
FBR0200242	35.50		190	339	4	18003
FBR0200243	36.00		195	344	4	18267
FBR0200244	36.50		195	344	4	18642
FBR0200476	36.51	1-7/16"	195	344	4	18637
FBR0200245	37.00		195	344	4	19102
FBR0200246	37.50		195	344	4	20343
FBR0200247	38.00		200	349	4	20662
FBR0200477	38.10	1-1/2"	200	349	4	20657
FBR0200248	38.50		200	349	4	21305
FBR0200249	39.00		200	349	4	22564

HSS Taper Shank Twist Drill

(Full Ground Taper Shank Drill, 118° Point Angle)



IS 5103 : 2002, DIN 345 : 1978, ISO 235 / 1 : 1980, BS 328



ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

ALL RATES ARE IN RUPEES PER PEICE (Excl. of GST)

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200250	39.50		200	349	4	22564
FBR0200251	40.00		200	349	4	23144
FBR0200252	40.50		205	354	4	24467
FBR0200253	41.00		205	354	4	24467
FBR0200938	41.28	1-5/8"	205	354	4	24461
FBR0200254	41.50		205	354	4	25429
FBR0200255	42.00		205	354	4	27019
FBR0200256	43.00		210	359	4	27974
FBR0200257	44.00		210	359	4	27974
FBR0200939	44.45	1-3/4"	210	359	4	27974
FBR0200258	45.00		210	359	4	28628
FBR0200259	46.00		215	364	4	29926
FBR0200260	47.00		215	364	4	31435
FBR0200261	48.00		220	369	4	34994
FBR0200262	49.00		220	369	4	35249
FBR0200263	50.00		220	369	4	36535
FBR0200478	50.80	2"	225	374	4	38704
FBR0200922	51.00		225	412	5	50931
FBR0200921	52.00		225	412	5	50931
FBR0200923	53.00		225	412	5	66287
FBR0200533	54.00		230	417	5	66287

Material Code	Size		Flute Length	Overall Length	MT Shank No	List Price Each
	MM	INCH	MM	MM		
FBR0200639	55.00		230	417	5	69633
FBR0200924	56.00		230	417	5	72560
FBR0200925	57.00		235	422	5	72560
FBR0200926	58.00		235	422	5	79187
FBR0200927	59.00		235	422	5	80700
FBR0200525	60.00		235	422	5	80700
FBR0200928	61.00		240	427	5	85777
FBR0200929	62.00		240	427	5	86126
FBR0200930	63.00		240	427	5	87299
FBR0200931	64.00		245	432	5	96401
FBR0200526	65.00		245	432	5	96401
FBR0200468	66.00		245	432	5	97118
FBR0200932	67.00		245	432	5	103856
FBR0200933	68.00		250	437	5	106793
FBR0200934	69.00		250	437	5	115754
FBR0200527	70.00		250	437	5	115754
FBR0200935	71.00		250	437	5	124843
FBR0200936	72.00		255	442	5	127256
FBR0200920	73.00		255	442	5	127256
FBR0200937	74.00		255	442	5	135433
FBR0200528	75.00		255	442	5	137118



AS PER BS 328 - PART II - 1990

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Size	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price
	B.S. No	Inch	Inch	MAX	MIN	MAX	MIN	Each
FBR0203093	BS1	3/64	1/8	1.98	1.58	38.89	37.31	255
FBR0203094	BS2	1/16	3/16	2.38	1.98	45.22	43.68	255
FBR0203095	BS3	3/32	1/4	3.96	3.17	52.39	49.21	294
FBR0203096	BS4	1/8	5/16	4.76	3.96	58.74	55.56	439
FBR0203097	BS5	3/16	7/16	7.14	6.35	65.88	61.12	589
FBR0203167	BS6	1/4	5/8	9.52	7.93	78.58	73.82	1504
FBR0203168	BS7	5/16	3/4	11.9	10.31	91.28	86.52	1921

TYPE A -AS PER IS 6708 - 2002

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price
	MM	MM	MAX	MIN	MAX	MIN	Each
FBR0202161	1.00	3.2	1.9	1.3	33.5	29.5	255
FBR0202162	1.25	3.2	2.2	1.6	33.5	29.5	255
FBR0202163	1.60	4.0	2.8	2.0	37.5	33.5	255
FBR0202164	2.00	5.0	3.3	2.5	42	38	255
FBR0202165	2.50	6.3	4.1	3.1	47	43	288
FBR0202166	3.15	8.0	4.9	3.9	52	48	442
FBR0202167	4.00	10.0	6.2	5.0	59	53	552
FBR0202168	5.00	12.5	7.5	6.3	66	60	928
FBR0202444	6.30	16.0	9.2	8.0	74	68	1109
FBR0203162	8.00	20.0	11.5	10.1	83	77	2504
FBR0203163	10.00	25.0	14.2	12.8	103	97	3127

TYPE B - AS PER IS 6709 - 2002 : ISO 2540 - 1972

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price
	MM	MM	MAX	MIN	MAX	MIN	Each
FBR0203089	1.60	6.3	2.8	2.0	47	43	513
FBR0203090	2.00	8.0	3.3	2.5	52	48	722
FBR0203091	2.50	10.0	4.1	3.1	59	53	918
FBR0203092	3.15	11.2	4.9	3.9	63	57	1254
FBR0202442	4.00	14.0	6.2	5.0	70	64	1678
FBR0202443	5.00	18.0	7.5	6.8	78	72	2419
FBR0203164	6.30	20.0	9.2	8.0	83	77	2844
FBR0203165	8.00	25.0	11.5	10.1	103	97	3799
FBR0203166	10.00	31.5	14.2	12.8	128	122	4418

FEATURES & BENEFITS

1. Made from premium grade High Speed Steel
2. Used for producing centre holes in metal work pieces
3. Also used for work-pieces requiring machining between centres
4. Stable cutting edge
5. Superior tool life

BRADMA MAGNETIC DRILLING MACHINE: BRADMAG35

What is Magnetic Drill?

Magnetic Drill is a Portable drilling machine with an electromagnetic base or a permanent magnet base. It can drill hole using Annular Cutters in various materials thereby producing accurate, burr free holes

Why to use Magnetic Drill?

Owing to its portability it can easily be carried to the work piece, instead of bringing the work piece for Drilling



Material Code	List Price Each ₹
FBR0201992	50983

Model	BRADMAG35
Motor rated power	1100 W
No load speed	700 rpm
Rotating direction	Clockwise
Arbor bore	19.05mm (3/4") dia.
Cooling method	Internal cooling
Voltage	AC 220V~240V
Frequency range	50-60Hz
Magnet deadlift	10000 N
Max. cutting dia. (annular cutter)	35mm (1-3/8 ")
Max cutting depth	50 mm (2")
Stroke	120mm
Magnet footprint	165mm × 80mm × 43mm
Weight	10.5kg

3/4" (19.05 MM) - UNIVERSAL SHANK (ONE - TOUCH SHANK)



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Size	Shank Dia	Cutting Depth	Overall Length	List Price
	MM	MM	MM	MM	25 MM Each
FBR0201611	12	19.05	30	63	1762
FBR0201612	13	19.05	30	63	1763
FBR0201613	14	19.05	30	63	1988
FBR0201614	15	19.05	30	63	1988
FBR0201615	16	19.05	30	63	2255
FBR0201616	17	19.05	30	63	2255
FBR0201617	18	19.05	30	63	2363
FBR0201618	19	19.05	30	63	2363
FBR0201619	20	19.05	30	63	2702
FBR0201620	21	19.05	30	63	2703
FBR0201621	22	19.05	30	63	3030
FBR0201622	23	19.05	30	63	3033
FBR0201623	24	19.05	30	63	3266
FBR0201624	25	19.05	30	63	3266
FBR0201625	26	19.05	30	63	3501
FBR0201626	27	19.05	30	63	3711
FBR0201627	28	19.05	30	63	3746
FBR0201628	29	19.05	30	63	3873
FBR0201629	30	19.05	30	63	3946
FBR0201630	31	19.05	30	63	4194
FBR0201631	32	19.05	30	63	4341
FBR0201632	33	19.05	30	63	4429
FBR0201633	34	19.05	30	63	4661
FBR0201634	35	19.05	30	63	4666
FBR0201635	36	19.05	30	63	5041
FBR0201636	37	19.05	30	63	5221
FBR0201637	38	19.05	30	63	5342
FBR0201638	39	19.05	30	63	5462
FBR0201639	40	19.05	30	63	5716
FBR0201640	41	19.05	30	63	5883
FBR0201641	42	19.05	30	63	6374

3/4" (19.05 MM) - UNIVERSAL SHANK (ONE - TOUCH SHANK)



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Size	Shank Dia	Cutting Depth	Overall Length	List Price
	MM	MM	MM	MM	25 MM Each
FBR0201642	43	19.05	30	63	6674
FBR0201643	44	19.05	30	63	7175
FBR0201644	45	19.05	30	63	7376
FBR0201645	46	19.05	30	63	7684
FBR0201646	47	19.05	30	63	7888
FBR0201647	48	19.05	30	63	8119
FBR0201648	49	19.05	30	63	8331
FBR0201649	50	19.05	30	63	8834

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Size	Shank Dia	Cutting Depth	Overall Length	List Price
	MM	MM	MM	MM	50 MM Each
FBR0201650	12	19.05	55	88	2513
FBR0201651	13	19.05	55	88	2513
FBR0201652	14	19.05	55	88	2729
FBR0201653	15	19.05	55	88	2729
FBR0201654	16	19.05	55	88	2850
FBR0201655	17	19.05	55	88	2850
FBR0201656	18	19.05	55	88	3038
FBR0201657	19	19.05	55	88	3038
FBR0201658	20	19.05	55	88	3429
FBR0201659	21	19.05	55	88	3429
FBR0201660	22	19.05	55	88	3712
FBR0201661	23	19.05	55	88	3712
FBR0201662	24	19.05	55	88	4207
FBR0201663	25	19.05	55	88	4207
FBR0201664	26	19.05	55	88	4391
FBR0201665	27	19.05	55	88	4513
FBR0201666	28	19.05	55	88	4717
FBR0201667	29	19.05	55	88	4917
FBR0201668	30	19.05	55	88	5139
FBR0201669	31	19.05	55	88	5164

3/4" (19.05 MM) - UNIVERSAL SHANK (ONE - TOUCH SHANK)



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Material Code	Size	Shank Dia	Cutting Depth	Overall Length	List Price
	MM	MM	MM	MM	50 MM Each
FBR0201670	32	19.05	55	88	5446
FBR0201671	33	19.05	55	88	5593
FBR0201672	34	19.05	55	88	5884
FBR0201673	35	19.05	55	88	5990
FBR0201674	36	19.05	55	88	6567
FBR0201675	37	19.05	55	88	6772
FBR0201676	38	19.05	55	88	7109
FBR0201677	39	19.05	55	88	7170
FBR0201678	40	19.05	55	88	7739
FBR0201679	41	19.05	55	88	7866
FBR0201680	42	19.05	55	88	8361
FBR0201681	43	19.05	55	88	8488
FBR0201682	44	19.05	55	88	8849
FBR0201683	45	19.05	55	88	9157
FBR0201684	46	19.05	55	88	9590
FBR0201685	47	19.05	55	88	10066
FBR0201686	48	19.05	55	88	10625
FBR0201687	49	19.05	55	88	10687
FBR0201688	50	19.05	55	88	11677

MATCHING PILOT

Material Code	Size	Cutting length	List Price
	MM	MM	Each
FBR0201990	6.34 X 77	30	269
FBR0201991	6.34 X 103	55	356

FEATURES & BENEFITS

1. Made from premium grade High Speed Steel
2. Applicable to hole cutting & process of annular groove on various magnetic drills
3. Multi – cut geometry for ply – cutting & lower friction to reach better performance of endurance & removal of chips
4. Meets requirements of hole cutting on various materials
5. Available in One Touch Shank (Universal shank Dia 3/4" or 19.05 mm)
6. Available from Diameter 12 MM to 50 MM & Depth of Cut 30mm max & 55mm max
7. Also available in fein shank

Tungsten Carbide Tipped (TCT) Annular Cutter



3/4" (19.05 MM) - UNIVERSAL SHANK (ONE - TOUCH SHANK)



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Weldon Shank	Universal Shank	Size	Shank Dia	Cutting Depth	Overall Length	List Price
Material Code (40 MM)		MM	MM	MM	MM	40 MM Each
FBR0202349	FBR0202030	11	19.05	40	74	4631
FBR0202350	FBR0202031	12	19.05	40	74	4631
FBR0202351	FBR0202032	13	19.05	40	74	4631
FBR0202352	FBR0202033	14	19.05	40	74	4631
FBR0202353	FBR0202034	15	19.05	40	74	4631
FBR0202354	FBR0202035	16	19.05	40	74	4631
FBR0202355	FBR0202036	17	19.05	40	74	4631
FBR0202356	FBR0202037	18	19.05	40	74	4677
FBR0202357	FBR0202038	19	19.05	40	74	4677
FBR0202358	FBR0202039	20	19.05	40	74	4677
FBR0202359	FBR0202040	21	19.05	40	74	4677
FBR0202360	FBR0202041	22	19.05	40	74	4677
FBR0202361	FBR0202042	23	19.05	40	74	4677
FBR0202362	FBR0202043	24	19.05	40	74	4677
FBR0202363	FBR0202044	25	19.05	40	74	4677
FBR0202364	FBR0202045	26	19.05	40	74	5149
FBR0202365	FBR0202046	27	19.05	40	74	5149
FBR0202366	FBR0202047	28	19.05	40	74	5149
FBR0202367	FBR0202048	29	19.05	40	74	5149
FBR0202368	FBR0202049	30	19.05	40	74	5149
FBR0202369	FBR0202050	31	19.05	40	74	6019
FBR0202370	FBR0202051	32	19.05	40	74	6019
FBR0202371	FBR0202052	33	19.05	40	74	6019
FBR0202372	FBR0202053	34	19.05	40	74	6019
FBR0202373	FBR0202054	35	19.05	40	74	6019
FBR0202374	FBR0202055	36	19.05	40	74	6850
FBR0202375	FBR0202056	37	19.05	40	74	6850
FBR0202376	FBR0202057	38	19.05	40	74	6850
FBR0202377	FBR0202058	39	19.05	40	74	6850
FBR0202378	FBR0202059	40	19.05	40	74	6850

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Weldon Shank	Universal Shank	Size	Shank Dia	Cutting Depth	Overall Length	List Price
Material Code (55 MM)		MM	MM	MM	MM	55 MM Each
FBR0202319	FBR0202060	11	19.05	55	92	5094
FBR0202320	FBR0202061	12	19.05	55	92	5094
FBR0202321	FBR0202062	13	19.05	55	92	5094
FBR0202322	FBR0202063	14	19.05	55	92	5094
FBR0202323	FBR0202064	15	19.05	55	92	5094
FBR0202324	FBR0202065	16	19.05	55	92	5094
FBR0202325	FBR0202066	17	19.05	55	92	5094
FBR0202326	FBR0202067	18	19.05	55	92	5094
FBR0202327	FBR0202068	19	19.05	55	92	5094

3/4" (19.05 MM) - UNIVERSAL SHANK (ONE - TOUCH SHANK)



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Weldon Shank	Universal Shank	Size	Shank Dia	Cutting Depth	Overall Length	List Price
Material Code (55 MM)		MM	MM	MM	MM	55 MM Each
FBR0202328	FBR0202069	20	19.05	55	92	5094
FBR0202329	FBR0202070	21	19.05	55	92	5259
FBR0202330	FBR0202071	22	19.05	55	92	5259
FBR0202331	FBR0202072	23	19.05	55	92	5259
FBR0202332	FBR0202073	24	19.05	55	92	5259
FBR0202333	FBR0202074	25	19.05	55	92	5259
FBR0202334	FBR0202075	26	19.05	55	92	5577
FBR0202335	FBR0202076	27	19.05	55	92	5577
FBR0202336	FBR0202077	28	19.05	55	92	5577
FBR0202337	FBR0202078	29	19.05	55	92	5577
FBR0202338	FBR0202079	30	19.05	55	92	5577
FBR0202339	FBR0202080	31	19.05	55	92	6559
FBR0202340	FBR0202081	32	19.05	55	92	6559
FBR0202341	FBR0202082	33	19.05	55	92	6559
FBR0202342	FBR0202083	34	19.05	55	92	6559
FBR0202343	FBR0202084	35	19.05	55	92	6559
FBR0202344	FBR0202085	36	19.05	55	92	7501
FBR0202345	FBR0202086	37	19.05	55	92	7501
FBR0202346	FBR0202087	38	19.05	55	92	7501
FBR0202347	FBR0202088	39	19.05	55	92	7501
FBR0202348	FBR0202089	40	19.05	55	92	7501

MATCHING PILOT

Material Code	Size	Cutting length	List Price
	MM	MM	Each
FBR0202131	7.98 X 105	40	410
FBR0202132	7.98 X 160	55	656

FEATURES & BENEFITS

1. Applicable to hole cutting & process of annular groove
2. Suitable on various materials
3. Premium quality carbide tips for ply – cutting & lower friction
4. Multi – Cut geometry for increases chip removal
5. Diameter 12mm to 40mm & Cutting Depths 40mm & 55mm
6. Universal shank 3/4" (19.05 mm) for various magnetic drill machines (Totem manufacturers the cutters in one touch shank which incorporated the Weldon and Nitto shank, thus widens the application of cutters
7. Operates on higher RPM than HSS tools
8. Can also be used on corroded or weathered material

Terms and conditions

1. This price list supercedes all our previous price lists.
2. Prices are exclusive of GST rate.
3. Prices are subject to revision without prior notice.
4. All legal proceeding are subjected to Mumbai jurisdiction.

Recommended Cutting Rotation Speed for Annular Cutter



Diameter (mm)	Mild Steel 500N/mm	Medium Carbon Steel 750N/mm	High Carbon Steel 900N/ mm	Alloy tool Steel 1200 N/mm	Carbon tool Steel 1400 N/ mm	Stainless Steel	Aluminium	Cast iron	Cast copper
12	663	531	345	265	186	318	1327	478	1062
13	612	490	318	245	171	294	1225	441	980
14	569	455	296	227	159	273	1137	409	910
15	531	425	276	212	149	255	1062	382	849
16	498	398	259	199	139	239	995	358	796
17	468	375	244	187	131	225	937	337	749
18	442	354	230	177	124	212	885	318	708
19	419	335	218	168	117	201	838	302	670
20	398	318	207	159	111	191	796	287	637
21	379	303	197	152	106	182	758	273	607
22	362	290	188	145	101	174	724	261	579
23	346	277	180	138	97	166	692	249	554
24	332	265	173	133	93	159	663	239	531
25	318	255	166	127	89	153	637	229	510
26	306	245	159	122	86	147	612	220	490
27	295	236	153	118	83	142	590	212	472
28	284	227	148	114	80	136	569	205	455
29	275	220	143	110	77	132	549	198	439
30	265	212	138	106	74	127	531	191	425
31	257	205	134	103	72	123	514	185	411
32	249	199	129	100	70	119	498	179	398
33	241	193	125	97	68	116	483	174	386
34	234	187	122	94	66	112	468	169	375
35	227	182	118	91	64	109	455	164	364
36	221	177	115	88	62	106	442	159	354
37	215	172	112	86	60	103	430	155	344
38	210	168	109	84	59	101	419	151	335
39	204	163	106	82	57	98	408	147	327
40	199	159	104	80	56	96	398	143	318
41	194	155	101	78	54	93	388	140	311
42	190	152	99	76	53	91	379	136	303
43	185	148	96	74	52	89	370	133	296
44	181	145	94	72	51	87	362	130	290
45	177	142	92	71	50	85	354	127	283
46	173	138	90	69	48	83	346	125	277
47	169	136	88	68	47	81	339	122	271
48	166	133	86	66	46	80	332	119	265
49	162	130	84	65	45	78	325	117	260
50	159	127	83	64	45	76	318	115	255
51	156	125	81	62	44	75	312	112	250
52	153	122	80	61	43	73	306	110	245
53	150	120	78	60	42	72	300	108	240
54	147	118	77	59	41	71	295	106	236
55	145	116	75	58	41	69	290	104	232
56	142	114	74	57	40	68	284	102	227
57	140	112	73	56	39	67	279	101	223
58	137	110	71	55	38	66	275	99	220
59	135	108	70	54	38	65	270	97	216
60	133	106	69	53	37	64	265	96	212

Recommended Cutting Rotation Speed for TCT Annular Cutter

Diameter (mm)	Mild Steel 500N/mm	Medium Carbon Steel 750N/mm	High Carbon Steel 900N/mm	Alloy tool Steel 1200 N/mm	Carbon tool Steel 1400 N/mm	Stainless Steel	Aluminium	Cast iron	Cast copper
12	1062	982	929	796	663	531	2389	1592	929
13	980	906	857	735	612	490	2205	1470	857
14	910	842	796	682	569	455	2047	1470	796
15	849	786	743	637	531	425	1911	1274	743
16	796	736	697	597	498	398	1791	1194	697
17	749	693	656	562	468	375	1686	1124	656
18	708	655	619	531	442	354	1592	1062	619
19	670	620	587	503	419	335	1509	1006	587
20	637	589	557	478	398	318	1433	955	557
21	607	561	531	455	379	303	1365	910	531
22	579	536	507	434	362	290	1303	869	507
23	554	512	485	415	346	277	1246	831	485
24	531	491	464	398	332	265	1194	796	464
25	510	471	446	382	318	255	1146	764	446
26	490	453	429	367	306	245	1102	735	429
27	472	436	413	354	295	236	1062	708	413
28	455	421	398	341	284	227	1024	682	398
29	439	406	384	329	275	220	988	659	384
30	425	393	372	318	265	212	955	637	372
31	411	380	360	308	257	205	925	616	360
32	398	368	348	299	249	199	896	597	348
33	386	357	338	290	241	193	869	579	338
34	375	347	328	281	234	187	843	562	328
35	364	337	318	273	227	182	819	546	318
36	354	327	310	265	221	177	796	531	310
37	344	318	301	258	215	172	775	516	301
38	335	310	293	251	210	168	754	503	293
39	327	302	286	245	204	163	735	490	286
40	318	295	279	239	199	159	717	478	279
41	311	287	272	233	194	155	699	466	272
42	303	281	265	227	190	152	682	455	265
43	296	274	259	222	185	148	667	444	259
44	290	268	253	217	181	145	651	434	253
45	283	262	248	212	177	142	637	425	248
46	277	256	242	208	173	138	623	415	242
47	271	251	237	203	169	136	610	407	237
48	265	245	232	199	166	133	597	398	232
49	260	240	227	195	162	130	585	390	227
50	255	236	223	191	159	127	573	382	223
51	250	231	219	187	156	125	562	375	219
52	245	227	214	184	153	122	551	367	214
53	240	222	210	180	150	120	541	361	210
54	236	218	206	177	147	118	531	354	206
55	232	214	203	174	145	116	521	347	203
56	227	210	199	171	142	114	512	341	199
57	223	207	196	168	140	112	503	335	196
58	220	203	192	165	137	110	494	329	192
59	216	200	189	162	135	108	486	324	189
60	212	196	186	159	133	106	478	318	186

Recommended Feed Rate for TOTEM HSS Annular Cutter & TCT Annular Cutter

Material	Feed rate (mm/r)
Mild steel	0.08-0.13
Medium carbon steel	0.08-0.13
High carbon steel	0.05-0.1
Alloy tool steel	0.05-0.1
Carbon tool steel	0.05-0.1

Material	Feed rate (mm/r)
Stainless steel	0.05-0.1
Aluminium	0.1-0.15
Cast iron	0.07-0.12
Cast copper	0.08-0.13

Table of Cutting Speeds - Fractional Size Drills - HSS Drill



Vc (ft/min)	50	60	70	80	100
Vc (m/min)	15	18	21	24	30
Drill dia (inch)	Revolutions Per Minute (RPM)				
1/64"	12224	14656	17088	19520	24448
1/32"	6112	7328	8544	9760	12224
3/64"	4064	4896	5696	6528	8160
1/16"	3056	3664	4272	4880	6112
5/64"	2448	2928	3424	3904	4896
3/32"	2032	2448	2848	3264	4080
1/8"	1528	1832	2136	2440	3056
5/32"	1224	1464	1712	1952	2448
3/16"	1016	1224	1424	1632	2040
7/32"	872	1048	1224	1400	1744
1/4"	764	916	1068	1220	1528
5/16"	612	732	856	976	1224
3/8"	508	612	712	816	1020
7/16"	436	524	612	700	872
1/2"	382	458	534	670	764
9/16"	340	408	476	544	680
5/8"	306	366	428	488	612
11/16"	278	334	388	444	556
3/4"	254	306	356	408	510
13/16"	234	282	330	376	470
7/8"	218	262	306	350	436
15/16"	204	244	286	326	408
1"	191	229	267	305	382
1-2/8"	170	204	238	272	340
1-1/4"	153	183	214	244	306
1-1/2"	127	153	178	204	255
1-3/4"	109	131	153	175	218
2"	95	114	133	152	191
2-1/4"	85	102	119	136	170
2-1/2"	76	92	107	122	153
2-3/4"	69	83	97	111	139
3"	64	76	89	102	127
4"	48	57	67	76	95

Vc (ft/min)	50	60	70	80	100
Vc (m/min)	15	18	21	24	30
Drill dia (mm)	Revolutions Per Minute				
0.5	9695	11634	13573	15512	19390
1	4847	5817	6786	7756	9695
1.5	3237	3884	4532	5179	6474
2	2427	2912	3397	3883	4854
2.5	1941	2329	2717	3105	3882
3	1617	1940	2264	2587	3234
4	1213	1455	1698	1940	2425
5	970	1164	1359	1553	1941
6	808	970	1132	1294	1617
7	693	832	970	1109	1386
8	606	728	849	970	1213
9	539	647	755	862	1078
10	485	582	679	776	970
11	441	529	617	706	882
12	404	485	566	647	808
13	373	448	522	597	746
14	346	416	485	554	693
15	323	388	453	554	693
16	303	364	424	485	606
17	285	342	399	456	571
18	269	323	377	431	539
19	255	306	357	408	511
20	242	291	340	388	485
21	231	277	323	370	462
22	220	265	309	353	441
23	211	253	295	337	422
24	202	242	283	323	404
25	194	233	272	310	388
26	186	224	261	298	373
27	180	216	252	287	359
30	162	194	226	259	323
33	147	176	206	235	294
36	135	162	189	216	270
39	124	149	174	199	249
42	116	139	162	185	231
45	108	129	151	172	216
48	101	121	141	162	202
51	95	114	133	152	190
56	87	104	121	139	173
61	80	95	111	127	159
65	75	90	104	119	149

Drills dia inch	Feed / rev inch	Drill dia mm	Feed / Rev mm
1/16 - 3/32	.0015 - .0025	1.6 - 3.0	0.04 - 0.06
1/8 - 5/32	.002 - .004	3.0 - 4.0	0.05 - 0.10
3/16 - 7/32	.003 - .006	4.0 - 5.5	0.075 - 0.15
1/4 - 5/16	.004 - .008	5.5 - 8.0	0.10 - 0.20
3/8 - 7/16	.006 - 0.10	8.0 - 11.0	0.15 - 0.25
1/2 - 9/16	.008 - .012	11.0 - 14.5	0.20 - 0.30
5/8 - 11/16	.009 - .013	14.5 - 17.5	0.23 - 0.33
3/4 - 13/16	.010 - .014	17.5 - 20.5	0.25 - 0.36
7/8 - 15/16	.011 - .015	20.5 - 24.0	0.28 - 0.38
1 - 1.1/8	.012 - .016	24.0 - 28.5	0.30 - 0.40
1.1/4 - 1.1/2	.014 - .018	28.5 - 38.0	0.35 - 0.45
over 1.1/2	.016 - .020	over 38.0	0.40 - 0.50
1/16 - 3/32	.002 - .0035	1.6 - 3.0	0.05 - 0.09
1/8 - 5/32	.0025 - .006	3.0 - 4.0	0.06 - 0.015
3/16 - 7/32	.004 - .009	4.0 - 5.5	0.10 - 0.23
1/4 - 5/16	.005 - .012	5.5 - 8.0	0.125 - 0.30
3/8 - 7/16	.0075 - .015	8.0 - 11.0	0.19 - 0.38
1/2 - 9/16	.010 - .018	11.0 - 14.5	0.25 - 0.45
5/8 - 11/16	.011 - .020	14.5 - 17.5	0.28 - 0.50
3/4 - 13/16	.0125 - .021	17.5 - 20.5	0.31 - 0.53
7/8 - 15/16	.0135 - .022	20.5 - 24.0	0.34 - 0.56
1 - 1.1/8	.015 - .024	24.0 - 28.5	0.38 - 0.60
1.1/4 - 1.1/2	.0175 - .027	28.5 - 38.0	0.44 - 0.68
over 1.1/2	.020 - .030	over 38.0	0.50 - 0.75

Dos & Don'ts for HSS / HSS-E Drills

1. Adjust drilling condition according to the rigidity of machine or the work clamp state
2. Adjust drilling condition when unusual vibration, different sound occurs while cutting
3. Provide sufficient amount cutting fluid to the cutting point & in the flute
4. When the hole depth is more than 3 x D, reduce the rotation & feed by 20%
5. When the hole depth is more than 3 x D, add step seeding. The depth of step should be from 0.2 to 1.0 diameter
6. For Stainless Steel material drilling, use step feed. In step feed, return to the entrance hole
7. Adjust the drill run out to the lowest value possible
8. Ensure the correct Point Angle, Lip position & Lip Length post regrinding operation
9. Do not allow the choking of swarf

Dos & Don'ts for Annular Cutter

1. Different feed forms different shaped chips, which determines the chip evacuation efficiency
2. During the beginning & before the end of hole cutting, decrease feed rate by 1/3 to reduce the damage on cutter
3. Sufficient coolant supply is necessary to increase the smoothness of hole as well as the quantities of holes to be cut
4. Some materials like Cast Iron, Copper etc result in chips in powder form while cutting. Hence compressed air is recommended for cooling instead of coolant
5. Remove the chips twining around the cutter from time to time
6. When the wear width of cutting edges reaches 0.4mm, cutter should be replaced

Steam Tempering

Application Benefits

01. Prevents metal to metal contact during application
02. Enables the surface of the tool to absorb lubricant
03. Increased resistance to corrosion & staining in storage

Nitriding Treatment

Application Benefits

01. Used when machining abrasive materials
02. Recommended in certain deep hole drilling applications where lubrication is difficult

Titanium Nitride (TiN)

Application Benefits

01. Reduces the friction during application
02. Reduces the heat generation during application
03. Significantly increases productivity by enabling higher speeds & feeds than normal

SL No	Problems	Reasons	Remedies
1	Oversize Holes	01. Lip angles are unequal	01. Regrind the drill point to correct lip angle
		02. Lip lengths are unequal	02. Regrind the drill to maintain equal lip length
2	Buckling of the drill	Drill is deflected axially	Use of guide bush will arrest the drill deflection
3	Drill chattering	01. Drill is not cutting freely	01. Regrind the drill point.
		02. The work piece is too hard to machine	02. Use drill with higher cobalt content
		03. The work piece is too high on toughness	03. Use a shorter drill
		04. There is a torsional deflection of the drill	04. Increase torsional stiffness using thicker web drill
4	Drill breaking	01. Fixture holding the work piece is not rigid	01. Use rigid fixture to hold work piece
		02. Drill not hold properly in the chuck	02. Secure drill correctly in the drill chuck.
		03. Speed & Feed are not proper	03. Refer the speed & feed recommendation
		04. Web thickness on drill is restricting flute volume	04. Web thinning is recommended
		05. Chip blocking in flutes	05. Use wood pecking system enabling chip breakage & evacuation
5	Drill breaking in deep holes	01. Chip blocking in flutes	01. Use wood pecking system enabling chip breakage & evacuation
		02. No uniform back taper	02. Check for uniform back taper
		03. Runout on the drill OD	03. Check for concentricity
6	Drill rubbing	01. Improper relief on the drill point	01. Regrind drill point with proper point relief
		02. No uniform back taper	02. Check for negative back taper on the drill body
7	High heat generation while drilling	01. Improper coolant selection	01. Water soluble coolant with correct concentration is recommended
		02. Coolant is insufficient	02. Use proper coolant flow
		03. Hard work piece	03. Select drill with correct geometry for the material
8	Poor finish of drilled hole	01. Drill not hold properly in the chuck	01. Secure drill correctly in the drill chuck.
		02. Chip blocking in flutes	02. Use proper coolant flow
		03. High feed rates	03. Refer the feed recommendation



HSS Drills Manufacturing Facility,
Waluj Aurangabad





HEAD OFFICE

Forbes Precision Tools and Machine Parts Limited

Forbes Building, Charanjit Rai Marg, Fort, Mumbai 400 001 | **Telephone:** +91 (0) 22 69138900 | **Email:** sales@forbesprecision.co.in

GST: 27AAFCF2015G1Z1 | **CIN:** L29256MH2022PLC389649

DIVISIONAL SALES OFFICES ADDRESS / PH. NO.

AHMEDABAD

1st Floor, Pran Vijay Building,
Opp. Bata Showroom, Near Times Of India,
Ashram Road, Ahmedabad - 380 009
Telephone: +91 (0) 79 - 26587769, 079 - 26583753

BENGALURU

24, 3rd Floor, Classic Building, Richmond Road,
Bangaluru - 560 025.
Telephone +91 80 25258713

CHENNAI

Ground Floor, Catholic Centre 108,
Armenian Street, Broadway,
Chennai - 600 001
Tel: 044-25390259 / 80126 96089

NEW DELHI

Flat No. 8F, 8th Floor,
Vandana Building, Tolstoy Marg,
New Delhi - 110 001

JAMSHEDPUR

Office No. - 6, Second Floor, Dream Heights
Q-Road, South Park, Bistupur
Jamshedpur Pin - 831 001 (Jharkhand)
Telephone: 0657-2914636

MUMBAI

Forbes Building, Charanjit Rai Marg,
Fort, Mumbai - 400 001
Telephone: +91 (0) 22 69138900

PUNE

H.No.1195/5, Bhosale Heights, 4th Floor,
Opp. Deendayal Hospital, Fergusson College Road,
Pune 411 005
Telephone: +91 (0) 20 48509111

CHHATRAPATI SAMBHAJINAGAR

B 13, Waluj MIDC,
Chhatrapati Sambhajnagar - 431 133
Telephone: +91 (0) 240 2553422