

CYBERLEX LAB

Interactive Cyber Law, Security & Digital Evidence Simulator

Complete User Guide, Mission Handbook & Instructor Manual

Dr. Mohammad Amir Khusru Akhtar

Faculty of Computing & Information Technology
Usha Martin University, Ranchi

LEARN → EXPERIENCE → DECIDE → INVESTIGATE → DISCOVER LAW → TEST →
SCORE → UNLOCK

Preface

Cyber Law is often introduced through Acts, sections, offences and definitions. Yet that is rarely how a person first encounters it in life. The encounter may begin with something much smaller: a link in a message, a photograph reused without permission, a password that happens to work, an unfamiliar transaction, or an account that looks exactly like someone we know.

Consider a simple situation. Late at night, a friend asks why you are requesting money from people on Instagram. You have made no such request. When you look, another account is using your name and photograph. What should you do first? Should you confront the person, change your password, warn your friends, preserve the account details, report the profile, or seek help? The technology is familiar; the right decision is less obvious.

That small uncertainty is where **CyberLex Lab** begins.

CyberLex Lab was created to make Cyber Law something that can be experienced before it is memorized. The learner enters simulated digital incidents, makes decisions, examines evidence, observes consequences and gradually discovers the legal and security principles hidden inside ordinary digital behaviour. A mission is completed only after the learner demonstrates that the underlying idea has been understood.

The journey moves from privacy and permissions to passwords, phishing, deceptive URLs, HTTPS, OTPs, fake accounts, deepfakes, cyberbullying, online fraud, copyright and digital evidence. It also introduces metadata, hashing, IP attribution, incident response and cybercrime reporting. These subjects appear different, but they repeatedly return to a few deceptively simple questions: Does access mean authorization? Does a secure connection mean a trustworthy website? Does public availability mean permission to reuse? Does an IP address identify a person? Should suspicious digital material be deleted, or might it first need to be preserved as evidence?

The purpose of this guide is therefore not to turn every student into a lawyer or a cybersecurity specialist. It is to develop a more careful digital instinct: to pause before clicking, distinguish capability from permission, separate evidence from assumption, and recognize that actions in a digital environment can create real rights, responsibilities and consequences.

The simulator is deliberately safe. Every account, credential, URL, payment, IP address, message and incident used in **CyberLex Lab** is fictional or simulated. No real system needs to be attacked and no real person needs to become a victim for a student to understand how a cyber incident unfolds. The experience may feel real; the target never is.

Perhaps the most important idea in the pages that follow can be stated in one sentence:

Technology tells us what CAN be done; Cyber Law asks what MAY be done.

The rest of this book explores what lies between those two words.

[CyberLex Lab — Interactive Simulator](#)
[CyberLex Lab — GitHub Repository](#)

Contents

Preface	i
1 CyberLex Lab at a Glance	1
1.1 What is CyberLex Lab?	1
1.2 What is Cyber Law in simple language?	1
1.3 IT, Internet, Web and Cyber - a layman distinction	1
1.4 Cybercrime, Cybersecurity, Cyberbullying and Cyber Law	2
1.5 Cyber Law is not one single law	2
1.5.1 Important Indian Laws and Resources	3
1.5.2 Major Foreign and International Frameworks	3
1.6 How CyberLex looks at an incident	4
1.7 Using legal links responsibly	4
1.8 The game promise	4
2 How the Game Works	6
2.1 Seven-stage mission loop	6
2.2 Mastery and progression	6
2.3 Five skill dimensions and the Cyber Judgment Index	6
2.4 Ranks	6
2.5 Badges	7
2.6 Synthetic scenario generation	7
3 Complete Mission Handbook	8
3.1 Mission 00 - Mission Control	8
3.2 Mission 01 - Browser Revealed	9
3.3 Mission 02 - Permission	
NEQ Capability	10
3.4 Mission 03 - The Unlocked Phone	11
3.5 Mission 04 - Password	
NEQ Permission	12
3.6 Mission 05 - OTP: One Number, One Decision	13
3.7 Mission 06 - Phishing Detective	14
3.8 Mission 07 - URL X-Ray	15
3.9 Mission 08 - HTTPS	
NEQ Genuine	16
3.10 Mission 09 - Fake Login Laboratory	17
3.11 Mission 10 - Social Engineering Room	18
3.12 Mission 11 - Deepfake Courtroom	18
3.13 Mission 12 - Fake Instagram	20
3.14 Mission 13 - Cyberbullying Scenario	20
3.15 Mission 14 - Public	
NEQ Free	21
3.16 Mission 15 - Copy-Paste-Submit	22

3.17	Mission 16 - Evidence Desk	23
3.18	Mission 17 - Metadata Detective	24
3.19	Mission 18 - Hash Witness	25
3.20	Mission 19 - IP Address NEQ Person	26
3.21	Mission 20 - Delete Button Myth	27
3.22	Mission 21 - UPI Fraud Simulator	28
3.23	Mission 22 - rupee10,000 Beat the Clock	29
3.24	Mission 23 - 1930 Reporting Drill	30
3.25	Mission 24 - Complaint Builder	31
3.26	Mission 25 - Incident Response Room	32
3.27	Mission 26 - Cyber Law Courtroom	33
3.28	Mission 27 - Red Team vs Law Team	34
3.29	Mission 28 - Screenshot NEQ Whole Truth	35
3.30	Mission 29 - Who Did It?	36
3.31	Mission 30 - Can Attack NEQ May Attack	37
3.32	Mission 31 - Final Cyber Mystery	38
3.33	Mission 32 - Cyber Citizen Final Assessment	39
4	Instructor and Classroom Guide	41
4.1	Recommended first-day flow	41
4.2	Instructor mode	41
4.3	Same-case classroom mode	41
4.4	Student data and privacy	41
4.5	What the instructor should emphasize	41
5	Indian Legal and Reporting Context	42
5.1	Information Technology Act, 2000	42
5.2	Information Technology Rules, 2021, as amended	42
5.3	Digital Personal Data Protection Act, 2023 and Rules, 2025	42
5.4	Other laws depending on facts	42
5.5	National Cyber Crime Reporting Portal and 1930	42
5.6	Official source references checked for this guide	43
6	Technical Architecture and Deployment	44
6.1	Why GitHub Pages	44
6.2	Repository structure	44
6.3	Progressive Web App behavior	44
6.4	Deployment through GitHub Pages	44
6.5	Quality checks in the supplied software	44
7	Safety, Ethics and Responsible Use	46
7.1	Why simulation is enough	46
7.2	Legal caution	46
8	Student Quick Guide	47
8.1	Before starting	47
8.2	During a mission	47
8.3	At the end	47
A	Instructor Answer Key	48

B Glossary	54
C Frequently Asked Questions	55
D Final Learning Message	56
Copyright and License Note	57

CyberLex Lab at a Glance

1.1 What is CyberLex Lab?

CyberLex Lab is an interactive learning environment that combines Cyber Law, cybersecurity awareness and digital-evidence reasoning in one guided game. Instead of only reading concepts, students experience simulated incidents, make decisions, examine evidence and learn the legal principle behind each situation.

Its central learning loop is:

LEARN → EXPERIENCE → DECIDE → INVESTIGATE → DISCOVER LAW → TEST → SCORE → UNLOCK

Progress is sequential. The next mission opens only after the current mission has been cleared. In the standard three-question mastery checks, at least 2 of 3 answers must be correct. This is displayed as 67% after rounding. The final assessment requires 70%.

1.2 What is Cyber Law in simple language?

Cyber Law deals with rights, responsibilities and legal consequences involving computers, digital data, networks, online communication, electronic transactions and digital evidence.

In simple terms, technology tells us what **can** be done; Cyber Law asks what **may** be done, by whom, with whose permission and with what responsibility.

Simple example

A password may technically open an account. That answers the question: “Can I enter?” But knowing the password does not automatically mean that the person is authorized to use the account. CyberLex repeatedly returns to this distinction: **CAN ≠ MAY**.

1.3 IT, Internet, Web and Cyber - a layman distinction

Term	Simple meaning	Example
IT	Technology used to store, process and manage information.	Computers, software, databases and servers are all part of IT, even when a computer is offline.
Internet	The worldwide network connecting networks and devices.	Think of it as the road system that allows computers and phones to communicate.

Web	A service that runs over the Internet, mainly websites and web applications opened through browsers.	Visiting a university website in Chrome uses the Web over the Internet.
Cyber	The broader digital environment and activities taking place through computers and networks.	Cybercrime, cybersecurity, cyberbullying and Cyber Law.

A simple way to remember the difference is:

IT = Technology Internet = Network Web = Websites and web services
Cyber = Digital activities

1.4 Cybercrime, Cybersecurity, Cyberbullying and Cyber Law

The word “cyber” appears in many different terms, but they do not mean the same thing. The easiest way to understand them is through everyday examples.

Term	Simple meaning	Simple example
Cybercrime	Crime or unlawful conduct involving computers, networks or digital systems.	Someone creates a fake account, pretends to be your friend and deceives you into sending money. This may become a cybercrime .
Cybersecurity	Protecting computers, accounts, networks and data from attacks, unauthorized access or misuse.	You receive a suspicious login alert, change your password and enable multi-factor authentication. These are cybersecurity actions.
Cyberbullying	Using digital communication to repeatedly harass, threaten, humiliate or target another person.	A student repeatedly posts insulting messages about a classmate in a group chat or social-media account. This is an example of cyberbullying .
Cyber Law	The laws and legal principles that govern conduct, rights, responsibilities and consequences in the digital environment.	If someone accesses your account without permission, creates a deepfake of you or commits online fraud, Cyber Law helps us ask what rights, duties, offences, evidence and remedies may be involved.

The relationship is simple:

Cybercrime = What harmful or unlawful act happened?

Cybersecurity = How can digital systems and users be protected?

Cyberbullying = How can a person be harmed through digital communication?

Cyber Law = What legal rights, duties and consequences may apply?

1.5 Cyber Law is not one single law

A cyber incident may involve more than one legal issue. For example, a fake social-media account may involve identity misuse, personal data, fraud, copyright, digital evidence and platform reporting.

Therefore, CyberLex follows a simple rule:

FACTS → LEGAL QUESTIONS → APPLICABLE LAW

Students should first understand what happened and then identify the relevant legal framework.

1.5.1 Important Indian Laws and Resources

The following table provides a basic map of important Indian cyber-law frameworks and official resources. It is not intended for memorization.

Law / Resource	Simple meaning	Where it may matter	Official source
Information Technology Act, 2000, as amended	A foundational Indian law dealing with electronic records, electronic transactions and important computer-related contraventions and offences.	Computer access, identity-related misuse, electronic records and other digital conduct, depending on the facts.	India Code
IT Rules, 2021, as amended	Rules dealing with responsibilities and due diligence of intermediaries and specified digital-media entities.	Social-media and online-platform responsibilities, grievance mechanisms and intermediary governance.	MeitY
Digital Personal Data Protection Act, 2023 and Rules, 2025	India's framework for the processing and protection of digital personal data.	Collection, use, storage and other processing of digital personal data. Implementation is phased according to applicable notifications.	MeitY
Bharatiya Nyaya Sanhita, 2023	India's general substantive criminal law.	Cyber incidents involving cheating, threats or other criminal conduct may also require analysis under general criminal law.	India Code
Copyright Act, 1957, as amended	Protects qualifying original works and regulates rights relating to their use.	Software, code, photographs, videos, books and other protected digital material.	Copyright Office
CERT-In	India's national agency for specified cybersecurity and incident-response functions.	Cybersecurity advisories, directions and incident reporting.	CERT-In
National Cyber Crime Reporting Portal	Official Government of India portal for reporting cybercrime.	Online reporting of eligible cybercrime incidents.	cybercrime.gov.in
Cyber financial-fraud helpline: 1930	National reporting channel for cyber financial fraud.	Important when money has been lost or is at immediate risk through cyber-enabled financial fraud.	1930 / Portal

1.5.2 Major Foreign and International Frameworks

Cyber activity can cross national borders. A person in India may use a platform based abroad, communicate with users in another country or store data on overseas infrastructure. For this reason, students should also know some important international frameworks.

Framework	Region	Simple purpose	Official source
General Data Protection Regulation (GDPR)	European Union	Major framework governing processing and protection of personal data.	EUR-Lex
EU Artificial Intelligence Act	European Union	Risk-based framework for regulation and governance of artificial intelligence.	EUR-Lex
Computer Misuse Act 1990	United Kingdom	Addresses specified forms of unauthorized computer access and computer misuse.	UK Law

Framework	Region	Simple purpose	Official source
Computer Fraud and Abuse Act framework	United States	Federal framework dealing with specified forms of unauthorized computer access and computer fraud.	U.S. Code
Computer Misuse Act 1993	Singapore	Addresses specified unauthorized access and other computer misuse.	Singapore Law
Personal Data Protection Act 2012	Singapore	Framework for protection and processing of personal data within its scope.	Singapore Law
Privacy Act 1988	Australia	Important Australian federal privacy framework.	Australian Law
Budapest Convention on Cybercrime	International	International treaty framework dealing with cybercrime and cooperation relating to electronic evidence.	Council of Europe
United Nations Convention against Cyber-crime	International	International framework concerning cooperation on cybercrime and electronic evidence.	UNODC

The purpose of this list is awareness. Whether a particular law applies depends on the facts, jurisdiction and territorial scope.

1.6 How CyberLex looks at an incident

When a cyber incident occurs, students are encouraged to ask a few simple questions:

1. Was access authorized?
2. Was someone's identity or personal data involved?
3. Was somebody deceived or harmed?
4. Was protected content copied or misused?
5. What digital evidence exists?
6. Which jurisdiction and legal framework may apply?
7. What is the appropriate response or reporting channel?

For example, if someone creates a fake account using another person's photograph and asks friends for money, the incident should not be reduced immediately to one section of one Act. Identity, deception, financial fraud, personal data and evidence may all become relevant.

1.7 Using legal links responsibly

The legal links in this handbook are starting points for learning from official sources. Laws and rules may change, provisions may commence at different times and applicability depends on the facts.

Students should therefore:

1. prefer official government or intergovernmental sources;
2. check whether the material is current and in force;
3. distinguish an Act, Rule, Direction, advisory and reporting mechanism;
4. avoid assuming that every online incident falls under only one law.

1.8 The game promise

The software is designed to feel like an investigation rather than an LMS. Students see simulated incidents, phone-like and email-like interfaces, evidence cards, synthetic logs, decisions, consequences, scores, mastery checks, ranks and badges.

The realism comes from the interface, evidence and branching decisions—not from attacking real systems.

Students learn through missions involving privacy, permissions, passwords, OTPs, phishing, deceptive URLs, HTTPS, fake accounts, deepfakes, cyberbullying, copyright, digital evidence, metadata, hashing, IP attribution, online fraud, reporting and incident response.

All accounts, domains, IP addresses, transactions, credentials, messages and incidents used in CyberLex are fictional or synthetic training data.

Technology tells us what CAN be done.

Cyber Law asks what MAY be done.

Educational scope. CyberLex Lab and this handbook are educational resources. They are designed to develop Cyber Law awareness, responsible digital decision-making and digital-evidence literacy. They do not provide legal advice or determine liability in an actual case.

How the Game Works

2.1 Seven-stage mission loop

Every mission follows the same mental model:

1. **Discover:** learn the concept in a few lines.
2. **Experience:** enter a synthetic incident or experiment.
3. **Decide:** choose an action or interpretation.
4. **Consequence:** see why that choice helps or harms the investigation.
5. **Law:** connect the experience to a Cyber Law principle.
6. **Test:** pass the mastery check.
7. **Unlock:** the next mission becomes available only after mastery.

2.2 Mastery and progression

The software does not reward clicking through. For ordinary missions, the learner must obtain at least 67% on the mission mastery check. Because those missions contain three questions, this means at least two correct answers. Unlimited retries are allowed. The final assessment contains ten questions and requires at least 70%.

Remember

The correct interpretation of “67%” in a three-question mission is the implementation rule: two of three correct. The displayed percentage is rounded. The educational requirement is mastery, not precision gaming around a decimal threshold.

2.3 Five skill dimensions and the Cyber Judgment Index

The software initializes five skills at 50/100 and changes them as the learner makes decisions:

- **Evidence:** preservation and handling of useful digital evidence.
 - **Privacy:** decisions involving permissions, personal information and access boundaries.
 - **Judgment:** legal/cyber decision quality and willingness to avoid overclaiming.
 - **Response:** containment, account security and reporting choices.
 - **Investigation:** domain inspection, log reasoning, attribution caution and evidence correlation.
- The exact implemented index is the arithmetic mean of the five current skill values:

$$\text{Cyber Judgment Index} = \text{round} \left(\frac{E + P + J + R + I}{5} \right).$$

Every skill is clamped between 0 and 100.

2.4 Ranks

The implemented rank is derived from the overall Cyber Judgment Index, not from a single skill score:

Index	Rank
90–100	Cyber Law Guardian
80–89	Cyber Investigator
70–79	Evidence Analyst
60–69	Cyber Observer
Below 60	Digital Rookie

Simple example

If a learner sees **INDEX 74** and **RANK Evidence Analyst**, the rank comes from the overall index being in the 70–79 band. It does not mean the Evidence score itself must be 74 or that Evidence is the only skill considered.

2.5 Badges

Selected milestones unlock named badges, including Permission Guardian, Phishing Hunter, Domain Detective, Trust Analyst, Hash Witness, Evidence Keeper, Careful Judge, Incident Responder, Cyber Investigator and the final Cyber Law Guardian badge.

2.6 Synthetic scenario generation

CyberLex uses a deterministic seed to generate repeatable synthetic cases. The pool includes fictional student names, reserved `.example` domains, documentation-only IP ranges, amounts, times, social handles and fictional UTR identifiers. The same seed produces the same case, which is useful in a classroom; a different seed creates a different-looking case without changing the learning objective.

Synthetic data examples

Names include Aarav, Nisha, Rehan, Priya, Kabir and Meera. Domains include `campus-login.example` and `scholarship-check.example`. Documentation IP ranges include `192.0.2.x`, `198.51.100.x` and `203.0.113.x`. Example amounts include rupee2,500, rupee4,999, rupee7,500 and rupee10,000.

Complete Mission Handbook

This chapter follows every implemented mission from Mission 0 through Mission 32. Each entry explains what the learner sees, the simple example, the available interaction, the core principle, and the exact mastery questions.

3.1 Mission 00 - Mission Control

Zone: Foundation

Concept: Cyber Law

Tag: START

Concept

Cyber Law deals with rights, responsibilities and legal consequences in the digital world. Technology gives us possibilities; Cyber Law asks when those possibilities are permitted, responsible and supported by evidence.

Why it matters

This lab begins with the principle CAN NEQ MAY. You will learn through simulated incidents, not by memorizing sections first.

Simple example

A student receives a suspicious link, makes a choice, sees the consequence, learns the principle, passes a short test, and unlocks the next mission.

What the learner does

- **ENTER MISSION CONTROL:** Starts the guided CyberLex journey and records the student's display name/optional roll number locally in the browser.
- **Mastery check:** Three questions; at least 67% is required before Mission 1 unlocks.

Cyber-law connection

Core principle: Technology tells us what is possible. Cyber Law asks what is permissible—and who is responsible.

Cyber Law deals with rights, responsibilities and legal consequences in the digital world. Technology gives us possibilities; Cyber Law asks when those possibilities are permitted, responsible and supported by evidence.

Mastery check shown in the software

1. Cyber Law is mainly about:

- A. Only hacking
 - B. Rights, responsibilities and legal consequences in digital activity
 - C. Only social media
2. The phrase CAN NEQ MAY means:
- A. Technical capability does not automatically equal permission
 - B. Computers cannot make decisions
 - C. Every technical action is illegal
3. In this simulator, incidents are:
- A. Real attacks
 - B. Synthetic and isolated
 - C. Connected to student bank accounts

Remember

Technology tells us what is possible. Cyber Law asks what is permissible—and who is responsible.

3.2 Mission 01 - Browser Revealed

Zone: Zone 1 - The Digital You

Concept: Browser APIs & privacy

Tag: PRIVACY

Concept

Browsers expose some environment information to web pages and place sensitive capabilities such as precise location behind permissions. A permission decision is only one part of the privacy question.

Why it matters

After access is granted, questions remain: why is data collected, how is it used, how long is it kept, and who receives it?

Simple example

A browser can show language, screen size and time zone; precise location is permission-controlled. The legal question begins after asking what may be collected and how it may be used.

What the learner does

- **Browser commands:** Learner can run safe JavaScript checks in Chrome DevTools.
- **Location:** Permission-controlled; if permission was already granted, the browser may return coordinates without prompting again.
- **Continue:** Moves to the mastery check; the purpose is privacy awareness, not JavaScript training.

Cyber-law connection

Core principle: CAN access

ARROW MAY access

ARROW HOW may it be used?

Browsers expose some environment information to web pages and place sensitive capabilities such as precise location behind permissions. A permission decision is only one part of the privacy question.

Mastery check shown in the software

1. Location access is generally:
 - A. Permission-controlled
 - B. Automatically illegal
 - C. Always invisible
2. Granting permission once means:
 - A. Any future use is automatically acceptable
 - B. The browser may remember the permission, but purpose and responsible use still matter
 - C. The data becomes public
3. The main lesson is:
 - A. JavaScript is dangerous
 - B. Capability, permission and later use are different questions
 - C. Screen size is private banking data

Remember

CAN access
 ARROW MAY access
 ARROW HOW may it be used?

3.3 Mission 02 - Permission NEQ Capability

Zone: Zone 1 - The Digital You

Concept: Permissions & data minimization

Tag: PRIVACY

Concept

An app may be technically capable of requesting many device permissions. Good decisions ask whether each permission is actually needed for the stated function.

Why it matters

Consent is meaningful when the request is understandable and proportionate to the purpose.

Simple example

A QR-scanning app asks for camera, microphone, location, contacts and files. The camera may be enough for the stated task.

What the learner does

- **ALLOW ALL:** Negative privacy/judgment consequence because the permission request is broader than the QR-scanning purpose.
- **ALLOW CAMERA ONLY:** Best result: the permission fits the stated function.
- **BLOCK ALL:** Safe but may prevent the intended QR function.

Cyber-law connection

Core principle: Do not grant five permissions for a one-permission job.
 An app may be technically capable of requesting many device permissions. Good decisions ask whether each permission is actually needed for the stated function.

Mastery check shown in the software

1. A QR scanner usually needs:
 - A. Camera access
 - B. Contacts + microphone + files
 - C. All permissions
2. Best privacy habit:
 - A. Grant only what is needed
 - B. Always allow all
 - C. Never install any app
3. Technical capability is:
 - A. The same as lawful authority
 - B. Different from permission
 - C. Proof of consent

Remember

Do not grant five permissions for a one-permission job.

3.4 Mission 03 - The Unlocked Phone

Zone: Zone 1 - The Digital You

Concept: Access vs authorization

Tag: AUTHORIZATION

Concept

A device being unlocked makes access technically possible. It does not automatically mean the owner has permitted you to read private messages or use the account.

Why it matters

Cyber Law often turns on authorization, purpose, conduct and context—not merely whether a system was technically accessible.

Simple example

A friend's unlocked phone displays a private WhatsApp notification. The screen is open, but permission to read the message has not been given.

What the learner does

- **OPEN WHATSAPP:** Negative privacy/judgment result: unlocked does not mean authorized.
- **LEAVE PHONE:** Best result: respects the authorization boundary.
- **READ PREVIEW ONLY:** Still raises a privacy issue because the preview contains private content.

Cyber-law connection

Core principle: An open door is not an invitation.

A device being unlocked makes access technically possible. It does not automatically mean the owner has permitted you to read private messages or use the account.

Mastery check shown in the software

1. An unlocked phone means:

- A. You are authorized
 - B. Only that access may be technically possible
 - C. The data is public
2. Reading private messages without permission raises:
 - A. Authorization/privacy concerns
 - B. No concern if nothing is deleted
 - C. Only hardware issues
 3. Best first action:
 - A. Read quickly
 - B. Leave it and seek permission if needed
 - C. Forward messages to yourself

Remember

An open door is not an invitation.

3.5 Mission 04 - Password NEQ Permission

Zone: Zone 1 - The Digital You

Concept: Authentication vs authorization

Tag: AUTHORIZATION

Concept

Authentication asks whether credentials are valid. Authorization asks whether the person using them is permitted to perform the action.

Why it matters

A working password proves that the credential works; it does not prove that you are entitled to use the account.

Simple example

Someone sends another student's valid username and password. The credentials work, but the student still must establish authority to use the account.

What the learner does

- **LOGIN - PASSWORD WORKS:** Negative result: valid credentials do not establish authority.
- **VERIFY AUTHORITY FIRST:** Best result: verifies authorization before access.
- **LOGIN BUT CHANGE NOTHING:** Still problematic; read-only access can be unauthorized.

Cyber-law connection

Core principle: Having the key does not mean you have permission to enter. Authentication asks whether credentials are valid. Authorization asks whether the person using them is permitted to perform the action.

Mastery check shown in the software

1. A working password proves:
 - A. Authorization
 - B. Authentication of the credential

- C. Ownership of the account
- 2. Before using another person's account, verify:
 - A. Only the password
 - B. Authority/permission
 - C. Browser version
- 3. Authentication
NEQ authorization is:
 - A. True
 - B. False
 - C. Only for banks

Remember

Having the key does not mean you have permission to enter.

3.6 Mission 05 - OTP: One Number, One Decision

Zone: Zone 1 - The Digital You

Concept: MFA & secret handling

Tag: AUTHENTICATION

Concept

One-time passwords are often used to approve logins or transactions. An unsolicited caller asking for an OTP is a strong warning sign.

Why it matters

Attackers often exploit urgency and trust rather than technical weaknesses.

Simple example

A caller claiming to be from a bank asks for an OTP to 'cancel fraud'. The safer response is to end the call and verify through an official channel.

What the learner does

- **SHARE OTP:** Strong negative response/judgment result.
- **END CALL + VERIFY OFFICIALLY:** Best result: independent verification.
- **SHARE LAST 3 DIGITS:** Still unsafe; partial authentication secrets can remain sensitive.

Cyber-law connection

Core principle: No genuine urgency should make you surrender an authentication secret. One-time passwords are often used to approve logins or transactions. An unsolicited caller asking for an OTP is a strong warning sign.

Mastery check shown in the software

1. A caller asks for your OTP to 'cancel fraud'. Best response:
 - A. Share it
 - B. End call and verify using official bank channel
 - C. Share half
2. OTP is commonly used for:
 - A. Authentication/transaction approval

- B. Screen brightness
- C. File compression
- 3. Urgency in a message should make you:
 - A. Act faster
 - B. Pause and verify
 - C. Ignore every bank message

Remember

No genuine urgency should make you surrender an authentication secret.

3.7 Mission 06 - Phishing Detective

Zone: Zone 2 - Deception

Concept: Phishing & social engineering

Tag: PHISHING

Concept

Phishing messages imitate trusted organizations and create urgency to make you click, disclose credentials or authorize payment.

Why it matters

The strongest defense is often a pause: inspect sender, domain, context and the requested action.

Simple example

An urgent ERP email says the account will expire in seven minutes and links to a synthetic .example domain. The learner must inspect rather than react.

What the learner does

- **CLICK VERIFY:** Negative investigation/judgment result.
- **INSPECT + OPEN OFFICIAL ERP INDEPENDENTLY:** Best result.
- **REPLY 'IS THIS REAL?':** Keeps the learner inside the suspicious communication channel; independent verification is stronger.

Cyber-law connection

Core principle: Stop. Inspect. Verify. Then act.

Phishing messages imitate trusted organizations and create urgency to make you click, disclose credentials or authorize payment.

Mastery check shown in the software

1. Strong phishing signal:
 - A. Unexpected urgency + credential request
 - B. Correct spelling
 - C. A familiar logo
2. Best verification method:
 - A. Reply to the suspicious message
 - B. Independently open the official site/app
 - C. Trust display name
3. A familiar logo proves:

- A. Identity
- B. Nothing by itself
- C. HTTPS

Remember

Stop. Inspect. Verify. Then act.

3.8 Mission 07 - URL X-Ray

Zone: Zone 2 - Deception

Concept: URL anatomy

Tag: PHISHING

Concept

Attackers can place trusted-looking words inside subdomains or paths. You must identify the actual registrable domain instead of reading only the first familiar name.

Why it matters

A deceptive URL can look convincing while still pointing to a completely different organization.

Simple example

The address `https://umu.ac.in.security-check.example.com/login` contains a familiar university-looking string, but the teaching domain is `example.com`.

What the learner does

- **umu.ac.in:** Incorrect for the teaching URL.
- **example.com:** Correct for the synthetic example.
- **security-check:** Incorrect; it is only a label within the host name.

Cyber-law connection

Core principle: A trusted word inside a URL does not make the domain trustworthy. Attackers can place trusted-looking words inside subdomains or paths. You must identify the actual registrable domain instead of reading only the first familiar name.

Mastery check shown in the software

1. In `google.com.example.com`, the training lesson is that the controlling base domain is closest to:
 - A. `google.com`
 - B. `example.com`
 - C. `com.google`
2. Best habit before login:
 - A. Check actual domain
 - B. Check only page colors
 - C. Trust the logo
3. URL X-Ray teaches:
 - A. Domain identity
 - B. Password cracking
 - C. Malware coding

Remember

A trusted word inside a URL does not make the domain trustworthy.

3.9 Mission 08 - HTTPS

NEQ Genuine

Zone: Zone 2 - Deception

Concept: TLS/HTTPS

Tag: TRUST

Concept

HTTPS helps protect the connection between your browser and the domain shown. It does not prove that the operator, offer or purpose is honest.

Why it matters

A fraudulent website can also use HTTPS.

Simple example

A site uses HTTPS and claims a scholarship will be released after an immediate payment. Encryption does not prove that the offer is genuine.

What the learner does

- **HTTPS = GENUINE:** Incorrect; HTTPS does not prove honest intention.
- **Connection may be secure; offer still needs verification:** Best result.

Cyber-law connection

Core principle: Secure connection

NEQ trustworthy intention.

HTTPS helps protect the connection between your browser and the domain shown. It does not prove that the operator, offer or purpose is honest.

Mastery check shown in the software

1. HTTPS mainly protects:
 - A. Transport connection
 - B. Honesty of every claim
 - C. Price fairness
2. A phishing site can use HTTPS:
 - A. Yes
 - B. No
 - C. Only on mobile
3. Before paying, verify:
 - A. Only padlock
 - B. Domain + independent legitimacy of the request
 - C. Font

Remember

Secure connection
NEQ trustworthy intention.

3.10 Mission 09 - Fake Login Laboratory

Zone: Zone 2 - Deception

Concept: Credential-harvesting awareness

Tag: PHISHING

Concept

A fake login page can visually copy a real service. The critical checks are the actual domain, how you reached the page, and whether the request is expected.

Why it matters

Never test an unverified page with real credentials.

Simple example

A page visually resembles a university ERP login, but the address is synthetic and unverified. The learner should close it and independently open the official portal.

What the learner does

- **Close + open official ERP independently:** Best result.
- **Enter real password to test:** Strong negative result; the simulator itself never accepts real credentials.

Cyber-law connection

Core principle: Appearance is easy to copy. Identity must be verified.

A fake login page can visually copy a real service. The critical checks are the actual domain, how you reached the page, and whether the request is expected.

Mastery check shown in the software

1. A perfect visual copy proves:
 - A. Genuine site
 - B. Nothing about operator identity
 - C. Government approval
2. Safe action:
 - A. Enter password to test
 - B. Close and open official bookmark/site independently
 - C. Enter only username
3. Main risk:
 - A. Credential harvesting
 - B. Screen burn-in
 - C. Slow internet

Remember

Appearance is easy to copy. Identity must be verified.

3.11 Mission 10 - Social Engineering Room

Zone: Zone 2 - Deception

Concept: Human-factor security

Tag: HUMAN FACTOR

Concept

Social engineering manipulates trust, authority, fear or urgency. Messages may pretend to be from a Dean, bank, friend, HR or support desk.

Why it matters

Independent verification through a trusted channel breaks the attacker's story.

Simple example

A message apparently from an authority figure asks for urgent gift-card payment. The learner verifies identity outside the message that created the urgency.

What the learner does

- **BUY NOW:** Negative response/judgment result.
- **VERIFY THROUGH KNOWN OFFICIAL CONTACT:** Best result.
- **ASK THIS CHAT FOR PROOF:** Weaker because the attacker controls the same channel.

Cyber-law connection

Core principle: Verify identity outside the message that created the urgency.

Social engineering manipulates trust, authority, fear or urgency. Messages may pretend to be from a Dean, bank, friend, HR or support desk.

Mastery check shown in the software

1. 'Dean: send OTP urgently' should trigger:
 - A. Immediate compliance
 - B. Independent verification
 - C. Public posting
2. Social engineering primarily exploits:
 - A. Human judgment
 - B. CPU temperature
 - C. File size
3. Best defense:
 - A. Pause and verify
 - B. Always trust authority names
 - C. Share less than half the password

Remember

Verify identity outside the message that created the urgency.

3.12 Mission 11 - Deepfake Courtroom

Zone: Zone 3 - AI, Identity & Social Media

Concept: Synthetic media & consent

Tag: AI

Concept

Synthetic media can be harmless, deceptive or harmful depending on consent, labeling, impersonation, context and likely harm.

Why it matters

A short scenario often does not justify an automatic criminal-law conclusion. Good cyber-law reasoning identifies the concerns and the missing facts.

Simple example

An AI-generated clip falsely shows a student endorsing a fake scholarship. Learners change consent, labeling, impersonation and harm parameters to see how risk changes.

What the learner does

- **Consent:** Yes/No.
- **Clearly labeled synthetic:** Yes/No.
- **Impersonation:** Yes/No.
- **Likely harm:** Low/Medium/High.
- **Generate legal-risk profile:** Calculates a teaching risk indicator; it is not a legal verdict.

Deepfake risk-profile calculation

The implemented teaching indicator is:

$$\text{Risk} = \min(100, C + L + I + H)$$

where no consent adds 25, no synthetic label adds 20, impersonation adds 30, and likely harm adds 5 (Low), 15 (Medium) or 25 (High). This is a classroom risk indicator only; it is explicitly not a legal verdict.

Cyber-law connection

Core principle: AI can create the content; humans remain responsible for how it is used. Synthetic media can be harmless, deceptive or harmful depending on consent, labeling, impersonation, context and likely harm.

Mastery check shown in the software

1. A clearly labeled consensual parody is generally:
 - A. Lower risk than deceptive impersonation
 - B. Always a crime
 - C. Always private data
2. A realistic fake used to request money raises:
 - A. Impersonation/fraud concerns
 - B. Only artistic concerns
 - C. No issue if AI-made
3. Best legal habit:
 - A. Declare guilt from one screenshot
 - B. Assess consent, context, harm and evidence
 - C. Ignore synthetic media

Remember

AI can create the content; humans remain responsible for how it is used.

3.13 Mission 12 - Fake Instagram

Zone: Zone 3 - AI, Identity & Social Media

Concept: Impersonation & identity misuse

Tag: IDENTITY

Concept

A fake account may reuse your name, photograph and social relationships to deceive others.

Why it matters

The first response should preserve evidence, contain harm, secure real accounts, warn contacts and report through appropriate channels.

Simple example

A fake Instagram account reuses a student's photograph and asks friends for money. The learner preserves evidence, warns contacts and reports appropriately.

What the learner does

- **MESSAGE ATTACKER:** Not the first priority.
- **SCREENSHOT + COPY URL + WARN + REPORT:** Best integrated response.
- **DELETE MY REAL ACCOUNT:** Does not solve the impersonation problem.

Cyber-law connection

Core principle: Preserve first. Protect next. Report appropriately.

A fake account may reuse your name, photograph and social relationships to deceive others.

Mastery check shown in the software

1. First priority after discovering a fake profile:
 - A. Argue with attacker
 - B. Preserve evidence and contain harm
 - C. Delete your real account
2. Useful evidence includes:
 - A. Profile URL/handle + screenshots + time
 - B. Only your memory
 - C. Favourite post
3. If money is lost, response should become:
 - A. Less urgent
 - B. Prompt financial-fraud reporting + account security
 - C. Only platform reporting

Remember

Preserve first. Protect next. Report appropriately.

3.14 Mission 13 - Cyberbullying Scenario

Zone: Zone 3 - AI, Identity & Social Media

Concept: Online abuse & harm

Tag: SAFETY

Concept

Online harassment can spread quickly, persist through copies and affect real people. Responsible response includes support, evidence preservation and appropriate reporting.

Why it matters

Retaliation may escalate the situation and destroy useful context.

Simple example

A class group repeatedly humiliates a student with edited images and abusive messages. Learners choose whether to join, delete immediately, or preserve/support/report.

What the learner does

- **JOIN IN:** Negative judgment/response result.
- **PRESERVE + SUPPORT TARGET + REPORT:** Best result.
- **DELETE CHAT IMMEDIATELY:** May destroy useful context/evidence.

Cyber-law connection

Core principle: Do not become part of the harm while trying to stop it.

Online harassment can spread quickly, persist through copies and affect real people. Responsible response includes support, evidence preservation and appropriate reporting.

Mastery check shown in the software

1. Best response to repeated abusive group messages:
 - A. Join the joke
 - B. Preserve, support target, report appropriately
 - C. Delete all evidence immediately
2. Why preserve context?
 - A. It may support reporting/investigation
 - B. To repost it
 - C. Because screenshots are always conclusive
3. Cyberbullying can cause:
 - A. Only online effects
 - B. Real-world harm
 - C. No consequence if anonymous

Remember

Do not become part of the harm while trying to stop it.

3.15 Mission 14 - Public NEQ Free

Zone: Zone 3 - AI, Identity & Social Media

Concept: Digital ownership

Tag: COPYRIGHT

Concept

Publicly accessible images, code and text can still be protected by copyright or subject to license conditions.

Why it matters

Permission to view is different from permission to reuse, modify, redistribute or claim authorship.

Simple example

A photograph is publicly visible online but has no clear reuse license. Public visibility is not the same as permission to reuse.

What the learner does

- **PUBLIC = FREE TO USE:** Incorrect.
- **CHECK LICENSE / PERMISSION:** Best result.
- **REMOVE WATERMARK:** Incorrect and potentially creates additional concerns.

Cyber-law connection

Core principle: Accessible
NEQ yours.

Publicly accessible images, code and text can still be protected by copyright or subject to license conditions.

Mastery check shown in the software

1. A public image with no license is:
 - A. Automatically free to reuse
 - B. Not automatically free to reuse
 - C. Public domain
2. Best practice:
 - A. Check license/permission
 - B. Remove watermark
 - C. Claim authorship
3. Copyright and academic integrity are:
 - A. The same rule
 - B. Related but distinct issues
 - C. Only for books

Remember

Accessible
NEQ yours.

3.16 Mission 15 - Copy–Paste–Submit

Zone: Zone 3 - AI, Identity & Social Media

Concept: Licensing & plagiarism

Tag: COPYRIGHT

Concept

A license may allow reuse under conditions, but academic integrity separately requires honest attribution and compliance with assignment rules.

Why it matters

Legal permission to reuse code does not automatically make it acceptable to submit as your original work.

Simple example

Code is available under the MIT License, but a student submits it unchanged as 'my original project'. Licensing and academic integrity are separate questions.

What the learner does

- **OK - OPEN SOURCE:** Incorrect as an authorship claim.
- **NOT OK AS ORIGINAL AUTHORSHIP:** Correct; licensing and academic integrity are distinct.

Cyber-law connection

Core principle: License answers reuse rights; integrity answers honest authorship.
A license may allow reuse under conditions, but academic integrity separately requires honest attribution and compliance with assignment rules.

Mastery check shown in the software

1. MIT-licensed code may be reusable under its terms, but can you submit it unchanged as your own original work?
 - A. Yes
 - B. No
2. Open source means:
 - A. No rules
 - B. Use governed by license terms
 - C. No copyright
3. Academic plagiarism is:
 - A. Always identical to copyright infringement
 - B. A separate academic-integrity issue
 - C. Only about images

Remember

License answers reuse rights; integrity answers honest authorship.

3.17 Mission 16 - Evidence Desk

Zone: Zone 4 - Digital Forensics

Concept: Digital evidence & context

Tag: EVIDENCE

Concept

Digital evidence should be interpreted in context: source, timestamp, surrounding messages, metadata, original file and chain of handling can matter.

Why it matters

One artifact can be genuine yet still misleading if cropped, incomplete or detached from context.

Simple example

A screenshot appears convincing, but surrounding messages, source, timestamp and original file may change what it proves.

What the learner does

- **Inspect Email/URL/Login log/Social profile:** Learner opens synthetic evidence cards before continuing.
- **Mastery check:** Tests whether the learner distinguishes evidence from conclusions.

Cyber-law connection

Core principle: Evidence answers questions only when you ask what it actually proves. Digital evidence should be interpreted in context: source, timestamp, surrounding messages, metadata, original file and chain of handling can matter.

Mastery check shown in the software

1. A screenshot alone always proves identity:
 - A. Yes
 - B. No
2. Useful context can include:
 - A. Original file + time + source + surrounding messages
 - B. Only color
 - C. Only file name
3. Good investigator asks:
 - A. What does this prove and what does it not prove?
 - B. Who should I blame first?
 - C. Can I edit it?

Remember

Evidence answers questions only when you ask what it actually proves.

3.18 Mission 17 - Metadata Detective

Zone: Zone 4 - Digital Forensics

Concept: Metadata

Tag: FORENSICS

Concept

Metadata can contain timestamps, dimensions, device labels and other context. But metadata can be missing, stripped, generated or altered.

Why it matters

A difference between Created and Modified time does not automatically prove malicious tampering.

Simple example

A synthetic image has different Created and Modified timestamps. The difference is a clue, not automatic proof of malicious tampering.

What the learner does

- **YES - proves tampering:** Incorrect.
- **NOT ENOUGH INFORMATION:** Best result; cautious forensic interpretation.

Cyber-law connection

Core principle: Metadata is evidence, not automatic truth. Metadata can contain timestamps, dimensions, device labels and other context. But metadata can be missing, stripped, generated or altered.

Mastery check shown in the software

1. Created and Modified times differ. Does that prove criminal tampering?
 - A. Yes
 - B. No, not by itself
 - C. Always
2. Metadata may be:
 - A. Missing or altered
 - B. Always perfect
 - C. Legally conclusive
3. Best conclusion from one metadata field:
 - A. Cautious and limited
 - B. Absolute identity
 - C. Automatic guilt

Remember

Metadata is evidence, not automatic truth.

3.19 Mission 18 - Hash Witness

Zone: Zone 4 - Digital Forensics

Concept: SHA-256 & integrity

Tag: FORENSICS

Concept

A cryptographic hash converts data into a fixed-length fingerprint. A tiny change in the input normally produces a very different hash.

Why it matters

Matching hashes can support integrity checks; a mismatch shows that the compared bytes differ, but not who changed them or why.

Simple example

Changing Transfer

rupee5000 now to Transfer

rupee5001 now produces a different SHA-256 value even though the text looks almost identical.

What the learner does

- **Edit Evidence A/B:** Learner changes text.
- **COMPARE SHA-256:** The browser Web Crypto API computes actual SHA-256 hashes locally.
- **Result:** Different bytes produce different hashes; the hash does not identify who changed the data.

Technical note: SHA-256

The browser uses the Web Crypto API to compute SHA-256 locally. If one character changes, the bytes change and the hash normally changes dramatically. A mismatch supports the proposition that the compared data differ; it does not identify the editor, motive or legal responsibility.

Cyber-law connection

Core principle: Hash change proves change—not authorship.

A cryptographic hash converts data into a fixed-length fingerprint. A tiny change in the input normally produces a very different hash.

Mastery check shown in the software

1. If one character changes, SHA-256 will typically:
 - A. Remain same
 - B. Change substantially
 - C. Reveal the editor's name
2. A hash mismatch proves:
 - A. Data differs
 - B. Who changed it
 - C. Why it changed
3. Hashing is useful for:
 - A. Integrity checking
 - B. Password sharing
 - C. Domain registration

Remember

Hash change proves change—not authorship.

3.20 Mission 19 - IP Address

NEQ Person

Zone: Zone 4 - Digital Forensics

Concept: NAT & attribution

Tag: ATTRIBUTION

Concept

Multiple devices can share one public IP address through NAT. Attribution may require timestamps, device/session logs and other evidence.

Why it matters

Choosing a person from one IP address can create a serious attribution error.

Simple example

Three devices share one documentation-only public IP through NAT. An IP address alone cannot identify which person performed an action.

What the learner does

- **Choose Priya/Rahul/Arjun:** Attribution error; one public IP is insufficient.
- **NOT ENOUGH INFORMATION:** Best result.

Cyber-law connection

Core principle: An IP address can be a clue. It is not a human fingerprint. Multiple devices can share one public IP address through NAT. Attribution may require timestamps, device/session logs and other evidence.

Mastery check shown in the software

1. Three devices behind NAT can share:
 - A. One public IP
 - B. One password
 - C. One identity
2. IP alone proves human identity:
 - A. Yes
 - B. No
3. Better attribution uses:
 - A. Multiple correlated evidence sources
 - B. One screenshot
 - C. Guessing

Remember

An IP address can be a clue. It is not a human fingerprint.

3.21 Mission 20 - Delete Button Myth

Zone: Zone 4 - Digital Forensics

Concept: Data lifecycle

Tag: DATA

Concept

A message may disappear from your inbox while copies, logs, backups, recipient devices or audit records remain elsewhere.

Why it matters

Deletion can also remove evidence you may later need.

Simple example

A message is deleted from the simulated inbox, but a training audit record still shows its message ID, sender, time and deletion event.

What the learner does

- **DELETE MESSAGE:** The inbox view hides the message but the simulation reveals that audit information may remain.
- **Lesson:** Deletion from one interface does not prove erasure everywhere.

Cyber-law connection

Core principle: Delete
NEQ disappear everywhere.

A message may disappear from your inbox while copies, logs, backups, recipient devices or audit records remain elsewhere.

Mastery check shown in the software

1. Deleting a message guarantees every copy is gone:
 - A. Yes
 - B. No
2. Before deleting fraud evidence:
 - A. Preserve useful details
 - B. Forward publicly
 - C. Edit screenshot
3. Data lifecycle can include:
 - A. Logs/backups/copies
 - B. Only what you see
 - C. Nothing after delete

Remember

Delete
NEQ disappear everywhere.

3.22 Mission 21 - UPI Fraud Simulator

Zone: Zone 5 - Money & Incident Response

Concept: Payment fraud & verification

Tag: FINANCIAL

Concept

Payment scams often pressure users to scan a QR, enter a UPI PIN, reveal an OTP or 'refund' money without independent verification.

Why it matters

Verify the transaction in your own trusted banking/UPI app and use official support channels.

Simple example

A caller says money was sent by mistake and asks the learner to scan a QR code and enter a UPI PIN. The learner independently checks the trusted banking/UPI app.

What the learner does

- **SCAN + ENTER PIN:** Strong negative response/judgment result.
- **VERIFY IN MY OWN BANK/UPI APP:** Best result.
- **SHARE OTP:** Strong negative result.

Cyber-law connection

Core principle: Do not authorize a payment to 'receive' money.

Payment scams often pressure users to scan a QR, enter a UPI PIN, reveal an OTP or 'refund' money without independent verification.

Mastery check shown in the software

1. Someone says 'scan QR and enter PIN to receive refund'. Best response:
 - A. Do it
 - B. Verify independently; do not authorize under pressure
 - C. Share OTP instead
2. UPI PIN should be entered when:
 - A. You knowingly authorize a transaction in your trusted app
 - B. A caller asks
 - C. A random page asks
3. Financial scam response should be:
 - A. Prompt
 - B. Delayed until tomorrow
 - C. Only social-media posting

Remember

Do not authorize a payment to 'receive' money.

3.23 Mission 22 - rupee10,000 Beat the Clock

Zone: Zone 5 - Money & Incident Response

Concept: Incident response

Tag: INCIDENT

Concept

After an unauthorized financial transaction, useful actions include preserving transaction details, securing affected accounts, contacting the bank/payment provider and using official cyber-financial-fraud reporting promptly.

Why it matters

Delay can reduce opportunities for containment or fund tracing.

Simple example

A simulated unauthorized rupee10,000 debit starts a 59-second timer. Learners prioritize transaction evidence, account security and prompt official reporting.

What the learner does

- **SAVE UTR:** Good evidence priority.
- **CONTACT BANK / OFFICIAL FRAUD CHANNEL:** Good response priority.
- **CHANGE COMPROMISED CREDENTIALS:** Useful where credential compromise is suspected.
- **DELETE SMS:** Negative evidence result.
- **Timer:** Starts at 00:59 in the implementation.

Timer note

The incident timer is implemented as 59 seconds. The purpose is to create decision pressure while reinforcing that evidence preservation and prompt official reporting matter in financial-fraud response.

Cyber-law connection

Core principle: Preserve. Secure. Report promptly.

After an unauthorized financial transaction, useful actions include preserving transaction details, securing affected accounts, contacting the bank/payment provider and using official cyber-financial-fraud reporting promptly.

Mastery check shown in the software

1. After unauthorized debit, useful first item to preserve:
 - A. UTR/transaction ID
 - B. Favourite contact
 - C. Wallpaper
2. Best reporting timing:
 - A. Promptly
 - B. After a week
 - C. Only if attacker replies
3. Should you delete the fraud SMS first?
 - A. Yes
 - B. No—preserve useful evidence first

Remember

Preserve. Secure. Report promptly.

3.24 Mission 23 - 1930 Reporting Drill

Zone: Zone 5 - Money & Incident Response

Concept: Incident documentation

Tag: REPORTING

Concept

For a simulated cyber financial fraud, prepare transaction amount, bank/payment service, transaction ID/UTR, date/time, suspect identifiers and relevant evidence.

Why it matters

Organized facts reduce confusion when time matters.

Simple example

The learner builds a reporting case pack and separates useful details such as UTR, amount and time from irrelevant items such as favourite colour.

What the learner does

- **Case Pack:** Learner selects from six useful items and two irrelevant distractors.
- **Score:** Useful evidence improves Evidence/Response dimensions; irrelevant selections weaken the exercise result.

Cyber-law connection

Core principle: Evidence prepared before the call saves time during the call.
For a simulated cyber financial fraud, prepare transaction amount, bank/payment service, transaction ID/UTR, date/time, suspect identifiers and relevant evidence.

Mastery check shown in the software

1. Useful financial-fraud reporting detail:
 - A. UTR
 - B. Favourite colour
 - C. Attendance percentage
2. 1930 is associated with:
 - A. Cyber financial-fraud reporting in India
 - B. Weather
 - C. College admissions
3. A report should separate:
 - A. Facts from assumptions
 - B. Fonts from colors
 - C. Nothing

Remember

Evidence prepared before the call saves time during the call.

3.25 Mission 24 - Complaint Builder

Zone: Zone 5 - Money & Incident Response

Concept: Facts, evidence, inference & allegation

Tag: REPORTING

Concept

A factual statement, an observation, an inference and an allegation are not the same thing. Good incident reporting labels them clearly.

Why it matters

This prevents overclaiming and helps investigators understand what is directly supported by evidence.

Simple example

The learner classifies statements as fact/observation, inference or allegation before building a complaint narrative.

What the learner does

- **Classification:** Four statements are classified as FACT/OBSERVATION, INFERENCE or ALLEGATION.
- **Result:** Shows the number correct before mastery check.

Cyber-law connection

Core principle: Facts first. Evidence second. Inference clearly labeled.

A factual statement, an observation, an inference and an allegation are not the same thing. Good incident reporting labels them clearly.

Mastery check shown in the software

1. 'rupee7,500 left my account at 23:41' is best treated as:
 - A. Fact/observation if supported by record
 - B. Automatic proof Rahul stole it
 - C. Opinion
2. 'Therefore Rahul operated the account' is:
 - A. Inference requiring support
 - B. Always fact
 - C. Metadata
3. Best complaint style:
 - A. Chronological facts + evidence + clearly labeled inference
 - B. Accuse first
 - C. Delete evidence

Remember

Facts first. Evidence second. Inference clearly labeled.

3.26 Mission 25 - Incident Response Room

Zone: Zone 5 - Money & Incident Response

Concept: Containment & recovery

Tag: RESPONSE

Concept

Response often involves preserving evidence, containing the incident, changing compromised credentials through trusted channels and reporting appropriately.

Why it matters

Retaliation and unnecessary deletion can make the situation worse.

Simple example

A compromised-account incident requires a sequence: preserve evidence, contain harm, secure credentials and report appropriately rather than retaliate.

What the learner does

- **PRESERVE EVIDENCE:** Strong response/evidence priority.
- **CONTAIN / SECURE ACCOUNT:** Useful priority.
- **REPORT APPROPRIATELY:** Strong response priority.
- **RETALIATE:** Negative result.

Cyber-law connection

Core principle: Preserve

ARROW Contain

ARROW Secure

ARROW Report.

Response often involves preserving evidence, containing the incident, changing compromised credentials through trusted channels and reporting appropriately.

Mastery check shown in the software

1. Good incident-response action:
 - A. Preserve evidence
 - B. Retaliate
 - C. Delete everything
2. Credential compromise suggests:
 - A. Change credentials via trusted channel
 - B. Post password publicly
 - C. Ignore
3. Retaliation is:
 - A. Usually not the first response
 - B. Required
 - C. Evidence preservation

Remember

Preserve

ARROW Contain

ARROW Secure

ARROW Report.

3.27 Mission 26 - Cyber Law Courtroom

Zone: Zone 6 - Cyber Law Courtroom

Concept: Evidence-based legal reasoning

Tag: LAW

Concept

Short digital scenarios are often incomplete. A careful decision distinguishes potentially unlawful conduct, lower-risk conduct and cases where there is not enough information.

Why it matters

Legal reasoning is strongest when it avoids automatic guilt and identifies missing facts.

Simple example

A threatening screenshot exists, but source-account verification and original-chat context are missing. 'Not enough information' can be the correct legal judgment.

What the learner does

- **DEFINITELY GUILTY:** Negative judgment result.
- **NOT ENOUGH INFORMATION:** Best result.
- **LOWER RISK:** Not supported merely because evidence is incomplete.

Cyber-law connection

Core principle: Not enough information can be the most accurate answer. Short digital scenarios are often incomplete. A careful decision distinguishes potentially unlawful conduct, lower-risk conduct and cases where there is not enough information.

Mastery check shown in the software

1. When facts are incomplete, best option may be:
 - A. Guess
 - B. Not enough information
 - C. Always illegal
2. Good legal reasoning identifies:
 - A. Facts, evidence and missing information
 - B. Only emotion
 - C. Only technical possibility
3. Technical capability alone proves legality:
 - A. Yes
 - B. No

Remember

Not enough information can be the most accurate answer.

3.28 Mission 27 - Red Team vs Law Team

Zone: Zone 6 - Cyber Law Courtroom

Concept: Authorized security testing

Tag: BOUNDARIES

Concept

A technical weakness may be testable, but safe security testing requires explicit authorization, approved targets, scope, time window and data-handling rules.

Why it matters

Technical curiosity does not create legal authority.

Simple example

A red-team idea is technically possible, but the law-team side asks whether written authorization, scope, target and time window exist.

What the learner does

- **TEST PRODUCTION IMMEDIATELY:** Negative result.
- **CHECK AUTHORIZATION + SCOPE FIRST:** Best result.

Cyber-law connection

Core principle: Can test
NEQ may test.

A technical weakness may be testable, but safe security testing requires explicit authorization, approved targets, scope, time window and data-handling rules.

Mastery check shown in the software

1. Before security testing, verify:
 - A. Written authorization and scope
 - B. Only vulnerability severity
 - C. Internet speed
2. Production target outside scope should be:
 - A. Tested anyway
 - B. Left alone / clarified with authority
 - C. Shared publicly
3. Red Team vs Law Team teaches:
 - A. Authorization boundaries
 - B. Malware writing
 - C. Password theft

Remember

Can test
NEQ may test.

3.29 Mission 28 - Screenshot NEQ Whole Truth

Zone: Zone 6 - Cyber Law Courtroom

Concept: Evidence reliability

Tag: LAW

Concept

A screenshot can be authentic yet incomplete. Full chat, timestamp, original file, metadata and source account may change what the screenshot appears to show.

Why it matters

Evidence quality depends on provenance, context and what is missing.

Simple example

A cropped screenshot is inspected alongside full chat, timestamp, original file, metadata and source account before a conclusion is made.

What the learner does

- **VIEW FULL CHAT / TIMESTAMP / ORIGINAL FILE / METADATA / SOURCE ACCOUNT:** Learner inspects context before judging.
- **READY TO TEST:** Moves to mastery check.

Cyber-law connection

Core principle: Before judging the screenshot, inspect the case around it.

A screenshot can be authentic yet incomplete. Full chat, timestamp, original file, metadata and source account may change what the screenshot appears to show.

Mastery check shown in the software

1. A cropped screenshot can be:
 - A. Useful but incomplete
 - B. Always fake
 - C. Always conclusive
2. Best next step:
 - A. Inspect context
 - B. Publish immediately
 - C. Edit it
3. Evidence reliability depends on:
 - A. Context/provenance
 - B. Only resolution
 - C. Only color

Remember

Before judging the screenshot, inspect the case around it.

3.30 Mission 29 - Who Did It?

Zone: Zone 6 - Cyber Law Courtroom

Concept: Log correlation

Tag: INVESTIGATION

Concept

Login logs, session IDs, device events, messages and network records can be correlated to build a timeline. Correlation increases confidence but does not remove the need for careful inference.

Why it matters

A strong investigator separates evidence from identity claims.

Simple example

Login time, session ID, profile edit and messaging logs are correlated to reconstruct an incident without treating a shared IP as automatic identity proof.

What the learner does

- **IP PROVES THE STUDENT:** Incorrect.
- **SESSION CORRELATION HELPS, BUT IDENTITY NEEDS MORE EVIDENCE:** Best result.

Cyber-law connection

Core principle: Reconstruct first. Attribute second.

Login logs, session IDs, device events, messages and network records can be correlated to build a timeline. Correlation increases confidence but does not remove the need for careful inference.

Mastery check shown in the software

1. Best investigation method:
 - A. Correlate multiple logs
 - B. Pick first suspect
 - C. Trust one IP
2. A timeline helps:
 - A. Reconstruct sequence of events
 - B. Crack passwords
 - C. Prove motive automatically
3. Evidence and inference should be:
 - A. Separated
 - B. Mixed together
 - C. Ignored

Remember

Reconstruct first. Attribute second.

3.31 Mission 30 - Can Attack NEQ May Attack

Zone: Zone 6 - Cyber Law Courtroom

Concept: Technical possibility & permission

Tag: BOUNDARIES

Concept

A student may discover a technical possibility such as an endpoint, parameter or response behavior. The next step is not exploitation—it is checking authorization and scope.

Why it matters

This is the central boundary between safe learning and unauthorized activity.

Simple example

A possible technical weakness is discovered. The correct next question is whether testing is explicitly authorized and within scope.

What the learner does

- **TEST PRODUCTION IMMEDIATELY:** Negative result.
- **CHECK AUTHORIZATION + SCOPE FIRST:** Best result.

Cyber-law connection

Core principle: The more capable you become, the more important authorization becomes. A student may discover a technical possibility such as an endpoint, parameter or response behavior. The next step is not exploitation—it is checking authorization and scope.

Mastery check shown in the software

1. Discovering a possible weakness gives you permission to exploit it:
 - A. Yes
 - B. No
2. Correct next question:
 - A. Am I authorized and within scope?
 - B. How far can I push it?
 - C. Can I hide it?
3. Security skill should increase:
 - A. Responsibility
 - B. Impunity
 - C. Anonymity

Remember

The more capable you become, the more important authorization becomes.

3.32 Mission 31 - Final Cyber Mystery

Zone: Final Zone - Cyber Mystery & Mastery

Concept: Integrated cyber investigation

Tag: CAPSTONE

Concept

A scholarship phishing email leads to a look-alike login, account session change, fake social profile, AI voice message, a friend's payment, deleted messages and a shared campus IP.

Why it matters

You must reconstruct the timeline, distinguish proof from inference, preserve evidence, secure accounts and choose appropriate reporting actions.

Simple example

CASE ZERO combines phishing, a look-alike login, session change, fake profile, AI voice message, financial loss, deleted messages and a shared campus IP.

What the learner does

- **Evidence board:** Eight synthetic evidence items can be inspected.
- **Response package:** Five appropriate response choices and two harmful choices are available.
- **Close the case:** Scores the integrated response and opens the capstone mastery check.

Cyber-law connection

Core principle: The final skill is not memorization—it is disciplined judgment.

A scholarship phishing email leads to a look-alike login, account session change, fake social profile, AI voice message, a friend's payment, deleted messages and a shared campus IP.

Mastery check shown in the software

1. Shared campus IP proves which person acted:
 - A. Yes
 - B. No
2. After a friend loses money, include:
 - A. Prompt financial-fraud reporting + transaction evidence
 - B. Only platform report
 - C. Delete messages
3. Best final-case habit:
 - A. Separate proven facts from inference
 - B. Assume identity from username
 - C. Retaliate

Remember

The final skill is not memorization—it is disciplined judgment.

3.33 Mission 32 - Cyber Citizen Final Assessment

Zone: Final Zone - Cyber Mystery & Mastery

Concept: Mastery & reflection

Tag: FINAL

Concept

The final assessment checks whether you can apply the core CyberLex principles across privacy, authorization, phishing, evidence, AI, attribution and incident response.

Why it matters

Completion is based on demonstrated learning, not clicking through screens.

Simple example

The final assessment checks whether learners can apply core principles across privacy, authorization, phishing, evidence, AI, attribution and incident response.

What the learner does

- **START FINAL ASSESSMENT:** Launches 10 questions.
- **Pass threshold:** 70%. Unlimited retry remains available.
- **Victory:** Unlocks the final hands-on completion message and certificate view.

Cyber-law connection

Core principle: You learned Cyber Law through hands-on investigation.

The final assessment checks whether you can apply the core CyberLex principles across privacy, authorization, phishing, evidence, AI, attribution and incident response.

Mastery check shown in the software

1. CAN
NEQ MAY means:
 - A. Capability does not equal permission
 - B. Computers are illegal
 - C. Every click is evidence
2. Secure connection
NEQ trustworthy intention refers to:
 - A. HTTPS
 - B. Hashing
 - C. NAT
3. A working password proves authorization:
 - A. Yes
 - B. No
4. Hash mismatch proves:
 - A. Compared bytes differ
 - B. Who changed them
 - C. Motive
5. An IP address alone proves a person:
 - A. Yes
 - B. No
6. First response to fake account:
 - A. Preserve evidence + contain/report
 - B. Argue
 - C. Delete own account
7. UPI fraud response should preserve:
 - A. Transaction/UTR details
 - B. Only screenshot of home screen
 - C. Nothing
8. Not enough information can be:
 - A. A valid legal judgment
 - B. Never acceptable
 - C. A technical bug
9. Open-source license and plagiarism are:
 - A. The same
 - B. Distinct issues
 - C. Unrelated to authorship
10. Before security testing:
 - A. Get authorization and scope
 - B. Hide identity
 - C. Test production

Remember

You learned Cyber Law through hands-on investigation.

Instructor and Classroom Guide

4.1 Recommended first-day flow

For a live induction/orientation session, the software can replace a slide deck. Project the site, ask students to open the same link on their phones, and guide them mission by mission. A practical 60-minute route can prioritize Browser Revealed, Password $\neq$ Permission, Phishing Detective, URL X-Ray, HTTPS $\neq$ Genuine, Deepfake Courtroom, Evidence Desk/Hash Witness, and Final Cyber Mystery.

4.2 Instructor mode

Append `?mode=instructor` to the site URL. Instructor mode provides mission selection, difficulty selection, scenario seed, timer selection, class-link generation and direct mission opening. The current GitHub Pages design is static; it does not provide true server-side live synchronization.

4.3 Same-case classroom mode

A class URL can include a mission and seed, for example:

```
?mode=student&mission=6&seed=4821
```

All students using the same seed receive the same synthetic case data. A different seed creates a different case. This is the simplest way to let the instructor and students discuss the same incident without a backend.

4.4 Student data and privacy

Progress is stored in the student's own browser using `localStorage`. The stored state can include name, optional roll number, seed, current mission, five skill scores, cleared missions, badges, answers and final-pass status. No central database is required. Students can export a JSON report locally.

4.5 What the instructor should emphasize

- Do not ask “Is this always illegal?” when the fact pattern is intentionally incomplete. Ask what is known, what is missing and what principle applies.
- Reward “Not enough information” when attribution or legal conclusion is unsupported.
- Separate authentication from authorization.
- Separate HTTPS transport security from operator trustworthiness.
- Separate copyright/license permission from academic authorship/integrity.
- Separate technical indicators from identity attribution.
- Emphasize evidence preservation before unnecessary deletion or retaliation.

Indian Legal and Reporting Context

5.1 Information Technology Act, 2000

In simple terms, the Information Technology Act is India's foundational statutory framework for electronic records, electronic transactions and a range of computer-related contraventions/offences and liabilities. It has been amended over time. CyberLex uses the Act as background context rather than forcing a section number onto every short classroom scenario.

5.2 Information Technology Rules, 2021, as amended

The Information Technology (Intermediary Guidelines and Digital Media Ethics Code) Rules, 2021 address intermediary due diligence and related digital-platform responsibilities. MeitY's official materials show that the Rules were amended in February 2026 in relation to synthetically generated information (SGI), with the amendment rules coming into force on 20 February 2026. This is why the Deepfake Courtroom discusses synthetic media, labeling, impersonation and harm without treating the simulator's risk score as a legal verdict.

5.3 Digital Personal Data Protection Act, 2023 and Rules, 2025

The DPDP framework governs digital personal-data protection. The 2025 Rules use phased commencement: some rules came into force on publication, Rule 4 is scheduled one year after publication, and Rules 3, 5–16, 22 and 23 are scheduled eighteen months after publication. "Phased commencement" therefore means that the framework does not become operational in full on one single date.

5.4 Other laws depending on facts

Depending on the incident, the Bharatiya Nyaya Sanhita, 2023, Copyright Act, 1957 and other sectoral laws may also become relevant. CyberLex intentionally teaches a principle-first approach because the exact legal treatment depends on facts, evidence and applicable law.

5.5 National Cyber Crime Reporting Portal and 1930

The Government of India's National Cyber Crime Reporting Portal is available at <https://cybercrime.gov.in/>. The portal states that cyber financial fraud should be reported immediately through helpline 1930, available 24x7. In a financial-fraud scenario, useful information includes transaction details such as amount, bank/payment service, transaction ID/UTR, date/time and supporting evidence.

Remember

Training simulation and real-world reporting must remain clearly separated. CyberLex can teach what information to prepare, but it does not itself submit a complaint or contact 1930.

5.6 Official source references checked for this guide

- Ministry of Electronics and Information Technology, IT Rules, 2021 (updated February 2026): [Official MeitY IT Rules page](#)
- MeitY, DPDP Rules, 2025 Gazette notification: [Official Gazette PDF](#)
- National Cyber Crime Reporting Portal: <https://cybercrime.gov.in/>

Technical Architecture and Deployment

6.1 Why GitHub Pages

CyberLex is a static HTML/CSS/JavaScript Progressive Web App. GitHub Pages can host it directly, so students need only a browser link. No Streamlit/Python server, API key or database is required.

6.2 Repository structure

```
index.html
manifest.webmanifest
service-worker.js
css/
js/
data/
docs/
tests/
.github/workflows/deploy-pages.yml
LICENSE
NOTICE
README.md
SECURITY.md
```

6.3 Progressive Web App behavior

A service worker caches the core application files. After the app has loaded successfully, core content can remain available when connectivity becomes unstable. Browser support and cache state still matter; offline behavior should be tested on the actual devices used in class.

6.4 Deployment through GitHub Pages

1. Create a GitHub repository and upload the extracted package contents so that `index.html` is at repository root.
2. Push to the `main` branch.
3. In GitHub, open **Settings** → **Pages** and choose **GitHub Actions** as the build/deployment source.
4. The included workflow runs JavaScript syntax checks and package tests, uploads the repository as a Pages artifact, and deploys it.
5. After the workflow succeeds, share the published GitHub Pages URL with students.

6.5 Quality checks in the supplied software

The supplied package contains a Node-based package test that verifies all 33 missions, required mission fields, question-answer indices, zone coverage, reserved synthetic domains, documentation IP ranges

and the Mission 0 author line. JavaScript syntax checks are also included in the GitHub Actions workflow.

Safety, Ethics and Responsible Use

Safety boundary

CyberLex is a simulation-only educational environment. It does not include real credential harvesting, password cracking, exploit execution, malware, DDoS, Wi-Fi attacks, external scanning, real account takeover, real payment APIs, real IP attribution of students, or deepfake generation of students.

7.1 Why simulation is enough

Students can still learn HTTP/HTTPS concepts, authentication and authorization, domain inspection, browser permissions, hashes, metadata, logs, NAT/IP attribution, evidence preservation and incident response without executing a real attack. The educational objective is disciplined technical and legal reasoning, not offensive capability.

7.2 Legal caution

A short scenario is not a court judgment. The simulator therefore uses ideas such as “potentially unlawful”, “lower risk” and “not enough information”. This is a strength: students learn to distinguish facts, evidence, inference and allegation.

Student Quick Guide

8.1 Before starting

Use a modern browser. On mobile, portrait orientation is supported. Enter a display name; roll number is optional. Read the training-environment notice before continuing.

8.2 During a mission

1. Read the short concept.
2. Interact with the synthetic incident.
3. Make a decision before looking for the lesson.
4. Read the consequence carefully.
5. Open the Cyber Law principle.
6. Take the mastery check.
7. If the mission is not cleared, review and retry.

8.3 At the end

The final victory screen states that the learner has learned Cyber Law through hands-on investigation. The software shows the Cyber Judgment Index, rank, missions cleared and final-assessment status. The certificate view is headed **CyberLex Lab - Certificate of Hands-on Learning Completion**. The final rank can reach **Cyber Law Guardian** when the overall index reaches the top band.

Instructor Answer Key

This appendix lists the correct option for every mastery question exactly as implemented in the supplied mission data. It is intended for instructor/reference use.

Mission 00 - Mission Control

1. Cyber Law is mainly about: **Answer: B - Rights, responsibilities and legal consequences in digital activity**
2. The phrase CAN
NEQ MAY means: **Answer: A - Technical capability does not automatically equal permission**
3. In this simulator, incidents are: **Answer: B - Synthetic and isolated**

Mission 01 - Browser Revealed

1. Location access is generally: **Answer: A - Permission-controlled**
2. Granting permission once means: **Answer: B - The browser may remember the permission, but purpose and responsible use still matter**
3. The main lesson is: **Answer: B - Capability, permission and later use are different questions**

Mission 02 - Permission NEQ Capability

1. A QR scanner usually needs: **Answer: A - Camera access**
2. Best privacy habit: **Answer: A - Grant only what is needed**
3. Technical capability is: **Answer: B - Different from permission**

Mission 03 - The Unlocked Phone

1. An unlocked phone means: **Answer: B - Only that access may be technically possible**
2. Reading private messages without permission raises: **Answer: A - Authorization/privacy concerns**
3. Best first action: **Answer: B - Leave it and seek permission if needed**

Mission 04 - Password NEQ Permission

1. A working password proves: **Answer: B - Authentication of the credential**
2. Before using another person's account, verify: **Answer: B - Authority/permission**

3. Authentication

NEQ authorization is: **Answer: A - True**

Mission 05 - OTP: One Number, One Decision

1. A caller asks for your OTP to 'cancel fraud'. Best response: **Answer: B - End call and verify using official bank channel**
2. OTP is commonly used for: **Answer: A - Authentication/transaction approval**
3. Urgency in a message should make you: **Answer: B - Pause and verify**

Mission 06 - Phishing Detective

1. Strong phishing signal: **Answer: A - Unexpected urgency + credential request**
2. Best verification method: **Answer: B - Independently open the official site/app**
3. A familiar logo proves: **Answer: B - Nothing by itself**

Mission 07 - URL X-Ray

1. In google.com.example.com, the training lesson is that the controlling base domain is closest to: **Answer: B - example.com**
2. Best habit before login: **Answer: A - Check actual domain**
3. URL X-Ray teaches: **Answer: A - Domain identity**

Mission 08 - HTTPS

NEQ Genuine

1. HTTPS mainly protects: **Answer: A - Transport connection**
2. A phishing site can use HTTPS: **Answer: A - Yes**
3. Before paying, verify: **Answer: B - Domain + independent legitimacy of the request**

Mission 09 - Fake Login Laboratory

1. A perfect visual copy proves: **Answer: B - Nothing about operator identity**
2. Safe action: **Answer: B - Close and open official bookmark/site independently**
3. Main risk: **Answer: A - Credential harvesting**

Mission 10 - Social Engineering Room

1. 'Dean: send OTP urgently' should trigger: **Answer: B - Independent verification**
2. Social engineering primarily exploits: **Answer: A - Human judgment**
3. Best defense: **Answer: A - Pause and verify**

Mission 11 - Deepfake Courtroom

1. A clearly labeled consensual parody is generally: **Answer: A - Lower risk than deceptive impersonation**
2. A realistic fake used to request money raises: **Answer: A - Impersonation/fraud concerns**
3. Best legal habit: **Answer: B - Assess consent, context, harm and evidence**

Mission 12 - Fake Instagram

1. First priority after discovering a fake profile: **Answer: B - Preserve evidence and contain harm**
2. Useful evidence includes: **Answer: A - Profile URL/handle + screenshots + time**
3. If money is lost, response should become: **Answer: B - Prompt financial-fraud reporting + account security**

Mission 13 - Cyberbullying Scenario

1. Best response to repeated abusive group messages: **Answer: B - Preserve, support target, report appropriately**
2. Why preserve context? **Answer: A - It may support reporting/investigation**
3. Cyberbullying can cause: **Answer: B - Real-world harm**

Mission 14 - Public NEQ Free

1. A public image with no license is: **Answer: B - Not automatically free to reuse**
2. Best practice: **Answer: A - Check license/permission**
3. Copyright and academic integrity are: **Answer: B - Related but distinct issues**

Mission 15 - Copy–Paste–Submit

1. MIT-licensed code may be reusable under its terms, but can you submit it unchanged as your own original work? **Answer: B - No**
2. Open source means: **Answer: B - Use governed by license terms**
3. Academic plagiarism is: **Answer: B - A separate academic-integrity issue**

Mission 16 - Evidence Desk

1. A screenshot alone always proves identity: **Answer: B - No**
2. Useful context can include: **Answer: A - Original file + time + source + surrounding messages**
3. Good investigator asks: **Answer: A - What does this prove and what does it not prove?**

Mission 17 - Metadata Detective

1. Created and Modified times differ. Does that prove criminal tampering? **Answer: B - No, not by itself**
2. Metadata may be: **Answer: A - Missing or altered**
3. Best conclusion from one metadata field: **Answer: A - Cautious and limited**

Mission 18 - Hash Witness

1. If one character changes, SHA-256 will typically: **Answer: B - Change substantially**
2. A hash mismatch proves: **Answer: A - Data differs**
3. Hashing is useful for: **Answer: A - Integrity checking**

Mission 19 - IP Address

NEQ Person

1. Three devices behind NAT can share: **Answer: A - One public IP**
2. IP alone proves human identity: **Answer: B - No**
3. Better attribution uses: **Answer: A - Multiple correlated evidence sources**

Mission 20 - Delete Button Myth

1. Deleting a message guarantees every copy is gone: **Answer: B - No**
2. Before deleting fraud evidence: **Answer: A - Preserve useful details**
3. Data lifecycle can include: **Answer: A - Logs/backups/copies**

Mission 21 - UPI Fraud Simulator

1. Someone says 'scan QR and enter PIN to receive refund'. Best response: **Answer: B - Verify independently; do not authorize under pressure**
2. UPI PIN should be entered when: **Answer: A - You knowingly authorize a transaction in your trusted app**
3. Financial scam response should be: **Answer: A - Prompt**

Mission 22 -

rupee10,000 Beat the Clock

1. After unauthorized debit, useful first item to preserve: **Answer: A - UTR/transaction ID**
2. Best reporting timing: **Answer: A - Promptly**
3. Should you delete the fraud SMS first? **Answer: B - No—preserve useful evidence first**

Mission 23 - 1930 Reporting Drill

1. Useful financial-fraud reporting detail: **Answer: A - UTR**
2. 1930 is associated with: **Answer: A - Cyber financial-fraud reporting in India**
3. A report should separate: **Answer: A - Facts from assumptions**

Mission 24 - Complaint Builder

1. 'rupee7,500 left my account at 23:41' is best treated as: **Answer: A - Fact/observation if supported by record**
2. 'Therefore Rahul operated the account' is: **Answer: A - Inference requiring support**
3. Best complaint style: **Answer: A - Chronological facts + evidence + clearly labeled inference**

Mission 25 - Incident Response Room

1. Good incident-response action: **Answer: A - Preserve evidence**
2. Credential compromise suggests: **Answer: A - Change credentials via trusted channel**
3. Retaliation is: **Answer: A - Usually not the first response**

Mission 26 - Cyber Law Courtroom

1. When facts are incomplete, best option may be: **Answer: B - Not enough information**
2. Good legal reasoning identifies: **Answer: A - Facts, evidence and missing information**
3. Technical capability alone proves legality: **Answer: B - No**

Mission 27 - Red Team vs Law Team

1. Before security testing, verify: **Answer: A - Written authorization and scope**
2. Production target outside scope should be: **Answer: B - Left alone / clarified with authority**
3. Red Team vs Law Team teaches: **Answer: A - Authorization boundaries**

Mission 28 - Screenshot NEQ Whole Truth

1. A cropped screenshot can be: **Answer: A - Useful but incomplete**
2. Best next step: **Answer: A - Inspect context**
3. Evidence reliability depends on: **Answer: A - Context/provenance**

Mission 29 - Who Did It?

1. Best investigation method: **Answer: A - Correlate multiple logs**
2. A timeline helps: **Answer: A - Reconstruct sequence of events**
3. Evidence and inference should be: **Answer: A - Separated**

Mission 30 - Can Attack NEQ May Attack

1. Discovering a possible weakness gives you permission to exploit it: **Answer: B - No**
2. Correct next question: **Answer: A - Am I authorized and within scope?**
3. Security skill should increase: **Answer: A - Responsibility**

Mission 31 - Final Cyber Mystery

1. Shared campus IP proves which person acted: **Answer: B - No**
2. After a friend loses money, include: **Answer: A - Prompt financial-fraud reporting + transaction evidence**
3. Best final-case habit: **Answer: A - Separate proven facts from inference**

Mission 32 - Cyber Citizen Final Assessment

1. CAN
NEQ MAY means: **Answer: A - Capability does not equal permission**
2. Secure connection
NEQ trustworthy intention refers to: **Answer: A - HTTPS**
3. A working password proves authorization: **Answer: B - No**
4. Hash mismatch proves: **Answer: A - Compared bytes differ**
5. An IP address alone proves a person: **Answer: B - No**
6. First response to fake account: **Answer: A - Preserve evidence + contain/report**
7. UPI fraud response should preserve: **Answer: A - Transaction/UTR details**
8. Not enough information can be: **Answer: A - A valid legal judgment**

9. Open-source license and plagiarism are: **Answer: B - Distinct issues**
10. Before security testing: **Answer: A - Get authorization and scope**

Glossary

Term	Simple meaning
Authentication	Checking whether an identity/credential is valid - “Can you prove who you are?”
Authorization	Checking whether that identity is allowed to perform the action - “Are you permitted to do this?”
Browser	Software such as Chrome that retrieves and displays web content and runs browser-side code.
Cyber	The connected digital environment and activities involving digital systems/networks.
Cyberbullying	Bullying, humiliation or harassment carried out through digital technologies/platforms.
Deepfake / synthetic media	Artificially generated or altered audio/visual content that can make people or events appear real.
Digital evidence	Digital data that may help establish what happened, while still requiring context and careful interpretation.
Domain	The registered identity used within an Internet naming system, e.g. <code>example.com</code> .
Subdomain	A label placed before the main domain, e.g. <code>accounts</code> in <code>accounts.example.com</code> .
Hash	A fixed-length digital fingerprint of data used for integrity comparison.
HTTPS	HTTP protected by TLS; it secures the connection to the shown domain but does not guarantee an honest operator.
Internet	The global network of networks.
Metadata	Data about data, such as timestamps, dimensions or device labels.
NAT	Network Address Translation; one public IP can represent multiple internal devices.
OTP	One-time password used in authentication or transaction approval.
Phishing	Deceptive communication designed to make a user click, disclose credentials or authorize a harmful action.
Public IP	An address visible on the public Internet; it is a network clue, not automatic proof of a person.
UPI	Unified Payments Interface, an Indian digital payment system.
Web	Websites/web applications delivered over the Internet.

Frequently Asked Questions

Why is a padlock not proof that a site is genuine?

The padlock/HTTPS primarily indicates an encrypted/authenticated connection to the domain shown. A fraudulent operator can also use HTTPS. In simple language: **padlock = secure connection, not guaranteed trustworthy intention.**

Why does Chrome sometimes show “Mozilla” in the user-agent string?

User-agent strings contain historical compatibility tokens. Seeing “Mozilla” does not mean Firefox is running. Modern browser identity should not be inferred from one token without context.

What is a domain versus a subdomain?

In `accounts.google.com`, `google.com` is the domain and `accounts` is a subdomain. In a deceptive-looking training address such as `google.com.example.com`, the familiar text `google.com` appears to the left, while the training base domain is `example.com`.

What does “phased commencement” mean?

Different provisions begin operating at different stages rather than the entire framework starting on one single date.

Does a password that works give permission?

No. A working password authenticates a credential; authorization is a separate question.

Does deleting a fraudulent message immediately help?

Sometimes blocking/deleting is useful after preservation, but unnecessary immediate deletion can remove useful evidence. CyberLex teaches: preserve useful evidence first, then secure, block/report as appropriate.

Final Learning Message

YOU LEARNED CYBER LAW THROUGH HANDS-ON INVESTIGATION.

You did not just read it. You experienced it, tested it, investigated it and applied it.

**Privacy • Permission • Authentication • Phishing • Digital Evidence •
AI/Deepfakes • Fraud • Reporting • Responsibility**

Remember

You now know that in the digital world, what CAN be done is not always what MAY be done.

Copyright and License Note

Copyright (C) 2026 Mohammad Amir Khusru Akhtar. The CyberLex Lab software package is distributed under the Apache License 2.0 as supplied with the project. This user guide documents the educational system and should be distributed consistently with the applicable rights and institutional requirements.