```
MINGW64:/c/Users/diego/OneDrive/ExamenQuevedo

'Saved Games'/
 Searches/
 SendTo@
 SistemasOperativos/
 Videos/
'VirtualBox VMs'/
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 ntuser.ini
 pseint/

diego@Diego_Zarate MINGW64 ~ (master)
$ cd OneDrive/

diego@Diego_Zarate MINGW64 ~/OneDrive (master)
$ cd ExamenQuevedo/

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git init
Reinitialized existing Git repository in C:/Users/diego/OneDrive/ExamenQuevedo/.git/

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git add --all

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git commit -m 'Examen'
[master (root-commit) 2a19698] Examen
 2 files changed, 2 insertions(+)
 create mode 100644 Examen_Corte_2.pdf
 create mode 100644 desktop.ini

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git push -u origin master
remote: Repository not found.
fatal: repository 'https://github.com/Arius-net/Examen.gi/' not found

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (master)
$ git push -u origin
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
```

```
MINGW64:/c/Users/diego/OneDrive/ExamenQuevedo

error: unknown option `origin'
usage: git push [<options>] [<repository> [<refspec>...]]

    -v, --[no-]verbose     be more verbose
    -q, --[no-]quiet       be more quiet
    --[no-]repo <repository>
                           repository
    --[no-]all             push all branches
    --[no-]branches        alias of --all
    --[no-]mirror          mirror all refs
    -d, --[no-]delete      delete refs
    --[no-]tags            push tags (can't be used with --all or --branches or --mirror)
    -n, --[no-]dry-run     dry run
    --[no-]porcelain       machine-readable output
    -f, --[no-]force       force updates
    --[no-]force-with-lease[=<refname>:<expect>]
                           require old value of ref to be at this value
    --[no-]force-if-includes
                           require remote updates to be integrated locally
    --[no-]recurse-submodules (check|on-demand|no)
                           control recursive pushing of submodules
    --[no-]thin            use thin pack
    --[no-]receive-pack <receive-pack>
                           receive pack program
    --[no-]exec <receive-pack>
                           receive pack program
    -u, --[no-]set-upstream
                           set upstream for git pull/status
    --[no-]progress        force progress reporting
    --[no-]prune           prune locally removed refs
    --no-verify            bypass pre-push hook
    --verify               opposite of --no-verify
    --[no-]follow-tags     push missing but relevant tags
    --[no-]signed[=(yes|no|if-asked)]
                           GPG sign the push
    --[no-]atomic          request atomic transaction on remote side
    -o, --[no-]push-option <server-specific>
                           option to transmit
    -4, --ipv4             use IPv4 addresses only
    -6, --ipv6             use IPv6 addresses only


diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (main)
$ git push origin main
remote: Repository not found.
fatal: repository 'https://github.com/Arius-net/Examen.gi/' not found

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (main)
$ git remote add origin https://github.com/Arius-net/Examen.git
error: remote origin already exists.

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (main)
$ git push -u origin maain
error: src refspec maain does not match any
error: failed to push some refs to 'https://github.com/Arius-net/Examen.gi'

diego@Diego_Zarate MINGW64 ~/OneDrive/ExamenQuevedo (main)
$ |
```

1: Lo comandos en linux con su sintaxis
- Ls -
- Cd - [directorio]
- rm [opciones] [archivo o directorio]
- CP [opciones][origen] [destino]
- MKdir [opciones][Nombre del directorio]
- Cat - [Nombre del archivo]
- Pwd -
- MV - [origen] [directorio]
- Tar - [archivo]
- df -
- grep - ["texto a buscar"] [archivo]
- Sudo - [comando]
3: Comando que permite verificar si tienes conexion
a internet
- Ping [Dominio o IP]

10: Primero entramos a aws, despues entramos al
laboratorio donde haremos la instancia, ya en
el laboratorio iremos a donde dice EC2,
una vez ahi buscaremos el menu Instancias
y le daremos crear instancia, ahi configura-
remos nuestra instancia poniendo su nombre
el Sistema operativo que usará y la llave
que nos creara, PPK, hecho eso simple-
mente le damos crear Instancia y listo.

9: IP a

4: Los permisos son los que controlan el
acceso a archivos y directorios permi-
tiendo que un usuario lea, edite o
elimine un archivo o directorio

Ejemplo:
Chmod 750 [archivo]
└→ esto sirve para cambiar los permisos
sobre un archivo

6: ~~Sudo chmod (ruta/al/directorio~~
Sudo chmod 660 (ruta/al/directorio)

7: Sudo chmod 755 (ruta/al/directorio)

8: ~~La~~ NFTS es un sistema para organizar
y gestionar los datos o archivos en los
distintos dispositivos de almacenamiento
como discos duros, tarjetas SD, etc
y sus principales diferencias con FAT32,
es la seguridad ya que uno permite el
cifrado y permisos de archivos, el tamaño
de partición ya que NFTS es hasta 256 TB
y Fat32 hasta 8 TB y el tamaño
máximo de archivos siendo NFTS con
hasta 16 TB y Fat32 con hasta 4 GB.