



Sample Booking Time 12:12:59

IDPATIENT ID620201HI5636

Date 18/02/2021

NAME SHEETAL RAWAT

Age 22 Yrs Sex Female

Ref. By Dr AMARDEEP KAUR

Company

Report Date 18/02/2021
19:24:53**MOLECULAR BIOLOGY**

Test Name	Result	Unit	Biological Ref Interval
-----------	--------	------	-------------------------

COVID-19 RT PCR

Tech: Real Time PCR

NEGATIVE

NEGATIVE

Specimen : Naso & Oropharyngeal Swab
Equipment : Biorad CFX 96

INTERPRETATION OF RESULT

Result	Remarks
POSITIVE	RNA specific to SARS-Cov-2 Detected
NEGATIVE	RNA specific to SARS-Cov-2 Not Detected
INCONCLUSIVE	This could be due to low viral load in the sample. A repeat sample is recommended for confirmation

COMMENTS

The assay detects the 2019 novel corona virus (SARS-CoV-2) by targeting three nucleic acids regions; the E gene, RdRP gene & N gene respectively.

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV).

A novel coronavirus (nCoV) identified in China as COVID-19 or SARS-CoV-2 is a new strain that has not been previously identified in humans.

Common signs of infection include respiratory symptoms fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome, kidney failure and even death.

NOTE

1. ICMR Registration number for COVID-19 is APICD001
2. Negative result does not rule out the possibility of COVID-19 infection. Presence of inhibitors, mutations and insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
3. COVID-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
5. As a precautionary measure reports will be transmitted as soft copy. If hard copies are required please contact coordinator 7454800210, 7454800230.

 Report ***

Prof. (Dr) Alok Ahuja, MD(Path&Micro)
UKMCI No.:1773

Page No: 1 of 1

7-B Astley Hall, Dehradun
Tel.: 0135-2657900, 2659700
Fax: 0135-2658900

24X7 HELPLINE
9359673003
9357673007

NABL

NABH

ACCREDITED

Weekdays – 8:00am to 8:00pm
Sundays – 8:00am to 1:00pm
www.drahujadiagnostics.in

