People Connect

Project Report submitted in the partial fulfilment of

Master of Business Administration in Technology
In
Information Technology

By

Arjun Saxena (I026)
Aman Sharma (I030)
Aditya Trivedi (I038)

Under the supervision of

Dr. Saurav Verma

Assistant Professor, Information Technology, MPSTME

CERTIFICATE

SVKM'S
NMIMS
Deemed-to-be UNIVERSITY

This is to certify that the project entitled "**People Connect**", has been done by **Arjun Saxena, Aman Sharma, Aditya Trivedi** under my guidance and supervision & has been submitted in partial fulfilment of the degree of **Master of Business Administration in Technology in Information Technology** MPSTME, SVKM's NMIMS (Deemed-to-be University), Mumbai, India.

28/03/2024

Project mentor (Dr. Saurav Verma)
(Internal Guide)

Date: 28-03-2024

Place: Mumbai

Examiner (Name and Signature)

(Ketan Shah)
(HoD) (Name and Signature)

ACKNOWLEDGEMENT

Student Names:

NAME	ROLL NO.	SAP ID
Arjun Saxena	I026	70412000003
Aman Sharma	I030	70412000017
Aditya Trivedi	I038	70412000149

We have very much thanked our mentor Saurav Verma, whose support; guidance and expertise have been invaluable throughout the project. His experiences and mentorship greatly played a vital role in shaping the direction and success of project Interface.

Our gratitude goes deep to other older people and youth who engaged in this undertaking as customer's testers or consultants. Your comments, enthusiasm, and willingness to embrace technology for betterment of our society have been significant.

Lastly, we acknowledge the pressing social problems that project Interface seeks to address:

- Loneliness experienced by many elderly adults and struggle by younger generations to find affordable housing options. Our commitment towards creating compassionate intergenerational relationships is shaped by the urgency of these issues.

- We look ahead towards continuous growth and triumph of the project Interface as it strives for companionship, supportiveness, fairness in our neighborhoods.

ABSTRACT

People Connect Interface, a progressive Android app aims at transforming intergenerational living by reducing depression among old people and offering young individuals with affordable accommodation. The app's user-friendly UI makes it easy for elderly citizens to navigate through. In fact, state-of-the-art matching system provides regular friends on interest grounds and location once users create profiles with personal details. Contact with clients is enhanced as well as support using communication features comprising of voice calls, chat and chatbot featuring sentiment analysis. Also security tools such as client verification & reporting features guarantee safe environment. People Connect Interface promotes community building through virtual gatherings and occasions while leveraging location services for nearby meets. Direct-to-device alerts and customizable safety options offer real-time communication and user autonomy. The major objectives of the app are bridging generational gaps, addressing loneliness issues, and providing housing alternatives. User feedback plus analytics steer ongoing development towards an empathetic intergenerational society.

Table of Content

Chapters	Topic	Page No.
1	**Introduction**	**6**
1.1	Background of the Project	6
1.2	Motivation	6
1.3	Scope	6
1.4	Problem Statement	6
1.5	Salient Contribution	7
1.6	Organization of Report	7
2	**Literature Survey**	**11**
2.1	Introduction to overall topic	11
2.2	Exhaustive Literature Survey	12
3	**Methodology and Implementation**	**14**
3.1	Block Diagram	14
3.2	Hardware Description	14
3.3	Software Description	14
3.4	Gantt Chart	15
3.5	APP UI	16
4	**Result and Analysis**	**23**
4.1	Result	23
4.2	Analysis	23
5	**Advantages, Limitations and Applications**	**25**
5.1	Advantages	25
5.2	Limitations	26
5.3	Applications	26
6	**Conclusions and Future Scope**	**28**
6.1	Conclusion	28
6.2	Future Scope	28
References		**29**
Appendix A: Soft Code		**30**
Appendix B: List of Components		**58**

List of the Figures

Fig No	Name of the figure	Page No
1.	Block Diagram	14
2.	Gantt Chart	15
3.	App UI	16

Abbreviations

Table No	Abbreviations	Name of the Table
1.	UI	UI
2.	FE	FE
3.	DB	Database
4.	BE	Back End
5.	UX	UX
6.	GPS	Global Positioning System
7.	SDK	Software Development Kit
8.	IDE	IDE

Chapter 1 Introduction

1.1 Introduction:

With a rapidly changing technology landscape and shifting social dynamics, there is an increasing generational divide. Younger people struggle with the rising cost of housing while older people often grapple with loneliness, isolation and yearning for real connections. The present invention was made as an Android software pioneer that aims to transform how generations interact and thrive in response to these critical needs for intergenerational democracy. The pioneering Android software Individuals Interface evolved out of tackling the housing crisis facing young individuals and epidemic of depression among the elderly. It addresses these interconnected issues by connecting generations through swiping mechanism, advanced matching algorithms, as well as community building features. It seeks to reduce senior isolation, provide affordable housing options for young people, and promote sustainable intergenerational relationships. This paper analyses technical components, roadmap of development and UX that will help realize People Connects vision about a world in which living between different generations becomes typical, all generations will benefit from a better and more connected future thanks to House Connect.

1.2 Motivation:

The people connect app was developed out of a genuine concern about loneliness and housing challenges for senior citizens. The software is meant to bridge the generation gap, foster camaraderie and give seniors a sense of purpose through technological advancements and intergenerational exchange. It hopes that by enhancing the experiences of older adults with meaningful contacts, it will be able to create a vibrant community where young people can find affordable homes at the same time contribute towards making a more compassionate and inclusive society.

1.3 Scope of the report:

The project's scope includes creating a platform that allows seniors to swipe right on young profiles of people in search of housing and the reverse. To address homelessness and affordable housing, this proposed Android app seeks to foster connections between older adults and younger tenants.

1.4 Problem statement:

The problem being addressed by House Connect has two dimensions:

- The unyielding matter of old people being lonely and the emerging issue of affordable housing for young folks. Many older adults suffer isolation and a lack of companionship that leads to deteriorating health.

- At the same time, the younger generation is forced to contend with an ever daunting challenge of finding affordable accommodation. These pressing concerns have been identified by People Connect Interface which aims at solving them through innovative swiping technology that connects senior citizens looking for companionship with young ones in need of affordable housing. The site's matching algorithms, secure chat and community features are designed to create safe, fharmonious and caring intergenerational relationships that improve life and begin to address these urgent social problems.

1.5 Salient contribution:

Several things make our senior citizen app project an extraordinary answer to starting with the social and housing needs of old persons. Firstly, there is no one social network in the world that has a comprehensive APP for seniors which uses a smart coordinating formula. The algorithm factors in individual client preferences as well as such variables as geography and interface to automatically match consistent buddies, thus this is why it stands out. Additionally, our app comes with a unique video verification feature that improves user authenticity plus assurance. This process of authentication makes it different from other platforms by ensuring that users can trust the identities of those they are interacting with. On top of this, we have another innovation level enabled by the administrative functionality within our project. Admins will be able to see and interpret customer data through chart representations. This feature provides invaluable insights on customer interactivity, preferences and engagement patterns thereby facilitating data-driven decision-making that enhances overall customer experience. To sum up, our aged app project does not just address loneliness and housing solutions for old people; it also has several innovative features which makes it an outstanding innovation in the field of social media and community building for senior citizens.

1.6 Organization of report

Week 1: Topic Research

- We explored potential capstone project topics. Analyzed the feasibility based on the time frame and available resources we had. We identified and assessed potential topics for achievability and relevance.

Week 2: Topic Finalization - People Connect App

- We finalized the capstone project topic as "People Connect" mobile application. This app aims to address a social need by connecting lonely older adults with young adults seeking affordable housing. By creating a platform that fosters intergenerational

connections, People Connect strives to change the housing landscape for both generations.

Week 3: Literature Survey

- We conducted a comprehensive literature survey on existing solutions for social isolation among older adults and housing challenges faced by young adults. Here we tried to analyze research findings to understand current trends, gaps, and potential approaches for the People Connect app.

Week 4: Finalizing App Features

- We used the insights from the literature survey to finalize the core features of the People Connect app. Defined functionalities that address the needs of both young adults seeking housing and older adults experiencing social isolation.

Week 5: Voice Button Integration

- We implemented a voice button feature across multiple pages within the People Connect app. This button allows users to activate a voice assistant like that provides contextual guidance on functionalities specific of that page. We ensured the voice assistant delivers clear and user-friendly instructions, helping users navigate and utilize the app effectively.

Week 6: Preexisting UI Bug Fixes

- We found and addressed pre-existing UI problems within the People Connect app. This involved troubleshooting visual inconsistencies, layout issues, or other elements that hindered UX. You ensured a polished and user-friendly interface by resolving these UI bugs.

Week 7: Backend Integration - User Authentication

- We connected the People Connect app's login and authentication functionalities to Firebase. This integration ensured secure user account management within the app. We implemented features like user signup, login credentials verification, and user data storage using Firebase's authentication services.

Week 8: Event Manager and Home Page Upgrades

- We made an event adder feature for the People Connect app. This allows users to create and post events within the app, increasing the interaction and engagement between users. We designed the UI for adding events and integrated it with the app's backend to store and manage event data effectively.

Week 9: Chatbot Integration with GPT-3.5

- We integrated a chatbot feature within the People Connect app, leveraging the capabilities of GPT-3.5. This involved integrating the GPT-3.5 large language model to enable conversation simulation to answer user queries within the app. We used an Api key connection for open AI’s student account to get a free activation key.

Week 10: Community Page

- We built a dedicated community page within the People Connect app. This space is used for interaction among users by providing a platform for discussions, shared experiences, or building connections. We designed the UI for the community page to be friendly and easier to use for older people, enabling features like messages.

Week 11: UI Optimization

We focused on optimizing the overall UI (UI) of the People Connect app. This involved tasks like:

- We refining the visual design for improved aesthetics.
- We streamlined layouts and information architecture for consistency.
- We also conducted user testing and used those feedbacks to further improve the UI's effectiveness.

Week 12: App Testing

- We tested the People Connect app functionality within an emulator to identify and address any bugs or usability issues. This ensures the app performs as intended and is ready or not for the real-world deployment.

Week 13: APK and final testing

- We made the People Connect app into an APK. After this, we conducted thorough testing of the app using the APK to identify and resolve any remaining bugs or functionality issues before final deployment.

Week 14 & 15: Documentation

- In the final two weeks, we finished up the project by focusing on the documentation. This included creating the final documentation and closure activities. Additionally, we documented the app's technical aspects for developers, ensuring a smooth understanding of the codebase and architecture. We also added the code and some of the pic of the UI of the ap in our document for easy understanding.

Chapter 2 Literature survey

Discussion and comparison of literature survey.

2.1 Introduction to overall topic (generate background for literature survey with reference to minimum 15 references)

A great number of apps have evolved to deal with different users' needs in the field of mingling and housing. Some of the most popular options for senior citizens include SeniorMatch, a community of over one hundred thousand individuals that are specifically designed to inspire friendships and romantic relationships. Nextdoor, which has an incredible ten million users, brings neighbors together to build community associations. On another level, TimePass helps seniors find local activities and events since it has more than one hundred thousand users.

NoBroker and other real estate apps have shaken up property business by connecting landlords directly with tenants and cutting out middlemen. Enchantment Bricks is one of the top Indian real estate portals that offers a simple interface to explore properties among its vast 9 lakh property listings. OLX is a famous global classified platform that provides accessible avenue for housing rentals as well as property sales across numerous countries. These applications not only simplify the search for housing but also enhance transparency in real estate deals while making them more economical.

The advantages of using these applications are many. They function as effective tools for alleviating social isolation in the elderly by enabling connectivity with peers and enhancing social support from friends, family and the wider community. Concerning housing, such apps offer direct communication channel between landlords and potential tenants or buyers thereby reducing brokerage fees and giving an endless list of listings with advanced search filters ensuring convenience and reliability in property transactions to all parties involved.

However, some issues persist when it comes to selecting such apps particularly among older adults. For instance, a number may grapple with technological constraints as not all are conversant with digital tools hence limiting their capacity to use these applications effectively. Moreover, some older individuals may be reluctant to fully embrace such sites due to concerns over privacy in the online space.

To sum up, the increase in apps made for socializing and housing options has led to a revolutionary change in how old people get in touch with others and look for shelter. These have a number of advantages such as decreasing loneliness, simplifying property transactions among other but it is important to take into account and tackle the technical and security problems that will hinder their uptake amongst this category of people. It must be considered when making or implementing such programs.

2.2 Exhaustive literature survey

1. Thompson, R. J., & Sargent-Cox, K. A. (2019). Social inclusion and mental health of older people: A scoping review and systematic mapping of interventions. International Psychogeriatrics, 31(2),195-211.

   This paper presents a comprehensive review of interventions aimed at enhancing the social inclusion and mental health of older adults. It examines a wide range of interventions and provides insights into strategies that can help combat social isolation and improve mental well- being among seniors.

2. Wang, R., Liu, D., Tao, D., & Wang, X. (2017). Deep aging face verification: A cross-age reference coding approach. In Proceedings of the IEEE International Conference on Computer Vision (ICCV)(pp. 5049-5058).

   This conference paper introduces a deep learning approach for age verification based on facial recognition. It focuses on the development of algorithms that can accurately verify a person's age by analyzing their facial features, which has potential applications in age-related research and security systems.

3. Czaja, S. J., Boot, W. R., Charness, N., Rogers, W. A., & Sharit, J. (2018). Improving social support for older adults through technology: Findings from the PRISM randomized controlled trial. The Gerontologist, 58(3), 467-477.

   This paper discusses the results of the PRISM randomized controlled trial, which explores the impact of technology on enhancing social support for older adults. The study evaluates the effectiveness of an intervention aimed at improving social connections and well-being through technology use.

4. Kalauzi, A., Alahäivälä, T., & Karavirta, V. (2018). Mobile application for the elderly: A case study. In Proceedings of the 12th European Conference on Software Architecture: Companion Proceedings(pp. 30-35).

   This conference paper presents a case study on the development of a mobile application designed for older adults. It likely discusses the design considerations, challenges, and outcomes of creating a mobile app tailored to the needs of elderly users. House Connect AY 2023-2024

5. Lee, C., & Coughlin, J. F. (2015). PERSPECTIVE: Older adults' adoption of technology: An integrated approach to identifying determinants and barriers. Journal of Product Innovation Management, 32(5), 747-759.

   This paper offers a perspective on the factors influencing older adults' adoption of technology. It takes an integrated approach to identify the determinants and barriers that affect seniors' willingness to embrace technological innovations.

6. Mitzner, T. L., Boron, J. B., Fausset, C. B., Adams, A. E., Charness, N., Czaja, S. J., & Rogers, W.

a. (2010). Older adults talk technology: Technology usage and attitudes. Computers in Human Behavior, 26(6), 1710-1721.

This study examines the technology usage and attitudes of older adults. It explores how seniors perceive and interact with technology, shedding light on their preferences and challenges related to technology adoption.

7. Reeder, B., Meyer, E., Lazar, A., Chaudhuri, S., Thompson, H. J., & Demiris, G. (2013). Framing the evidence for health smart homes and home-based consumer health technologies as a public health intervention for independent aging: A systematic review. International Journal of Medical Informatics, 82(7), 565-579.

   This systematic review paper frames the evidence for health smart homes and home-based consumer health technologies as potential interventions for supporting independent aging. It provides an overview of the existing literature on this topic.

8. Marziali, E., & Garcia, L. J. (2011). Dementia caregivers' responses to 2 internet-based intervention programs. American Journal of Alzheimer's Disease & Other Dementias®, 26(1), 36-43.

   This paper focuses on the responses of caregivers of individuals with dementia to internet-based intervention programs. It likely discusses how these programs impact caregivers' knowledge, skills, and well-being.

9. Peek, S. T., Wouters, E. J., van Hoof, J., Luijkx, K. G., Boeije, H. R., & Vrijhoef, H. J. (2014). Factors influencing acceptance of technology for aging in place: A systematic review. International Journal of Medical Informatics, 83(4), 235-248.


   This systematic review paper explores the factors that influence the acceptance of technology for aging in place. It likely provides insights into the determinants and barriers associated with older adults' willingness to use technology to support aging at home.

10. White, H., McConnell, E., Clipp, E., Bynum, L., Teague, C., Navas, L., ... & Stearns, S. (2002). Surfing the net in later life: A review of the literature and pilot study of computer use and quality of life. Journal of Applied Gerontology, 21(2), 157-168.

    This paper reviews the literature and presents a pilot study on computer use and its impact on the quality of life of older adults. It likely discusses how internet use affects various aspects of seniors' lives.

Chapter 3 Methodology and Implementation

3.1 Block diagram:



3.2 Hardware description:

Mobile Phones (Android): The primary hardware platform for running the app will be Android smartphones. These devices will serve as the interface through which users interact with the People Connect app.

3.3 Software description, flowchart / algorithm:


The project will utilize a combination of software tools and technologies to develop and run the People Connect app:

- **Flutter flow:** The app's UI (UI) and UX (UX) will be designed and prototyped using Flutter flow. Flutter flow is a no-code/low-code platform for building Flutter- based


mobile applications, which enables rapid development and prototyping of UIs.


- **Firebase:** Firebase, a comprehensive mobile and web app development platform, will play a crucial role in the project. It will be used for backend services such as user authentication, real- time database management, and cloud-based hosting of app-related assets. Firebase provides a scalable and secure infrastructure that ensures the app's reliability and performance.


3.4 Gantt Chart:





3.5 App UI:



Welcome to House Connect! This app is based on the idea of bridging generations and spreading smiles.
Skip
Next



Older adults can find young companions and get rid of loneliness and boredom by renting their rooms.
Skip
Next



Young individuals can connect with seniors and find rooms on rent at affordable price.
Get Started



Sign Up
Login
Hello! Sign Up to get started
Email
Password
Confirm Password
Sign Up
Or Register with
Continue with Google
Already a User? Login



Sign Up
Login
Welcome Back! Glad to see you again!
Fill out the information below in order to access your account.
Email
Password
Forgot Password?
Login
Or Login with
Continue with Google
New User? Sign Up



Forgot Password ?
Don't worry! Please enter the email address linked with your account.
Enter your email...
Send Link
Remember Password? Login



Let us know you....
Upload Image
Name
Age
Gender
Contact Number
Next



Filters for you...
Let us who you are interested in...
Male
Female
Both
Age Range
From
50
To
51
Distance in Kms
Minimum
1
Maximum
2
Submit
We will use this preference for finding you a match



Add Photos
Upload Images
Add description
Submit
Skip for now
Voice



[Display Name]



[Display Name]
Events
Add Post
Events
Past events
Upcoming
[title]
[Location]
[yMMMd]
Enter Name
[Location]
[yMMMd]
Enter Name
[Location]
[yMMMd]
Enter Name
[Location]
[yMMMd]
Add Events
Events
Past events
Upcoming
[Name]
[Location]
[yMMMd]
[Name]
[Location]
[yMMMd]
[Name]
[Location]
[yMMMd]
[Name]
[Location]
[yMMMd]
Add Events
Add Event
Event Title
Enter event title
Location
Enter event Location
Date
dd/mm/yyyy
Description
Descrption
Add Event



Add Post
Description
Enter post description...
Add Photo
Submit
Chats
N'Golo Kanté 1:16 AM
Just burned 2,000 calories! Never take a nap with brownies in the oven...
N'Golo Kanté 1:16 AM
Just burned 2,000 calories! Never take a nap with brownies in the oven...
N'Golo Kanté 1:16 AM
Just burned 2,000 calories! Never take a nap with brownies in the oven...
N'Golo Kanté 1:16 AM
Just burned 2,000 calories! Never take a nap with brownies in the oven...
[display_name]
29 minutes ago
Duh! It's such a useful tool.
20 minutes ago
But I've heard the devs have a weird sense of humor and think they're funny for some reason.
19 minutes ago
Yea I could see that. By the way, what do you call a magic dog?
6 minutes ago
What?
4 minutes ago
A labracadabrador!
1:14PM
1:14PM
Bruh...
1:15PM
Type message here
Likes
You have right swiped the accounts of...
[display_name]
[display_name]
[display_name]
[display_name]
Voice


[Display Name]
[Email]
Update Profile
Verification
Likes
Sign out


Let's get started by filling out the form below.
Email
Username
Age
Gender
Contact Number
Update Profile


[Display Name]
[Email]
Verification
1. Aadhar card
2. Video verification
3. References


Aadhar Verification
Upload aadhar image
Voice


Video Verification
00:00 / 00:36
Upload Video
Voice
Add References
Reference 1:
Name
Contact Number
Reference 2:
Name
Contact Number
Submit
Voice
Reviews
[display_name]
Rating: [reviewStar]
[reviewComent]
[display_name]
Rating: [reviewStar]
[reviewComent]
[display_name]
Rating: [reviewStar]
[reviewComent]
[display_name]
Rating: [reviewStar]
[reviewComent]
Welcome Admin!
Total Number of Users: [user Count]
Verify Users
Add Events
Graph 1
Graph 2
Graph 3
No of users signed up in a month:
85
80
70
60
50
40
30
20
10
0.0
Users

Chapter 4 Results and Analysis

4.1 Result

Based on the information provided, here are the expected results and outcomes of the People Connect app:

- **User Adoption and Engagement:** The app is anticipated to get many users who include the elderly in search of companionship and youngsters willing to try an alternative to hostels. Active user counts, how frequently users interact with each other, and the average session duration will be used as metrics for measuring user engagement. Decreased Social Isolation: The aim of People Connect is to reduce social isolation amongst older people. Success will be determined by the number of meaningful connections made through it, plus reports of improved health among older users.

- **Increased Housing Opportunities:** Young people seeking housing may benefit from more housing options provided by the app. Success will be measured through a number of successful housing placements and positive feedback from those who have found reasonable accommodations.

- **Privacy and Security:** Protection of user privacy and information security is crucial. Consequently, strong measures should be implemented to secure end-user information. This can be assessed if there are no major privacy breaches and acknowledgement by consumers that their data is safe.

- **Interactivity and Community Building:** The success of the app's intergenerational connections and cultivation of a stable community will be evident through testimonials from its users. Quantifiable could be; number of interactions between generations, generated by users or growth in user- generated contents within the app.

4.2 Analysis

- **Reducing Social Isolation:** To cure social isolation among older adults, the People Connect app has a direct approach to the seemingly most significant societal issue today. It often occurs due to the growing old age population.

- **Increased Housing Opportunities:** The Youngsters' Housing Dilemma App will provide practical solutions for youth in cities with high real estate prices. Thus, it's all about urgent need.

- **Privacy and Security:** Old people are concerned about privacy as well. Maintaining a high level of privacy and security with the app will be vital for user trust and long-term success.

- **Interactivity and Community Building:** It is consistent with our application's mission to make intergenerational connections stronger and form solid communities around them. Success in these regards could imply positive criticism and growth in accomplishment of this mission.

- **Challenges:** According to the company, innovative challenges may involve providing elderly users with the technological support they require if they are not technology-savvy enough. Such aspects may include an interface that is friendly to beginners or first-time users.

- **Scalability and Sustainability:** An app's ability to scale up and maintain itself over time will also determine its success**.** It must continue being valuable as it expands its user-base.

Chapter 5

5.1 Advantages

- **Addressing Loneliness:** The main good thing about People Connect is that it focuses on elderly depression. They offer a platform where the aged can find friends and meaningful relationships which may improve their mental health and emotional well-being.

- **Affordable Housing Solution:** People connect employs an innovative approach towards cheap housing by linking older people with young people who require housing. Old citizens may gain additional income as young individuals obtain reasonable housing options; this would be a win-win situation.

- **User-Friendly Interface:** A more aged people could find it easier to navigate around the platform due to its large fonts on user-friendly interface, explicit symbols and informative language.

- **Matching Algorithm:** This increases the possibility of better relationships and symbiotic housing arrangements if there are any. The matching algorithm is based on proximity and likeness through interface.

- **Communication Features:** Additionally, the chatbot includes analytical tools for estimation. It also boosts interaction between users, which is very useful and helps to fight depression even among those who live alone.

- **Safety and Verification:** The stage has a great focus on safety through strong verification mechanisms and security features that protect users from malpractices. This adds a level of trust and security to the platform.

- **Community Building:** People Connect supports community building by way of interest-based groups and communities creating a sense of belonging and allowing friends to interact with each other.

- **Location Services:** Integration of location services helps users find nearby friends and roommates, making it easy to connect with others face-to-face.

- **Privacy Settings:** Users may choose customizable privacy settings which allow them to determine who sees their profiles, giving them confidence in using the app.

- **Push Notification System:** Timely real-time push notifications encourage quick communication and promote the user's response rate, thus enhancing client engagement and boosting interaction.

5.2 Limitations

- **Digital Literacy:** Some elderly people may still have difficulty in computer literacy, which would hinder their ability to effectively utilize the software. The preparation and support they require.

- **Safety Concerns:** While safety measures are in place, there is always a risk of encountering unscrupulous or malicious users. Continuous monitoring and reporting tools are needed to reduce this threat.

- **Privacy Concerns:** Even if security settings are customizable, users might be worried about giving away personal information and profiles on the platform. These worries must be addressed as well as ensuring information protection.

- **Geographic Limitations:** The success of the app might hinge on whether there are senior citizens and young people needing housing available geographically thereby making it less accessible in some places.

- **Community Engagement:** Supporting active involvement in interest-focused clubs or meetings can be difficult. Some users will just watch rather than take part actively as contributors.

- **Monetization:** The monetization process should be considered carefully so as not to alienate users or divert from the app's core objective if it is aiming at generating revenues even though it has not been mentioned during the presentation.

5.3 Applications

- **Senior Citizens:** To older people, People Connect is of great advantage as it offers an anti-depression channel, helps them find companions and friends and gives them an opportunity to make extra money through flat sharing.

- **Young Individuals:** Pertaining to young individuals who may require affordable housing, the app can offer information for suitable places and building intergenerational connections.

- **Caregivers and Family:** Guardians and close relatives of the elderly check in on their loved ones' use of the app so that it helps in promoting this social network with supportive environment.

- **Community Centers and Retirement Homes:** As a means to expand social interaction while providing low-cost dwelling options within such facilities, they should implant these applications there.

- **Local Communities:** This could be an instrument for those involved in People Connect willing to firm up nearby communities by bringing generations together and advancing oneness plus assistance.

- **Real Estate Professionals:** Also, real estate brokers or property management firms might see its potential worth by matching current senior homeowners with possible renters or roommates.

- **Social Workers and Counselors:** Suggesting people connect to old fellows experiencing isolation due to loneliness among other conditions characterizing the psychological health sphere.

Chapter 6 Conclusion and Future Scope

6.1 Conclusion

To conclude, the literature review highlighted the increased need for such apps which are mainly designed for older people, especially those that cater to socialization or housing. Some of the popular apps that cater for seniors and house-hunters include OLX.com, MagicBricks.com, NoBroker.in, Time Pass and Next-door Social Network. The major aim of this project is to create an android app which will match senior citizens with potential friends while stressing on safety and user-friendliness. User profiles have matching algorithms that employ communication devices, safety precautions, community development strategies, location administrations' privacy settings as well as push alerts. An admin panel ensures security and control.

It is worth mentioning here that through Geolocation Services and powerful matching Algorithms; the project seeks to solve affordable housing through intergenerational connections. The app aims at fostering a sense of community as well as having friendly UIs in order to better both elderly and younger users' lives

Finally, this study can certainly mitigate the housing and social isolation challenges of older people. This app is in an excellent position to make a difference for its target audience due to its well-structured highlights, state-of-the-art advancement tools as well as user-oriented mindset. As such a community is created by continually monitoring through user feedbacks and analytics which are both for older people and young ones.

6.2 Future Scope

- **CHATBOT INTEGRATION:** The implementation of a chatbot can improve the UX by providing instant help and support. The chatbot can address common queries, provide customized recommendations and take users through different aspects of the application. Leverage Natural Language Processing (NLP) techniques to improve the chatbots understanding and response accuracy over time.

- **ADDITIONAL FEATURE PARENTS LOGIN:** A separate sign-in interface for parents would boost their participation in children's affairs within an app and control them even better. Implement role-based access controls so that parents have appropriate permissions and visibility.

- **INTERACTING USERS NEARBY:** Use geolocation features to let users connect with people who live near them and share their interests, hobbies or learning goals. This can facilitate local meetups, study groups or collaboration projects promoting community engagement and networking opportunities. **ENSURE PRIVACY AND SAFETY TO ALLOW USERS TO CONTROL THEIR VISIBILITY AS WELL AS MAKING IT POSSIBLE FOR THEM TO INTERACT WITH OTHERS AROUND THEM.**

- **Regulatory Compliance:** Ensure that your application complies with all relevant regulations and guidelines regarding Aadhar authentication, as mandated by the government. Stay updated on any changes or updates to Aadhar authentication policies to maintain compliance.

References

[1] Thompson, R. J., & Sargent-Cox, K. A. (2019). Social inclusion and mental health of older people: A scoping review and systematic mapping of interventions. International Psychogeriatrics, 31(2), 195- 211.

[2] Wang, R., Liu, D., Tao, D., & Wang, X. (2017). Deep aging face verification: A cross-age reference coding approach. In Proceedings of the IEEE International Conference on Computer Vision (ICCV) (pp. 5049-5058).

[3] Czaja, S. J., Boot, W. R., Charness, N., Rogers, W. A., & Sharit, J. (2018). Improving social support for older adults through technology: Findings from the PRISM randomized controlled trial. The Gerontologist, 58(3), 467-477.

[4] Kalauzi, A., Alahäivälä, T., & Karavirta, V. (2018). Mobile application for the elderly: A case study. In Proceedings of the 12th European Conference on Software Architecture: Companion Proceedings (pp. 30-35).

[5] Lee, C., & Coughlin, J. F. (2015). PERSPECTIVE: Older adults' adoption of technology: An integrated approach to identifying determinants and barriers. Journal of Product Innovation Management, 32(5),747-759.

[6] Mitzner, T. L., Boron, J. B., Fausset, C. B., Adams, A. E., Charness, N., Czaja, S. J., & Rogers, W. A. (2010). Older adults talk technology: Technology usage and attitudes. Computers in
Human Behavior,26(6), 1710-1721.

[7] Reeder, B., Meyer, E., Lazar, A., Chaudhuri, S., Thompson, H. J., & Demiris, G. (2013). Framing the evidence for health smart homes and home-based consumer health technologies as a public health intervention for independent aging: A systematic review. International Journal of Medical Informatics,82(7), 565-579.

[8] Marziali, E., & Garcia, L. J. (2011). Dementia caregivers' responses to 2 internet-based intervention programs. American Journal of Alzheimer's Disease & Other Dementias®, 26(1), 36-43. House Connect AY 2023-2024
30

[9] Peek, S. T., Wouters, E. J., van Hoof, J., Luijkx, K. G., Boeije, H. R., & Vrijhoef, H. J. (2014). Factors influencing acceptance of technology for aging in place: A systematic review. International Journal of Medical Informatics, 83(4), 235-248.

[10] White, H., McConnell, E., Clipp, E., Bynum, L., Teague, C., Navas, L., ... & Stearns, S. (2002). Surfing the net in later life: A review of the literature and pilot study of computer use and quality of life. Journal of Applied Gerontology, 21(2), 157-168.

Appendix A: Soft Code Flowcharts

Community

```
import '/auth/firebase_auth/auth_util.dart';
import '/backend/backend.dart';
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import 'package:carousel_slider/carousel_slider.dart';
import 'package:flutter/material.dart';
import 'package:font_awesome_flutter/font_awesome_flutter.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

import 'communitypage_model.dart';
export 'communitypage_model.dart';

class CommunitypageWidget extends StatefulWidget {
  const CommunitypageWidget({super.key});

  @override
  State<CommunitypageWidget> createState() => _CommunitypageWidgetState();
}

class _CommunitypageWidgetState extends State<CommunitypageWidget> {
  late CommunitypageModel _model;

  final scaffoldKey = GlobalKey<ScaffoldState>();

  @override
  void initState() {
    super.initState();
    _model = createModel(context, () => CommunitypageModel());

    WidgetsBinding.instance.addPostFrameCallback((_) => setState(() {}));
  }

  @override
  void dispose() {
    _model.dispose();

    super.dispose();
  }

  @override
  Widget build(BuildContext context) {
    return Title(
```

```
title: 'Communitypage',
color: FlutterFlowTheme.of(context).primary.withAlpha(0XFF),
child: GestureDetector(
  onTap: () => _model.unfocusNode.canRequestFocus
      ? FocusScope.of(context).requestFocus(_model.unfocusNode)
      : FocusScope.of(context).unfocus(),
  child: Scaffold(
    key: scaffoldKey,
    backgroundColor: Color(0xFFF4E7E9),
    body: SafeArea(
      top: true,
      child: Padding(
        padding: EdgeInsetsDirectional.fromSTEB(0, 10, 0, 0),
        child: Column(
          mainAxisSize: MainAxisSize.max,
          children: [
            Row(
              mainAxisSize: MainAxisSize.max,
              children: [
                Align(
                  alignment: AlignmentDirectional(-1, -1),
                  child: Padding(
                    padding:
                        EdgeInsetsDirectional.fromSTEB(25, 30, 0, 0),
                    child: AuthUserStreamWidget(
                      builder: (context) =>
                          StreamBuilder<List<UserRecord>>(
                        stream: queryUserRecord(
                          singleRecord: true,
                        ),
                        builder: (context, snapshot) {
                          // Customize what your widget looks like when it's loading.
                          if (!snapshot.hasData) {
                            return Center(
                              child: SizedBox(
                                width: 50,
                                height: 50,
                                child: CircularProgressIndicator(
                                  valueColor:
                                      AlwaysStoppedAnimation<Color>(
                                    FlutterFlowTheme.of(context)
                                        .primary,
                                  ),
                                ),
                              ),
                            );
                          }
                          List<UserRecord> imageUserRecordList =
                              snapshot.data!;
                          // Return an empty Container when the item does not exist.
                          if (snapshot.data!.isEmpty) {
```

```
            return Container();
          }
          final imageUserRecord =
              imageUserRecordList.isNotEmpty
                  ? imageUserRecordList.first
                  : null;
          return InkWell(
            splashColor: Colors.transparent,
            focusColor: Colors.transparent,
            hoverColor: Colors.transparent,
            highlightColor: Colors.transparent,
            onTap: () async {
              context.pushNamed('profile');
            },
            child: ClipRRect(
              borderRadius: BorderRadius.circular(100),
              child: Image.network(
                currentUserPhoto,
                width: 75,
                height: 75,
                fit: BoxFit.cover,
                alignment: Alignment(-1, -1),
              ),
            ),
          );
        },
      ),
    ),
  ),
),
Padding(
  padding: EdgeInsetsDirectional.fromSTEB(20, 20, 0, 0),
  child: AuthUserStreamWidget(
    builder: (context) => Text(
      currentUserDisplayName,
      style: FlutterFlowTheme.of(context)
          .headlineMedium
          .override(
            fontFamily: 'Outfit',
            color: Colors.black,
            letterSpacing: 0,
          ),
    ),
  ),
),
Align(
  alignment: AlignmentDirectional(0, 0),
  child: Padding(
    padding:
        EdgeInsetsDirectional.fromSTEB(50, 25, 0, 0),
    child: FlutterFlowIconButton(
```

```
            borderRadius: 20,
            borderWidth: 1,
            buttonSize: 54,
            icon: Icon(
              Icons.favorite,
              color: FlutterFlowTheme.of(context).error,
              size: 40,
            ),
            onPressed: () async {
              context.pushNamed('Likes');
            },
          ),
        ),
      ),
    ],
  ),
  Column(
    mainAxisSize: MainAxisSize.max,
    children: [
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(0, 10, 0, 0),
        child: Container(
          width: 395,
          height: 652,
          decoration: BoxDecoration(
            color: FlutterFlowTheme.of(context)
                .secondaryBackground,
          ),
          child: Padding(
            padding:
                EdgeInsetsDirectional.fromSTEB(0, 5, 0, 0),
            child: Container(
              width: double.infinity,
              height: 34,
              child: CarouselSlider(
                items: [
                  ClipRRect(
                    borderRadius: BorderRadius.circular(8),
                    child: Image.network(
                      'https://picsum.photos/seed/122/600',
                      width: 300,
                      height: 200,
                      fit: BoxFit.cover,
                    ),
                  ),
                  ClipRRect(
                    borderRadius: BorderRadius.circular(8),
                    child: Image.network(
                      'https://picsum.photos/seed/899/600',
                      width: 300,
                      height: 200,
```

```
                    fit: BoxFit.cover,
                  ),
                ),
                ClipRRect(
                  borderRadius: BorderRadius.circular(8),
                  child: Image.network(
                    'https://picsum.photos/seed/853/600',
                    width: 300,
                    height: 200,
                    fit: BoxFit.cover,
                  ),
                ),
                ClipRRect(
                  borderRadius: BorderRadius.circular(8),
                  child: Image.network(
                    'https://picsum.photos/seed/558/600',
                    width: 300,
                    height: 200,
                    fit: BoxFit.fill,
                  ),
                ),
              ],
              carouselController:
                  _model.carouselController ??=
                      CarouselController(),
              options: CarouselOptions(
                initialPage: 1,
                viewportFraction: 0.5,
                disableCenter: true,
                enlargeCenterPage: true,
                enlargeFactor: 0.25,
                enableInfiniteScroll: false,
                scrollDirection: Axis.vertical,
                autoPlay: false,
                onPageChanged: (index, _) =>
                    _model.carouselCurrentIndex = index,
              ),
            ),
          ),
        ),
      ),
    ),
  ],
),
Padding(
  padding: EdgeInsetsDirectional.fromSTEB(0, 0, 0, 10),
  child: Row(
    mainAxisSize: MainAxisSize.max,
    children: [
      FFButtonWidget(
        onPressed: () async {
```

```
        context.pushNamed(
          'Events',
          queryParameters: {
            'title': serializeParam(
              '',
              ParamType.String,
            ),
          }.withoutNulls,
        );
      },
      text: FFLocalizations.of(context).getText(
        'vkt4r6wf' /* Events */,
      ),
      options: FFButtonOptions(
        height: 40,
        padding:
            EdgeInsetsDirectional.fromSTEB(24, 0, 24, 0),
        iconPadding:
            EdgeInsetsDirectional.fromSTEB(0, 0, 0, 0),
        color: FlutterFlowTheme.of(context).primary,
        textStyle: FlutterFlowTheme.of(context)
            .titleSmall
            .override(
              fontFamily: 'Readex Pro',
              color: Colors.white,
              letterSpacing: 0,
            ),
        elevation: 3,
        borderSide: BorderSide(
          color: Colors.transparent,
          width: 1,
        ),
        borderRadius: BorderRadius.circular(8),
      ),
    ),
    Expanded(
      child: Align(
        alignment: AlignmentDirectional(1, 0),
        child: FFButtonWidget(
          onPressed: () async {
            context.pushNamed('ADDER');
          },
          text: FFLocalizations.of(context).getText(
            'gt80mrw6' /* Add Post */,
          ),
          options: FFButtonOptions(
            height: 40,
            padding: EdgeInsetsDirectional.fromSTEB(
                24, 0, 24, 0),
            iconPadding: EdgeInsetsDirectional.fromSTEB(
                0, 0, 0, 0),
```

```
                color: FlutterFlowTheme.of(context).primary,
                textStyle: FlutterFlowTheme.of(context)
                    .titleSmall
                    .override(
                      fontFamily: 'Readex Pro',
                      color: Colors.white,
                      letterSpacing: 0,
                    ),
                elevation: 3,
                borderSide: BorderSide(
                  color: Colors.transparent,
                  width: 1,
                ),
                borderRadius: BorderRadius.circular(8),
              ),
            ),
          ),
        ),
      ],
    ),
  ),
  Padding(
    padding: EdgeInsetsDirectional.fromSTEB(0, 10, 0, 0),
    child: Row(
      mainAxisSize: MainAxisSize.min,
      mainAxisAlignment: MainAxisAlignment.center,
      crossAxisAlignment: CrossAxisAlignment.end,
      children: [
        Column(
          mainAxisSize: MainAxisSize.max,
          children: [
            InkWell(
              splashColor: Colors.transparent,
              focusColor: Colors.transparent,
              hoverColor: Colors.transparent,
              highlightColor: Colors.transparent,
              onTap: () async {
                context.pushNamed('Events');
              },
              child: Icon(
                Icons.event_rounded,
                color: Color(0xFF704195),
                size: 30,
              ),
            ),
            Padding(
              padding:
                  EdgeInsetsDirectional.fromSTEB(10, 0, 2, 0),
              child: Text(
                FFLocalizations.of(context).getText(
                  '7ikj06p7' /*    */,
```

```
        ),
        style: FlutterFlowTheme.of(context)
            .bodyMedium
            .override(
              fontFamily: 'Readex Pro',
              color: Color(0xFF14181B),
              letterSpacing: 0,
            ),
      ),
    ),
  ],
),
InkWell(
  splashColor: Colors.transparent,
  focusColor: Colors.transparent,
  hoverColor: Colors.transparent,
  highlightColor: Colors.transparent,
  onTap: () async {
    context.pushNamed('chats');
  },
  child: Column(
    mainAxisSize: MainAxisSize.max,
    children: [
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(
            38, 0, 0, 0),
        child: FaIcon(
          FontAwesomeIcons.comments,
          color: Color(0xFF704195),
          size: 30,
        ),
      ),
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(
            30, 0, 0, 0),
        child: Text(
          FFLocalizations.of(context).getText(
            'w2v2f4hq' /*    */,
          ),
          style: FlutterFlowTheme.of(context)
              .bodyMedium
              .override(
                fontFamily: 'Readex Pro',
                color: Color(0xFF14181B),
                letterSpacing: 0,
              ),
        ),
      ),
    ],
  ),
),
```

```
InkWell(
  splashColor: Colors.transparent,
  focusColor: Colors.transparent,
  hoverColor: Colors.transparent,
  highlightColor: Colors.transparent,
  onTap: () async {
    context.pushNamed('Communitypage');
  },
  child: Column(
    mainAxisSize: MainAxisSize.max,
    children: [
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(
            38, 0, 0, 0),
        child: Icon(
          Icons.home_outlined,
          color: Color(0xFF704195),
          size: 30,
        ),
      ),
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(
            38, 0, 0, 0),
        child: Text(
          FFLocalizations.of(context).getText(
            '3u4de88v' /*    */,
          ),
          style: FlutterFlowTheme.of(context)
              .bodyMedium
              .override(
                fontFamily: 'Readex Pro',
                color: Color(0xFF14181B),
                letterSpacing: 0,
              ),
        ),
      ),
    ],
  ),
),
InkWell(
  splashColor: Colors.transparent,
  focusColor: Colors.transparent,
  hoverColor: Colors.transparent,
  highlightColor: Colors.transparent,
  onTap: () async {
    context.pushNamed('Likes');
  },
  child: Column(
    mainAxisSize: MainAxisSize.max,
    children: [
      Padding(
```

```
        padding: EdgeInsetsDirectional.fromSTEB(
            38, 0, 0, 0),
        child: Icon(
          Icons.favorite_border,
          color: Color(0xFF704195),
          size: 30,
        ),
      ),
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(
            32, 0, 0, 0),
        child: Text(
          FFLocalizations.of(context).getText(
            'q59kbmkg' /*   */,
          ),
          style: FlutterFlowTheme.of(context)
              .bodyMedium
              .override(
                fontFamily: 'Readex Pro',
                color: Color(0xFF14181B),
                letterSpacing: 0,
              ),
        ),
      ),
    ],
  ),
),
InkWell(
  splashColor: Colors.transparent,
  focusColor: Colors.transparent,
  hoverColor: Colors.transparent,
  highlightColor: Colors.transparent,
  onTap: () async {
    context.pushNamed('profile');
  },
  child: Column(
    mainAxisSize: MainAxisSize.max,
    children: [
      Align(
        alignment: AlignmentDirectional(1, 1),
        child: Padding(
          padding: EdgeInsetsDirectional.fromSTEB(
              38, 0, 0, 0),
          child: Icon(
            Icons.person,
            color: Color(0xFF704195),
            size: 30,
          ),
        ),
      ),
      Padding(
```

```
                        padding: EdgeInsetsDirectional.fromSTEB(
                            20, 0, 0, 0),
                        child: Text(
                          FFLocalizations.of(context).getText(
                            '3zvttne6' /*    */,
                          ),
                          style: FlutterFlowTheme.of(context)
                              .bodyMedium
                              .override(
                                fontFamily: 'Readex Pro',
                                color: Color(0xFF14181B),
                                letterSpacing: 0,
                              ),
                        ),
                      ),
                    ),
                  ],
                ),
              ),
            ),
          ],
        ),
      ),
    ),
  ],
),
),
),
),
));
  }
}
```

```
import '/auth/firebase_auth/auth_util.dart';
import '/backend/backend.dart';
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import 'communitypage_widget.dart' show CommunitypageWidget;
import 'package:carousel_slider/carousel_slider.dart';
import 'package:flutter/material.dart';
import 'package:font_awesome_flutter/font_awesome_flutter.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

class CommunitypageModel extends FlutterFlowModel<CommunitypageWidget> {
  ///  State fields for stateful widgets in this page.

  final unfocusNode = FocusNode();
  // State field(s) for Carousel widget.
  CarouselController? carouselController;
```

```
  int carouselCurrentIndex = 1;

  @override
  void initState(BuildContext context) {}

  @override
  void dispose() {
    unfocusNode.dispose();
  }
}
```

Event

```
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import 'package:flutter/material.dart';
import 'package:flutter/services.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

import 'add_event_model.dart';
export 'add_event_model.dart';

class AddEventWidget extends StatefulWidget {
  const AddEventWidget({super.key});

  @override
  State<AddEventWidget> createState() => _AddEventWidgetState();
}

class _AddEventWidgetState extends State<AddEventWidget> {
  late AddEventModel _model;

  final scaffoldKey = GlobalKey<ScaffoldState>();

  @override
  void initState() {
    super.initState();
    _model = createModel(context, () => AddEventModel());

    _model.eventTitleController ??= TextEditingController();
    _model.eventTitleFocusNode ??= FocusNode();

    _model.locationController ??= TextEditingController();
    _model.locationFocusNode ??= FocusNode();

    _model.startDateController ??= TextEditingController();
    _model.startDateFocusNode ??= FocusNode();
```

```
  _model.descriptionController ??= TextEditingController();
  _model.descriptionFocusNode ??= FocusNode();

  WidgetsBinding.instance.addPostFrameCallback((_) => setState(() {}));
}

@override
void dispose() {
  _model.dispose();

  super.dispose();
}

@override
Widget build(BuildContext context) {
  return Title(
      title: 'AddEvent',
      color: FlutterFlowTheme.of(context).primary.withAlpha(0XFF),
      child: GestureDetector(
        onTap: () => _model.unfocusNode.canRequestFocus
            ? FocusScope.of(context).requestFocus(_model.unfocusNode)
            : FocusScope.of(context).unfocus(),
        child: Scaffold(
          key: scaffoldKey,
          backgroundColor: Color(0xFFF4E7E9),
          body: SafeArea(
            top: true,
            child: Padding(
              padding: EdgeInsetsDirectional.fromSTEB(16, 0, 16, 0),
              child: Column(
                mainAxisSize: MainAxisSize.max,
                mainAxisAlignment: MainAxisAlignment.spaceBetween,
                children: [
                  Column(
                    mainAxisSize: MainAxisSize.max,
                    children: [
                      Padding(
                        padding: EdgeInsetsDirectional.fromSTEB(0, 0, 0, 16),
                        child: Row(
                          mainAxisSize: MainAxisSize.max,
                          mainAxisAlignment: MainAxisAlignment.spaceBetween,
                          children: [
                            Padding(
                              padding:
                                  EdgeInsetsDirectional.fromSTEB(0, 0, 45, 0),
                              child: FlutterFlowIconButton(
                                borderColor: Color(0xFFA278BD),
                                borderRadius: 12,
                                borderWidth: 1,
                                buttonSize: 40,
```

```
            fillColor: FlutterFlowTheme.of(context)
                .primaryBtnText,
            icon: Icon(
              Icons.chevron_left_sharp,
              color: Colors.black,
              size: 24,
            ),
            onPressed: () async {
              context.pushNamed('Events');
            },
          ),
        ),
        Text(
          FFLocalizations.of(context).getText(
            'h7m3m8pu' /* Add Event */,
          ),
          style: FlutterFlowTheme.of(context)
              .headlineLarge
              .override(
                fontFamily: 'Outfit',
                color: Colors.black,
                letterSpacing: 0,
                fontStyle: FontStyle.italic,
                decoration: TextDecoration.underline,
              ),
        ),
        FlutterFlowIconButton(
          borderRadius: 30,
          buttonSize: 60,
          icon: Icon(
            Icons.close_rounded,
            color: Colors.black,
            size: 30,
          ),
          onPressed: () {
            print('IconButton pressed ...');
          },
        ),
      ],
    ),
  ),
  TextFormField(
    controller: _model.eventTitleController,
    focusNode: _model.eventTitleFocusNode,
    autofocus: true,
    obscureText: false,
    decoration: InputDecoration(
      labelText: FFLocalizations.of(context).getText(
        'xhzjsj88' /* Event Title */,
      ),
      hintText: FFLocalizations.of(context).getText(
```

```
    'galfq8dw' /* Enter event title */,
  ),
  hintStyle: FlutterFlowTheme.of(context)
      .labelMedium
      .override(
        fontFamily: 'Readex Pro',
        letterSpacing: 0,
      ),
  enabledBorder: OutlineInputBorder(
    borderSide: BorderSide(
      color: Color(0xFF704195),
      width: 2,
    ),
    borderRadius: BorderRadius.circular(8),
  ),
  focusedBorder: OutlineInputBorder(
    borderSide: BorderSide(
      color: FlutterFlowTheme.of(context).primary,
      width: 2,
    ),
    borderRadius: BorderRadius.circular(8),
  ),
  errorBorder: OutlineInputBorder(
    borderSide: BorderSide(
      color: FlutterFlowTheme.of(context).error,
      width: 2,
    ),
    borderRadius: BorderRadius.circular(8),
  ),
  focusedErrorBorder: OutlineInputBorder(
    borderSide: BorderSide(
      color: FlutterFlowTheme.of(context).error,
      width: 2,
    ),
    borderRadius: BorderRadius.circular(8),
  ),
  filled: true,
  fillColor:
      FlutterFlowTheme.of(context).primaryBtnText,
  contentPadding:
      EdgeInsetsDirectional.fromSTEB(20, 32, 20, 12),
),
style:
    FlutterFlowTheme.of(context).labelLarge.override(
          fontFamily: 'Readex Pro',
          color: Colors.black,
          letterSpacing: 0,
        ),
minLines: null,
validator: _model.eventTitleControllerValidator
    .asValidator(context),
```

```
),
Padding(
  padding: EdgeInsetsDirectional.fromSTEB(0, 16, 0, 0),
  child: TextFormField(
    controller: _model.locationController,
    focusNode: _model.locationFocusNode,
    autofocus: false,
    obscureText: false,
    decoration: InputDecoration(
      labelText: FFLocalizations.of(context).getText(
        'dpj7lc7w' /* Location */,
      ),
      hintText: FFLocalizations.of(context).getText(
        'jd35hyy5' /* Enter event Location */,
      ),
      hintStyle: FlutterFlowTheme.of(context)
          .labelLarge
          .override(
            fontFamily: 'Readex Pro',
            color: FlutterFlowTheme.of(context)
                .secondaryText,
            letterSpacing: 0,
          ),
      enabledBorder: OutlineInputBorder(
        borderSide: BorderSide(
          color: Color(0xFF704195),
          width: 2,
        ),
        borderRadius: BorderRadius.circular(8),
      ),
      focusedBorder: OutlineInputBorder(
        borderSide: BorderSide(
          color: FlutterFlowTheme.of(context).primary,
          width: 2,
        ),
        borderRadius: BorderRadius.circular(8),
      ),
      errorBorder: OutlineInputBorder(
        borderSide: BorderSide(
          color: FlutterFlowTheme.of(context).error,
          width: 2,
        ),
        borderRadius: BorderRadius.circular(8),
      ),
      focusedErrorBorder: OutlineInputBorder(
        borderSide: BorderSide(
          color: FlutterFlowTheme.of(context).error,
          width: 2,
        ),
        borderRadius: BorderRadius.circular(8),
      ),
```

```
        filled: true,
        fillColor:
            FlutterFlowTheme.of(context).primaryBtnText,
        contentPadding:
            EdgeInsetsDirectional.fromSTEB(20, 32, 20, 0),
      ),
      style: FlutterFlowTheme.of(context)
          .labelLarge
          .override(
            fontFamily: 'Readex Pro',
            color: Colors.black,
            letterSpacing: 0,
          ),
      maxLines: 4,
      minLines: null,
      keyboardType: TextInputType.streetAddress,
      validator: _model.locationControllerValidator
          .asValidator(context),
    ),
  ),
  Padding(
    padding: EdgeInsetsDirectional.fromSTEB(0, 16, 0, 0),
    child: TextFormField(
      controller: _model.startDateController,
      focusNode: _model.startDateFocusNode,
      autofocus: false,
      obscureText: false,
      decoration: InputDecoration(
        labelText: FFLocalizations.of(context).getText(
          'slzxbp5n' /*  Date */,
        ),
        hintText: FFLocalizations.of(context).getText(
          'tziklsh4' /* dd/mm/yyyy */,
        ),
        hintStyle: FlutterFlowTheme.of(context)
            .labelLarge
            .override(
              fontFamily: 'Readex Pro',
              color: FlutterFlowTheme.of(context)
                  .secondaryText,
              letterSpacing: 0,
            ),
        enabledBorder: OutlineInputBorder(
          borderSide: BorderSide(
            color: Color(0xFF704195),
            width: 2,
          ),
          borderRadius: BorderRadius.circular(8),
        ),
        focusedBorder: OutlineInputBorder(
          borderSide: BorderSide(
```

```
            color: FlutterFlowTheme.of(context).primary,
            width: 2,
          ),
          borderRadius: BorderRadius.circular(8),
        ),
        errorBorder: OutlineInputBorder(
          borderSide: BorderSide(
            color: FlutterFlowTheme.of(context).error,
            width: 2,
          ),
          borderRadius: BorderRadius.circular(8),
        ),
        focusedErrorBorder: OutlineInputBorder(
          borderSide: BorderSide(
            color: FlutterFlowTheme.of(context).error,
            width: 2,
          ),
          borderRadius: BorderRadius.circular(8),
        ),
        filled: true,
        fillColor:
            FlutterFlowTheme.of(context).primaryBtnText,
        contentPadding: EdgeInsetsDirectional.fromSTEB(
            20, 32, 20, 12),
      ),
      style: FlutterFlowTheme.of(context)
          .labelLarge
          .override(
            fontFamily: 'Readex Pro',
            color: Colors.black,
            letterSpacing: 0,
          ),
      minLines: null,
      keyboardType: TextInputType.datetime,
      validator: _model.startDateControllerValidator
          .asValidator(context),
      inputFormatters: [
        FilteringTextInputFormatter.allow(RegExp('[0-9]'))
      ],
    ),
  ),
  Padding(
    padding: EdgeInsetsDirectional.fromSTEB(0, 16, 0, 0),
    child: TextFormField(
      controller: _model.descriptionController,
      focusNode: _model.descriptionFocusNode,
      autofocus: false,
      obscureText: false,
      decoration: InputDecoration(
        labelText: FFLocalizations.of(context).getText(
          '1u01kgf9' /* Description */,
```

```
    ),
    hintText: FFLocalizations.of(context).getText(
      'mj2dd30f' /* Descrption */,
    ),
    hintStyle: FlutterFlowTheme.of(context)
        .labelMedium
        .override(
          fontFamily: 'Readex Pro',
          letterSpacing: 0,
        ),
    enabledBorder: OutlineInputBorder(
      borderSide: BorderSide(
        color: Color(0xFF704195),
        width: 2,
      ),
      borderRadius: BorderRadius.circular(8),
    ),
    focusedBorder: OutlineInputBorder(
      borderSide: BorderSide(
        color: FlutterFlowTheme.of(context).primary,
        width: 2,
      ),
      borderRadius: BorderRadius.circular(8),
    ),
    errorBorder: OutlineInputBorder(
      borderSide: BorderSide(
        color: FlutterFlowTheme.of(context).error,
        width: 2,
      ),
      borderRadius: BorderRadius.circular(8),
    ),
    focusedErrorBorder: OutlineInputBorder(
      borderSide: BorderSide(
        color: FlutterFlowTheme.of(context).error,
        width: 2,
      ),
      borderRadius: BorderRadius.circular(8),
    ),
    filled: true,
    fillColor:
        FlutterFlowTheme.of(context).primaryBtnText,
    contentPadding: EdgeInsetsDirectional.fromSTEB(
        20, 32, 20, 12),
  ),
  style: FlutterFlowTheme.of(context)
      .labelLarge
      .override(
        fontFamily: 'Readex Pro',
        color: Colors.black,
        letterSpacing: 0,
      ),
```

```
                minLines: null,
                validator: _model.descriptionControllerValidator
                    .asValidator(context),
              ),
            ),
          ],
        ),
        Padding(
          padding: EdgeInsetsDirectional.fromSTEB(0, 24, 0, 16),
          child: FFButtonWidget(
            onPressed: () async {
              context.pushNamed(
                'Events',
                queryParameters: {
                  'title': serializeParam(
                    _model.eventTitleController.text,
                    ParamType.String,
                  ),
                  'des': serializeParam(
                    _model.locationController.text,
                    ParamType.String,
                  ),
                }.withoutNulls,
              );
            },
            text: FFLocalizations.of(context).getText(
              'nnv8hplf' /* Add Event */,
            ),
            options: FFButtonOptions(
              width: double.infinity,
              height: 55,
              padding: EdgeInsetsDirectional.fromSTEB(0, 0, 0, 0),
              iconPadding:
                  EdgeInsetsDirectional.fromSTEB(0, 0, 0, 0),
              color: Color(0xFF9A43D2),
              textStyle:
                  FlutterFlowTheme.of(context).titleMedium.override(
                        fontFamily: 'Readex Pro',
                        color: Colors.white,
                        fontSize: 20,
                        letterSpacing: 0,
                        fontWeight: FontWeight.w500,
                      ),
              elevation: 2,
            ),
          ),
        ),
      ],
    ),
  ),
),
```

```
        ),
      ));
  }
}
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import 'add_event_widget.dart' show AddEventWidget;
import 'package:flutter/material.dart';
import 'package:flutter/services.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

class AddEventModel extends FlutterFlowModel<AddEventWidget> {
  ///  State fields for stateful widgets in this page.

  final unfocusNode = FocusNode();
  // State field(s) for EventTitle widget.
  FocusNode? eventTitleFocusNode;
  TextEditingController? eventTitleController;
  String? Function(BuildContext, String?)? eventTitleControllerValidator;
  // State field(s) for Location widget.
  FocusNode? locationFocusNode;
  TextEditingController? locationController;
  String? Function(BuildContext, String?)? locationControllerValidator;
  // State field(s) for StartDate widget.
  FocusNode? startDateFocusNode;
  TextEditingController? startDateController;
  String? Function(BuildContext, String?)? startDateControllerValidator;
  // State field(s) for Description widget.
  FocusNode? descriptionFocusNode;
  TextEditingController? descriptionController;
  String? Function(BuildContext, String?)? descriptionControllerValidator;

  @override
  void initState(BuildContext context) {}

  @override
  void dispose() {
    unfocusNode.dispose();
    eventTitleFocusNode?.dispose();
    eventTitleController?.dispose();

    locationFocusNode?.dispose();
    locationController?.dispose();

    startDateFocusNode?.dispose();
    startDateController?.dispose();

    descriptionFocusNode?.dispose();
```

```
    descriptionController?.dispose();
  }
}
```

Tutorial

```
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import '/flutter_flow/flutter_flow_youtube_player.dart';
import 'package:aligned_tooltip/aligned_tooltip.dart';
import 'package:flutter/material.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

import 'tutorial_page_model.dart';
export 'tutorial_page_model.dart';

class TutorialPageWidget extends StatefulWidget {
  const TutorialPageWidget({super.key});

  @override
  State<TutorialPageWidget> createState() => _TutorialPageWidgetState();
}

class _TutorialPageWidgetState extends State<TutorialPageWidget> {
  late TutorialPageModel _model;

  final scaffoldKey = GlobalKey<ScaffoldState>();

  @override
  void initState() {
    super.initState();
    _model = createModel(context, () => TutorialPageModel());

    WidgetsBinding.instance.addPostFrameCallback((_) => setState(() {}));
  }

  @override
  void dispose() {
    _model.dispose();

    super.dispose();
  }

  @override
  Widget build(BuildContext context) {
    return YoutubeFullScreenWrapper(
      child: Title(
          title: 'TutorialPage',
          color: FlutterFlowTheme.of(context).primary.withAlpha(0XFF),
```

```
child: GestureDetector(
  onTap: () => _model.unfocusNode.canRequestFocus
      ? FocusScope.of(context).requestFocus(_model.unfocusNode)
      : FocusScope.of(context).unfocus(),
  child: Scaffold(
    key: scaffoldKey,
    backgroundColor: Color(0xFFF4E7E9),
    body: SafeArea(
      top: true,
      child: Column(
        mainAxisSize: MainAxisSize.max,
        children: [
          Padding(
            padding: EdgeInsetsDirectional.fromSTEB(0, 45, 0, 0),
            child: Row(
              mainAxisSize: MainAxisSize.max,
              children: [
                Padding(
                  padding:
                      EdgeInsetsDirectional.fromSTEB(20, 0, 0, 0),
                  child: FlutterFlowIconButton(
                    borderColor: Color(0xFF9A43D2),
                    borderRadius: 12,
                    borderWidth: 1,
                    buttonSize: 40,
                    fillColor:
                        FlutterFlowTheme.of(context).primaryText,
                    icon: Icon(
                      Icons.keyboard_arrow_left_sharp,
                      color: FlutterFlowTheme.of(context)
                          .secondaryBackground,
                      size: 24,
                    ),
                    onPressed: () async {
                      context.pushNamed('Verification');
                    },
                  ),
                ),
                Padding(
                  padding:
                      EdgeInsetsDirectional.fromSTEB(25, 0, 0, 0),
                  child: Text(
                    FFLocalizations.of(context).getText(
                      '1sr75r8q' /* App Tutorial */,
                    ),
                    style: FlutterFlowTheme.of(context)
                        .bodyMedium
                        .override(
                          fontFamily: 'Readex Pro',
                          color: Colors.black,
                          fontSize: 28,
```

```
                    letterSpacing: 0,
                    fontWeight: FontWeight.bold,
                  ),
              ),
            ),
          ],
        ),
      ),
      Padding(
        padding: EdgeInsetsDirectional.fromSTEB(0, 60, 0, 15),
        child: AlignedTooltip(
          content: Padding(
            padding: EdgeInsets.all(4),
            child: Text(
              FFLocalizations.of(context).getText(
                '5wzm11gj' /* Upload the image of your aadha... */,
              ),
              style: FlutterFlowTheme.of(context)
                  .bodyLarge
                  .override(
                    fontFamily: 'Readex Pro',
                    letterSpacing: 0,
                    fontStyle: FontStyle.italic,
                  ),
            )),
          offset: 4,
          preferredDirection: AxisDirection.down,
          borderRadius: BorderRadius.circular(8),
          backgroundColor: Color(0xFFEFE5E6),
          elevation: 4,
          tailBaseWidth: 24,
          tailLength: 12,
          waitDuration: Duration(milliseconds: 100),
          showDuration: Duration(milliseconds: 1500),
          triggerMode: TooltipTriggerMode.tap,
          child: Padding(
            padding: EdgeInsetsDirectional.fromSTEB(0, 0, 0, 50),
            child: FlutterFlowYoutubePlayer(
              url:
'https://www.youtube.com/watch?v=DhbtCIQuGv4&pp=ygUWc2VsZiBkZWZlbnNlIGFuaW
1hdGlvbg%3D%3D',
              autoPlay: false,
              looping: true,
              mute: false,
              showControls: true,
              showFullScreen: true,
              strictRelatedVideos: true,
            ),
          ),
        ),
```

```
        ),
        Padding(
          padding: EdgeInsetsDirectional.fromSTEB(0, 150, 0, 20),
          child: SingleChildScrollView(
            scrollDirection: Axis.horizontal,
            child: Row(
              mainAxisSize: MainAxisSize.max,
              mainAxisAlignment: MainAxisAlignment.center,
              crossAxisAlignment: CrossAxisAlignment.center,
              children: [
                Flexible(
                  child: Align(
                    alignment: AlignmentDirectional(1, 0),
                    child: FFButtonWidget(
                      onPressed: () async {
                        context.pushNamed('TutorialPage2');
                      },
                      text: FFLocalizations.of(context).getText(
                        'wvwdygba' /* Next */,
                      ),
                      options: FFButtonOptions(
                        width: 85,
                        height: 40,
                        padding: EdgeInsets.all(18),
                        iconPadding: EdgeInsetsDirectional.fromSTEB(
                            0, 0, 0, 0),
                        color: Color(0xFF704195),
                        textStyle: FlutterFlowTheme.of(context)
                            .titleSmall
                            .override(
                              fontFamily: 'Readex Pro',
                              color: Colors.white,
                              letterSpacing: 0,
                            ),
                        elevation: 3,
                        borderSide: BorderSide(
                          color: Colors.transparent,
                          width: 1,
                        ),
                        borderRadius: BorderRadius.circular(24),
                      ),
                    ),
                  ),
                ),
              ].divide(SizedBox(width: 100)),
            ),
          ),
        ),
      ],
    ),
  ),
),
```

```
          ),
        )),
    );
  }
}
import '/flutter_flow/flutter_flow_icon_button.dart';
import '/flutter_flow/flutter_flow_theme.dart';
import '/flutter_flow/flutter_flow_util.dart';
import '/flutter_flow/flutter_flow_widgets.dart';
import '/flutter_flow/flutter_flow_youtube_player.dart';
import 'package:aligned_tooltip/aligned_tooltip.dart';
import 'tutorial_page_widget.dart' show TutorialPageWidget;
import 'package:flutter/material.dart';
import 'package:google_fonts/google_fonts.dart';
import 'package:provider/provider.dart';

class TutorialPageModel extends FlutterFlowModel<TutorialPageWidget> {
  ///  State fields for stateful widgets in this page.

  final unfocusNode = FocusNode();

  @override
  void initState(BuildContext context) {}

  @override
  void dispose() {
    unfocusNode.dispose();
  }
}

Rules firestore
rules_version = '2';
service cloud.firestore {
  match /databases/{database}/documents {
    match /user/{document} {
      allow create: if true;
      allow read: if true;
      allow write: if true;
      allow delete: if true;
    }

    match /PastEventsData/{document} {
      allow create: if true;
      allow read: if true;
      allow write: if true;
      allow delete: if false;
    }

    match /chats/{document} {
      allow create: if /databases/$(database)/documents/user/$(request.auth.uid) in
request.resource.data.users;
```

```
      allow read: if /databases/$(database)/documents/user/$(request.auth.uid) in
resource.data.users;
      allow write: if /databases/$(database)/documents/user/$(request.auth.uid) in
resource.data.users;
      allow delete: if false;
    }

    match /chat_messages/{document} {
      allow create: if /databases/$(database)/documents/user/$(request.auth.uid) in
get(request.resource.data.chat).data.users
&& /databases/$(database)/documents/user/$(request.auth.uid) == request.resource.data.user;
      allow read: if /databases/$(database)/documents/user/$(request.auth.uid) in
get(resource.data.chat).data.users;
      allow write: if false;
      allow delete: if false;
    }

    match /graphdata/{document} {
      allow create: if true;
      allow read: if true;
      allow write: if true;
      allow delete: if false;
    }
  }
}
```

Indexes

```
{
  "indexes": [
    {
      "collectionGroup": "chats",
      "queryScope": "COLLECTION",
      "fields": [
        {
          "fieldPath": "users",
          "arrayConfig": "CONTAINS"
        },
        {
          "fieldPath": "last_message_time",
          "order": "DESCENDING"
        }
      ]
    },
    {
      "collectionGroup": "chat_messages",
      "queryScope": "COLLECTION",
      "fields": [
        {
          "fieldPath": "chat",
          "order": "ASCENDING"
        },
```

```
        {
          "fieldPath": "timestamp",
          "order": "DESCENDING"
        }
      ]
    }
  ]
}
```

Appendix B: List of Components

Hardware Components
• Development and testing computers
• Smartphones or devices used for testing

Software Components
• Programming languages: Flutter (Dart)
• Development environment: Flutter SDK
• IDE (IDE): Android Studio
• Libraries and frameworks used within Flutter

UI (UI) Components
• Design tools: Figma
• UI elements, graphics, and icons

Database Components
• Database management system: Firebase Realtime Database or Firestore
• Database schema, collections, and documents

Authentication and Security Components
• Authentication method: Firebase Authentication
• Video & Aadhar card-based authentication
• Security measures implemented like encryption

Testing and Quality Assurance Components
• Testing tools: Flutter's testing framework
• Project Management Tools: The Digital Project Manager used for creating Gantt chart and flow diagrams.