

Nexivarin 10 mg Tablets — eCTD Submission
Module 5 — Clinical Study Reports

Submission Type	NDA — 505(b)(1)	Sequence Number	0000
Submission Date	2021-03-15	Section	5.4
Prepared by	PharmaCorp Inc.	Confidentiality	Proprietary and Confidential

Table of Contents — [5.4](#) Literature References — Module 5

Section	Title	Description
5.4	Literature References — Module 5	Cited literature supporting clinical pharmacology, efficacy, and safety

PharmaCorp Inc.
NDA 123456

Nexivarin 10 mg Tablets

Section 5.4
Literature References — Module 5

Submission Type	NDA — 505(b)(1)
Sequence Number	0000
Submission Date	2021-03-15
Prepared by	PharmaCorp Inc.
Confidentiality	Proprietary and Confidential

5.4 Literature References — Module 5

The following references were cited in Module 5 clinical documents:

Ref #	Citation
[1]	Whelton PK, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults. J Am Coll Cardiol. 2018;71(19):e127–e248.
[2]	Falaschetti E, et al. Hypertension management in England: a serial cross-sectional study from 1994 to 2011. Lancet. 2014;383(9932):1912–9.
[3]	Mancia G, et al. 2018 ESC/ESH Guidelines for the management of arterial hypertension. J Hypertens. 2018;36(10):1953–2041.
[4]	Nissen SE, et al. Effect of antihypertensive agents on cardiovascular events in patients with coronary disease and normal blood pressure. JAMA. 2004;292(18):2217–25.
[5]	ICH Harmonised Guideline. E9(R1): Statistical Principles for Clinical Trials: Addendum on Estimands and Sensitivity Analysis. November 2019.
[6]	ICH Harmonised Guideline. E6(R2): Good Clinical Practice. November 2016.
[7]	FDA Guidance for Industry. Hypertension Indication: Drug Labeling for Cardiovascular Outcome Claims. March 2011.
[8]	Dahlöf B, et al. Cardiovascular morbidity and mortality in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE). Lancet. 2002;359(9311):995–1003.
[9]	ALLHAT Officers and Coordinators. Major outcomes in high-risk hypertensive patients randomized to angiotensin-converting enzyme inhibitor or calcium channel blocker vs diuretic. JAMA. 2002;288(23):2981–97.
[10]	James PA, et al. 2014 Evidence-Based Guideline for the Management of High Blood Pressure in Adults: Report from the Panel Members Appointed to the Eighth Joint National Committee (JNC 8). JAMA. 2014;311(5):507–20.