# Basic Programming


Name: Arjun Mankuskar


PRN:202401110038

Branch: CSE (AIML)


Batch: A2


1.


Difficulty: 238
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
AI Help
C++
Switch to AI Tutor Mode
NEW
Good Turn
Chef and Chefina are playing with dice. In one turn, both of them roll their dice at once.
They consider a turn to be good if the sum of the numbers on their dice is greater than 6.
Given that in a particular turn Chef and Chefina got X and Y on their respective dice, find whether the turn was good.
Input Format
The first line of input will contain a single integer T, denoting the number of test cases.
Each test case contains two space-separated integers X and Y — the numbers Chef and Chefina got on their respective dice.
Output Format
For each test case, output on a new line, YES, if the turn was good and NO otherwise.
Each character of the output may be printed in either uppercase or lowercase. That is, the strings NO, no, nO, and No will be treated as equivalent.
Constraints
1 ≤ T ≤ 100
1 ≤ X, Y ≤ 6
Sample 1:
Input
Output
4
NO
#include <iostream>
using namespace std;
int main() {
int t;
cin>>t;
while(t--){
int x,y;
cin>>x>>y;
if (x+y>6){
cout<<"YES"<<endl;
}
else{
cout<<"NO"<<endl;
}
}
return 0;
}
Test against Custom Input
4
1 4
3 4
4 2
Visualize Code
Run
Submit



Difficulty: 238
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
AI Help
C++
Switch to AI Tutor Mode
NEW
Good Turn
Chef and Chefina are playing with dice. In one turn, both of them roll their dice at once.
They consider a turn to be good if the sum of the numbers on their dice is greater than 6.
Given that in a particular turn Chef and Chefina got X and Y on their respective dice, find whether the turn was good.
Input Format
The first line of input will contain a single integer T, denoting the number of test cases.
Each test case contains two space-separated integers X and Y — the numbers Chef and Chefina got on their respective dice.
Output Format
For each test case, output on a new line, YES, if the turn was good and NO otherwise.
Each character of the output may be printed in either uppercase or lowercase. That is, the strings NO, no, nO, and No will be treated as equivalent.
Constraints
1 ≤ T ≤ 100
1 ≤ X, Y ≤ 6
Sample 1:
Input
Output
4
NO
Test against Custom Input
4
1 4
3 4
4 2
Correct Answer
Submission ID: 1203364426
Sub-Task
Task #
Result (time)
1
0
Correct (0.00)
Subtask Score: 50%
Result - Correct
2
1
Correct (0.00)
Subtask Score: 50%
Result - Correct
Total Score = 100%
Visualize Code
Run
Submit


2.


Statement
Hints
Submissions
Solution
AI Help
Switch to AI Tutor Mode
Saving Taxes
In Chefland, everyone who earns strictly more than $Y$ rupees per year, has to pay a tax to Chef. Chef has allowed a special scheme where you can invest any amount of money and claim exemption for it.
You have earned $X$ ($X > Y$) rupees this year. Find the minimum amount of money you have to invest so that you don't have to pay taxes this year.
Input Format
The first line of input will contain a single integer $T$, denoting the number of test cases.
Each test case consists of a single line of input consisting of two space separated integers $X$ and $Y$ denoting the amount you earned and the amount above which you will have to pay taxes.
Output Format
For each test case, output a single integer, denoting the minimum amount you need to invest.
Constraints
$1 \leq T \leq 100$
$1 \leq Y < X \leq 100$
Sample 1:
Input
Output
4
4 2
8 7
5 1
2 1
2
1
4
1
C++
int main() {
int t;
cin>>t;
while(t--){
int x,y;
cin>>x>>y;
cout<<x-y<<endl;
}
}
Test against Custom Input
4
4 2
8 7
5 1
Correct Answer
Submission ID: 1203364502
Sub-Task
Task #
Result
Visualize Code
Run
Submit


Difficulty: 252
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
AI Help
Switch to AI Tutor Mode
Saving Taxes
In Chefland, everyone who earns strictly more than $Y$ rupees per year, has to pay a tax to Chef. Chef has allowed a special scheme where you can invest any amount of money and claim exemption for it.
You have earned $X$ ($X > Y$) rupees this year. Find the minimum amount of money you have to invest so that you don't have to pay taxes this year.
Input Format
The first line of input will contain a single integer $T$, denoting the number of test cases.
Each test case consists of a single line of input consisting of two space separated integers $X$ and $Y$ denoting the amount you earned and the amount above which you will have to pay taxes.
Output Format
For each test case, output a single integer, denoting the minimum amount you need to invest.
Constraints
$1 \leq T \leq 100$
$1 \leq Y < X \leq 100$
Sample 1:
Input
Output
4
4 2
8 7
5 1
2 1
2
1
4
1
C++
Test against Custom Input
4
4 2
8 7
5 1
Correct Answer
Submission ID: 1203364502
Sub-Task
Task #
Result (time)
1
0
Correct (0.00)
Subtask Score: 33%
Result - Correct
2
1
Correct (0.00)
Subtask Score: 33%
Result - Correct
3
2
Correct (0.00)
Subtask Score: 34%
Result - Correct
Total Score = 100%
Visualize Code
Run
Submit

3.


Difficulty: 263
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
AI Help
C++
Switch to AI Tutor Mode
Burgers
Chef is fond of burgers and decided to make as many burgers as possible.
Chef has $A$ patties and $B$ buns. To make 1 burger, Chef needs 1 patty and 1 bun.
Find the maximum number of burgers that Chef can make.
Input Format
The first line of input will contain an integer $T$ — the number of test cases. The description of $T$ test cases follows.
The first and only line of each test case contains two space-separated integers $A$ and $B$, the number of patties and buns respectively.
Output Format
For each test case, output the maximum number of burgers that Chef can make.
Constraints
$1 \leq T \leq 1000$
$1 \leq A, B \leq 10^5$
Sample 1:
Input
Output
4
2 2
2 3
3 2
23 17
2
2
2
17
#include <bits/stdc++.h>
using namespace std;
int main() {
int t;
cin>>t;
while(t--){
int a,b;
cin>>a>>b;
if (a<b){
cout<<a<<endl;
}
else{
cout<<b<<endl;
}
}
}
Test against Custom Input
4
2 2
2 3
3 2
Visualize Code
Run
Submit


Difficulty: 263
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
AI Help
C++
Switch to AI Tutor Mode
Burgers
Chef is fond of burgers and decided to make as many burgers as possible.
Chef has $A$ patties and $B$ buns. To make 1 burger, Chef needs 1 patty and 1 bun.
Find the maximum number of burgers that Chef can make.
Input Format
The first line of input will contain an integer $T$ — the number of test cases. The description of $T$ test cases follows.
The first and only line of each test case contains two space-separated integers $A$ and $B$, the number of patties and buns respectively.
Output Format
For each test case, output the maximum number of burgers that Chef can make.
Constraints
$1 \leq T \leq 1000$
$1 \leq A, B \leq 10^5$
Sample 1:
Input
Output
4
2 2
2 3
3 2
23 17
2
2
2
17
Test against Custom Input
2 2
2 3
3 2
23 17
Correct Answer
Submission ID: 1203364566
Sub-Task
Task #
Result (time)
1
1
Correct (0.00)
1
2
Correct (0.00)
Subtask Score: 100%
Result - Correct
Total Score = 100%
Visualize Code
Run
Submit