Number System


Name: Arjun Mankuskar


PRN:202401110038

Branch: CSE (AIML)


Batch: A2


1.


Search...
Courses
Tutorials
Practice
Jobs
Problem
Submissions
Comments
Buzz Number
Difficulty: Basic Accuracy: 71.53% Submissions: 390+ Points: 1 Average Time: 5m
A number n is said to be a Buzz Number if it ends with 7 OR is divisible by 7.
The task is to check whether the given number is Buzz number or not. Return true if n is a Buzz Number else return false.Examples:
Input: n = 63
Output: true
Explanation: 63 is divisible by 7, one of the condition is satisfied.
Input: n = 72
Output: false
Explanation: 72 % 7 != 0, 72 is neither divisible by 7 nor it ends with 7 so it is not a Buzz Number.
Constraints :
0 <= n <= 10^9
Try more examples
Expected Complexities
Report An Issue
If you are facing any issue on this page. Please let us know.
C++ (17)
Start Timer
#include <bits/stdc++.h>
using namespace std;
class Solution {
public:
bool isBuzz(long long n) {
if (n % 10 == 7) return true;
if (n % 7 == 0) return true;
return false;
}
};
Custom Input
Compile & Run
Submit



Search...
Courses
Tutorials
Practice
Jobs
Problem
Submissions
Comments
Output Window
Compilation Results
Custom Input
Y.O.G.I. (AI Bot)
Problem Solved Successfully
Suggest Feedback
Test Cases Passed
1120 / 1120
Attempts : Correct / Total
1 / 3
Accuracy : 33%
Points Scored
1 / 1
Your Total Score: 14
Time Taken
0.01
Stay Ahead With:
Build 21 Projects in 21 Days
Build real-world ML, Deep Learning & Gen AI projects
Register Now
Kick start your career with GfG 160!
C++ (17)
Start Timer
#include <bits/stdc++.h>
using namespace std;
class Solution {
public:
bool isBuzz(long long n) {
if (n % 10 == 7) return true;
if (n % 7 == 0) return true;
return false;
}
};
Custom Input
Compile & Run
Submit


2.


Search...
Courses
Tutorials
Practice
Jobs
Problem
Editorial
Submissions
Comments
Factorial
Difficulty: Basic
Accuracy: 40.58%
Submissions: 208K+
Points: 1
Given a positive integer, n. Find the factorial of n.
Examples :
Input: n = 5
Output: 120
Explanation: 1 x 2 x 3 x 4 x 5 = 120
Input: n = 4
Output: 24
Explanation: 1 x 2 x 3 x 4 = 24
Constraints:
0 ≤ n ≤ 12
Try more examples
Expected Complexities
Company Tags
Morgan Stanley
Samsung
FactSet
MAQ Software
Wipro
Topic Tags
Related Articles
Report An Issue
If you are facing any issue on this page. Please let us know.
C++ (17)
Start Timer
class Solution {
public:
int factorial(int n) {
if (n == 0 || n == 1)
return 1;
return n * factorial(n - 1);
}
};
Custom Input
Compile & Run
Submit


Search...
Courses
Tutorials
Practice
Jobs
Problem
Editorial
Submissions
Comments
Output Window
Compilation Results
Custom Input
Y.O.G.I. (AI Bot)
Problem Solved Successfully
Suggest Feedback
Test Cases Passed
1130 / 1130
Attempts : Correct / Total
1 / 2
Accuracy : 50%
Points Scored
1 / 1
Your Total Score: 15
Time Taken
0.01
Solve Next
Count digits in a factorial
Factorial Number
Find the nth number in the sequence
Stay Ahead With:
Build 21 Projects in 21 Days
Build real-world ML, Deep Learning & Gen AI projects
Register Now
Kick start your career with GfG 160!
C++ (17)
Start Timer
class Solution {
public:
int factorial(int n) {
if (n == 0 || n == 1)
return 1;
return n * factorial(n - 1);
}
};
Custom Input
Compile & Run
Submit

3.


Description | Accepted | Editorial | Solutions | Submissions
3099. Harshad Number
Solved
Easy
Topics
Companies
Hint
An integer divisible by the sum of its digits is said to be a Harshad number. You are given an integer x. Return the sum of the digits of x if x is a Harshad number, otherwise, return -1.
Example 1:
Input: x = 18
Output: 9
Explanation:
The sum of digits of x is 9. 18 is divisible by 9. So 18 is a Harshad number and the answer is 9.
Example 2:
Input: x = 23
Output: -1
Explanation:
The sum of digits of x is 5. 23 is not divisible by 5. So 23 is not a Harshad number and the answer is -1.
Constraints:
189
18
1 Online
Code
C++
Auto
class Solution {
public:
int sumOfTheDigitsOfHarshadNumber(int x) {
int orig = x;
int s = 0;
while (x > 0) {
s += x % 10;
x /= 10;
}
if (s == 0) return -1;
return (orig % s == 0) ? s : -1;
}
};
Saved
Ln 13, Col 3
Testcase
Test Result


Problem List
Submit
Premium
Description | Accepted | Editorial | Solutions | Submissions
All Submissions
Accepted
100 / 100 testcases passed
Time taken: 3 m 55 s
YwhZxe63oQ submitted at Nov 01, 2025 00:55
Solution
Runtime
0 ms | Beats 100.00%
Analyze Complexity
Memory
7.82 MB | Beats 52.20%
150%
100%
50%
0%
1ms
2ms
Code | C++
class Solution {
public:
int sumOfTheDigitsOfHarshadNumber(int x) {
int orig = x;
int s = 0;
while (x > 0) {
s += x % 10;
x /= 10;
Code
C++
Auto
Saved
Ln 13, Col 3
Testcase
Test Result