Arjun Tech AI Pvt. Ltd.

Employee IT Support Policy

Document ID: ATAI-IT-POL-001

Document Title	Employee IT Support Policy
Document ID	ATAI-IT-POL-001
Company	Arjun Tech AI Pvt. Ltd., Bahadurpally, Hyderabad, Telangana, India
Version	1.0
Publication Date	7 November 2026
Review Date	7 November 2027
Classification	Internal Use Only
Document Owner	IT Support Manager (IT Support department)
Approval Authority	Head of IT and Security
Applies To	All employees, interns and contract staff of Arjun Tech AI Pvt. Ltd. who use company IT services
Related Documents	ATAI-SEC-POL-002 Password and Access Management Policy; ATAI-IT-SOP-003 Laptop and IT Asset Replacement Procedure; ATAI-HR-IT-SOP-004 Employee Onboarding and IT Access Provisioning SOP; ATAI-SEC-POL-005 IT Incident Management and Security Incident Response Policy

Fictional-company notice: Arjun Tech AI Pvt. Ltd. is a fictional company created for a software portfolio project. This document describes fictional internal rules based on common enterprise practice. It is not a legal or regulatory requirement and must not be relied on as legal advice. All identifiers, ticket numbers, asset IDs and targets are fictional examples.

Revision History

Version	Date	Author (Role)	Change Description
1.0	7 November 2026	IT Support Manager	Initial release for the Arjun Tech AI knowledge base.

1. Purpose and Scope

1.1 Purpose

This policy defines how employees of Arjun Tech AI Pvt. Ltd. (the Company) request technical assistance and how they interact with the IT Support team. It explains how to raise a ticket, how priorities are assigned, what response and resolution targets apply, how tickets move through their lifecycle, and how problems are escalated.

1.2 Scope

This policy applies to every employee, intern and contract worker who uses Company-provided IT equipment, accounts, applications or networks at the Bahadurpally, Hyderabad office or while working remotely. It covers requests for help (incidents) and requests for something new (service requests) that are raised with the IT Support team.

1.3 Out of Scope

- Personal devices, personal email accounts and personal internet connections, except where the employee uses them to reach Company systems through the VPN (Virtual Private Network). IT Support will only troubleshoot the Company side of such connections.
- Facilities issues such as power, air conditioning and furniture, which are handled by Operations and Administration.
- Payroll, leave and HR queries, which are handled by HR.

- Detailed security incident handling, which is defined in ATAI-SEC-POL-005. Employees still report security events using the process in this policy.

1.4 Definitions

Term	Meaning
ATAI ServiceDesk Portal	The Company's ticketing tool where all IT tickets are recorded. Called "ServiceDesk Portal" in all five documents. (Fictional tool for this project.)
Ticket	A record in the ServiceDesk Portal for an Incident or a Service Request.
Incident	An unplanned interruption to an IT service or a reduction in its quality, for example a laptop that will not start or a VPN that will not connect.
Service Request	A formal request for something that is not a fault, for example new software, an access request or a new keyboard.
Impact	How many people or how much business activity is affected by the issue.
Urgency	How quickly the issue must be fixed, based on whether work is blocked and whether a workaround exists.
Priority	The ranking given to a ticket (Critical / P1, High / P2, Medium / P3, Low / P4), derived from Impact and Urgency.
Response Target	The time within which a person in IT Support makes first human contact on the ticket. Automatic acknowledgement does not count.
Resolution Target	The time within which IT Support aims to restore service or complete the request.
Business Hours	9:00 AM to 6:00 PM India Standard Time (IST), Monday to Friday, excluding Company holidays.
Escalation Level	The tier of IT staff handling a ticket: Level 1 (IT Support Engineer), Level 2 (IT Administrator), Level 3 (IT Support Manager or Information Security Lead), Level 4 (Head of IT and Security).
MFA	Multi-factor authentication: signing in with a password plus a second proof such as an authenticator app code.
SSO	Single sign-on: one Company login used for many applications.

1.5 Fictional Service Targets

All response times, resolution times and other service targets in this document are fictional internal service targets used for this project. They describe what IT Support aims to achieve. They are not guarantees, contractual commitments or legal obligations.

2. IT Support Team Responsibilities

2.1 Role Summary

Role	Responsibilities under this policy
IT Support Engineer (Escalation Level 1)	First point of contact. Acknowledges tickets, confirms category and priority, performs initial troubleshooting, resolves common issues, updates the ticket and escalates when the issue is beyond Level 1 or a target is at risk.
IT Administrator (Escalation Level 2)	Handles issues needing system administration rights: account and directory changes, VPN and network configuration, software deployment, access provisioning, server and application faults. Resolves or escalates to Level 3.
IT Support Manager (Escalation Level 3)	Owns this policy and the support process. Reviews P1 and P2 tickets, manages target breaches, assigns resources, approves exceptions and reports monthly service performance to the Head of IT and Security.
Information Security Lead (Escalation Level 3 for security tickets)	Takes ownership of any ticket categorised as Security, as described in ATAI-SEC-POL-005.
Head of IT and Security (Escalation Level 4)	Final escalation point for P1 tickets, repeated target breaches and decisions that affect the whole Company. Approves this policy.
IT Asset Coordinator	Maintains the IT asset register and handles asset requests, as described in ATAI-IT-SOP-003.

2.2 General IT Support Duties

- Provide support through the ServiceDesk Portal, the IT Support mailbox, the IT Support helpline and the walk-up IT Support desk at the Bahadurpally office. The mailbox address and helpline extension are published on the Company intranet IT Support page.
- Create a ticket for every request, even if it was received by phone or in person, so that the work can be tracked and audited.
- Verify the identity of the requester before making any account, password or access change, following ATAI-SEC-POL-002.
- Keep the ticket updated with the actions taken, the current status and the next update time.
- Communicate in clear, non-technical language and never ask an employee to reveal a password or an MFA code.
- Maintain the IT knowledge base so that common fixes are documented.

3. Employee Responsibilities

3.1 What Employees Must Do

- Report every IT problem or request through the ServiceDesk Portal as soon as it is noticed. The preferred method is the portal. Telephone and walk-up requests are accepted, and IT Support will create the ticket.
- Provide complete and accurate information (see section 5.3), including the Company asset ID of the affected device.
- Choose a suggested priority honestly. Do not mark tickets as P1 or P2 to gain faster service.
- Respond to IT Support questions within one Business Day. Tickets waiting for employee input may be set aside and eventually closed (see section 8).
- Keep the device available for troubleshooting at agreed times and allow approved remote support tools to be used during the session.
- Never share passwords, MFA codes or recovery codes with anyone, including IT Support.
- Report suspected security events (phishing emails, lost devices, strange login alerts) immediately, as described in section 9.4 and in ATAI-SEC-POL-005.
- Do not install unapproved software, change security settings or attempt to repair Company hardware personally.

3.2 Additional Responsibilities of Department Managers

Department Managers must approve or reject requests that need their approval (for example software access and asset replacement) within two Business Days. They must also tell IT Support when a team member joins, moves or leaves, as described in ATAI-HR-IT-SOP-004.

4. Supported IT Services

4.1 Laptop and Desktop Support

IT Support troubleshoots Company laptops and desktops that carry an asset ID such as ATAI-LAP-00125 (fictional example). Support includes start-up failures, slow performance, battery and charger problems, screen and keyboard faults, disk space, device encryption status and device enrolment in the Company device management tool. Hardware repair and replacement follow ATAI-IT-SOP-003.

4.2 Operating System Issues

IT Support supports the Company-approved operating system versions. Support includes operating system updates, blue-screen or crash errors, profile corruption, driver problems and re-imaging a device to the standard Company image. Employees must not install an unapproved operating system. Re-imaging is performed only after the employee confirms that important files are saved to the approved Company cloud storage, because local data may be erased.

4.3 Network and Wi-Fi Connectivity

IT Support supports the Company Wi-Fi networks and wired network at the Bahadurpally office, including connection failures, slow speeds and certificate or authentication errors. For home internet problems, IT Support will confirm that the problem is outside the Company network and advise the employee to contact the internet provider.

4.4 VPN Connectivity

IT Support supports the Company VPN client for remote work, including installation, profile updates, connection errors and MFA prompts during VPN login. If the VPN fails for many employees at once, the ticket is treated as a likely P1 or P2 and handled under ATAI-SEC-POL-005.

4.5 Email and Collaboration Tools

Supported services include Company email, calendar, chat, video meetings, shared drives and the intranet. Support covers mailbox access, mailbox size, distribution lists, calendar problems, meeting audio and video problems and file-sharing permissions. Changes to shared-drive permissions are access requests and follow ATAI-SEC-POL-002.

4.6 Software Installation and Access

Employees may request software from the approved software catalogue. IT Support installs approved software or grants access to approved applications. Software that is not in the catalogue needs a software review by the IT Administrator and approval by the Department Manager and the IT Support Manager. Access to applications and data follows the Software Access Request procedure in ATAI-SEC-POL-002.

4.7 Printer and Peripheral Issues

IT Support supports Company printers and scanners at the Bahadurpally office, and Company-issued monitors, keyboards, mice, headsets and docking stations. Faulty peripherals are replaced under ATAI-IT-SOP-003.

4.8 Account and Authentication Issues

IT Support handles forgotten passwords, locked accounts, MFA enrolment and MFA device changes, and SSO sign-in errors. All such requests follow the identity verification steps in ATAI-SEC-POL-002. IT Support will never reset a password without verifying identity.

5. Ticket Creation Procedure

5.1 Channels for Reporting an Issue

Channel	When to use it	Notes
ServiceDesk Portal (preferred)	All issues and requests	Available at all times. Creates the ticket directly and gives a ticket number.
IT Support mailbox	When the portal is not reachable	The IT Support Engineer creates the ticket and replies with the ticket number.
IT Support helpline	Any P1 issue and any urgent issue where work is completely blocked	For P1 issues the employee must call even if a portal ticket exists. The helpline is monitored by on-call staff for P1 issues outside Business Hours.
Walk-up IT Support desk, Bahadurpally office	Hardware faults, asset collection, in-person identity verification	Open during Business Hours. The IT Support Engineer creates the ticket.

5.2 Step-by-Step Procedure

1) The employee opens the ServiceDesk Portal and signs in with the Company SSO account. If sign-in is not possible, the employee uses the mailbox, helpline or walk-up desk.
2) The employee selects the ticket type: Incident (something is broken) or Service Request (something new is needed).
3) The employee selects the category and subcategory (section 5.4).
4) The employee enters a short title and a description with the required information (section 5.3).

5) The employee selects the suggested impact and urgency. The portal shows the suggested priority.
6) The employee submits the ticket. The portal sends an automatic acknowledgement with the ticket number.
7) An IT Support Engineer reviews the ticket, confirms or corrects the category and priority and makes first contact within the Response Target.

5.3 Required Information in Every Ticket

- Full name, employee ID (fictional format example: ATAI-EMP-00342), department and work location (Bahadurpally office or remote).
- Asset ID of the affected device, if any (for example ATAI-LAP-00125).
- A clear description: what the employee was trying to do, what happened and what error message was shown (copy the exact text or attach a screenshot).
- When the problem started and whether it ever worked before.
- Whether anyone else is affected (for example "the whole AI/ML team cannot reach the model training environment").
- What the employee has already tried.
- Best contact method and times when the employee is available.
- For service requests: business reason, name of the Department Manager and the required-by date.

Do not write passwords, MFA codes, recovery codes or customer data in a ticket.

5.4 Ticket Categories and Subcategories

Category	Subcategories	Typical examples
Hardware	Laptop or desktop; Monitor; Keyboard or mouse; Headset; Docking station; Printer or scanner; Other peripheral	Laptop does not power on; monitor flickers
Software	Operating system; Application error; Software installation; Software licence; Email and collaboration client	Application crashes; request to install an approved tool
Network	Wi-Fi; Wired network; VPN; Internet access	Wi-Fi keeps disconnecting; VPN error 'authentication failed'
Account and Authentication	Password reset; Account locked; MFA enrolment or device change; Sign-in failure	Forgot password; account locked after failed attempts
Application Availability	Internal application unavailable; Slow application; Scheduled maintenance query	Code repository platform not reachable for the whole team
Security	Phishing email; Suspected malware; Lost or stolen device; Suspicious login; Accidental data exposure	Employee clicked a suspicious link
Data Access	Shared drive permission; Application data access; Data restore request	Cannot open a department shared folder
Service Request	New software; Access request; New asset; Onboarding or offboarding; Other	Request access to a development tool; request for a new mouse

Email and collaboration faults are logged under Software (single-user problems) or Application Availability (service-wide problems). The same eight categories are used in ATAI-SEC-POL-005.

5.5 Selecting a Priority

The employee selects an impact and an urgency using the definitions in sections 6.2 and 6.3. The IT Support Engineer is responsible for confirming the final priority. If the Engineer changes the priority, the reason is written in the ticket. The employee can ask the IT Support Manager to review a priority decision.

5.6 Expected Acknowledgement

- Automatic acknowledgement: immediately after submission, with the ticket number.
- First human response (Response Target): see section 7. The response confirms that the ticket has been reviewed, states the confirmed priority and the next step.
- Tickets raised outside Business Hours are acknowledged automatically. P1 tickets are also routed to the on-call IT Administrator. Other tickets are reviewed at the start of the next Business Day.

6. Ticket Priority Classification

6.1 Priority Levels

Priority	Name	Definition	Example
P1	Critical	A Company-wide or business-critical service is unavailable, or there is a confirmed or highly likely major security impact, and no workaround exists.	Company email is down for all employees; VPN failure blocking all remote staff; ransomware suspected on multiple devices
P2	High	A major service is unavailable or seriously degraded for a team or department, or one employee with a critical business task is completely blocked with no workaround.	AI/ML team cannot reach the model training environment; Finance cannot open the accounting system on month-end day
P3	Medium	One employee or a small group has a problem but a workaround exists, or the service is degraded without blocking work.	Laptop is very slow but usable; printer not working but another printer is available
P4	Low	A minor issue, a cosmetic fault, a question or a routine request with no effect on work.	Request for a second monitor; request for a how-to guide; wallpaper or setting query

6.2 Impact Definitions

- **High impact:** the whole Company, an entire department, or a critical business service such as email, VPN, the code repository platform or the model training environment is affected. Any confirmed security compromise is also treated as high impact.
- **Medium impact:** a team, a project group or several users in one department are affected.
- **Low impact:** one employee is affected.

6.3 Urgency Definitions

- **High urgency:** work is completely stopped, no workaround exists, and a deadline or business commitment is at risk within hours.
- **Medium urgency:** work is slowed or partly blocked, a workaround exists, or the deadline is within a few days.
- **Low urgency:** the issue is minor and can wait without affecting work.

6.4 Priority Matrix

Impact	Urgency	Priority	Response Target	Resolution Target
High	High	P1 Critical	15 minutes	4 hours
High	Medium	P2 High	30 minutes	1 Business Day (8 Business Hours)
High	Low	P3 Medium	4 Business Hours	3 Business Days
Medium	High	P2 High	30 minutes	1 Business Day (8 Business Hours)
Medium	Medium	P3 Medium	4 Business Hours	3 Business Days
Medium	Low	P4 Low	1 Business Day	5 Business Days
Low	High	P3 Medium	4 Business Hours	3 Business Days
Low	Medium	P4 Low	1 Business Day	5 Business Days
Low	Low	P4 Low	1 Business Day	5 Business Days

All targets in this table are fictional internal service targets, not guarantees. P1 times are clock hours and run 24 hours a day. P2, P3 and P4 times run in Business Hours.

6.5 Priority Override Rules

- A ticket for an individual employee who is completely blocked from a critical task (for example a developer with a release deadline today) may be raised from Low impact to P2 by the IT Support Manager.
- Any ticket in the Security category is reviewed by the Information Security Lead, who may raise its priority. The minimum priority for specific security events is defined in ATAI-SEC-POL-005.
- A lost or stolen Company laptop is at least P2.
- Hardware replacement requests that are not faults, and all routine Service Requests, are P4 unless the Department Manager gives a business reason for a higher priority and the IT Support Manager agrees.

- Priority can be lowered when a workaround is found, and raised when new facts show greater impact. Every change is recorded with a reason.

7. Response and Resolution Targets

7.1 Target Table

Priority	First Response	Resolution	Update Frequency	Support Window
P1 Critical	15 minutes	4 hours	Every 30 minutes	24 hours a day, 7 days a week, through the on-call IT Administrator
P2 High	30 minutes	1 Business Day (8 Business Hours)	Every 2 Business Hours	Business Hours. After hours only if the IT Support Manager approves
P3 Medium	4 Business Hours	3 Business Days	Daily	Business Hours
P4 Low	1 Business Day	5 Business Days	Every 2 Business Days or on any status change	Business Hours

These are fictional internal service targets. They are targets for planning and measuring the IT Support team. They are not guarantees and they do not create legal or contractual obligations.

7.2 How Targets Are Measured

- The clock starts when the ticket is created in the ServiceDesk Portal (or when IT Support creates it for a call, mail or walk-up request).
- The clock pauses while the ticket status note says "Waiting for Employee" or "Waiting for Vendor" with a reason. It resumes when the employee or vendor responds.
- Resolution time is measured until the ticket is set to Resolved.
- Service Requests that need approvals (access, assets) start the Resolution clock when the approvals are complete. Approval waiting time is tracked separately.
- The IT Support Manager reports target achievement monthly. A single breach does not by itself signal a policy violation.

7.3 Service Request Fulfilment Targets

Service Requests are normally P4. These fictional targets apply after approval is complete.

Service Request	Fulfilment Target
Install approved software from the catalogue	2 Business Days
Departmental access request (Class B in ATAI-SEC-POL-002)	2 Business Days
Sensitive-access request (Class C)	3 Business Days
Privileged access request (Class D), after all approvals	2 Business Days
Replacement peripheral in stock (keyboard, mouse, headset)	2 Business Days
Replacement laptop in stock	3 Business Days
New joiner IT readiness	Complete 1 Business Day before the date of joining, as defined in ATAI-HR-IT-SOP-004

8. Ticket Lifecycle

8.1 Statuses

The ServiceDesk Portal uses four statuses. Terminology is identical in all five documents.

Status	Meaning	Who sets it	Exit condition
Open	The ticket has been created and is waiting for review or assignment.	System, when created	IT Support Engineer reviews it and begins work, or assigns it

Status	Meaning	Who sets it	Exit condition
In Progress	The ticket is being worked on by an IT Support Engineer, IT Administrator or other assigned role. Waiting periods are shown as notes (Waiting for Employee, Waiting for Approval, Waiting for Vendor).	IT Support Engineer or IT Administrator	A fix or fulfilment is completed and communicated
Resolved	IT Support believes the issue is fixed or the request is fulfilled. The resolution notes and cause are recorded. The employee is asked to confirm.	IT Support Engineer or IT Administrator	The employee confirms, or 3 Business Days pass with no reply
Closed	The ticket is complete. No more work is done on it.	IT Support Engineer, or automatically	Final status. A reopen request may be made within 5 Business Days (section 11)

8.2 Lifecycle Rules

- A ticket cannot move to Resolved without written resolution notes that state what was done.
- When a ticket is Resolved, the employee receives a notification. If the employee confirms the fix, the ticket is Closed. If there is no reply within 3 Business Days, the ticket is Closed automatically.
- If IT Support needs information, the ticket stays In Progress with the note "Waiting for Employee". After two reminders over 3 Business Days with no reply, IT Support sets the ticket to Resolved with the note "No response from employee", and it is closed after a further 3 Business Days.
- P1 and P2 tickets cannot be closed until the IT Support Manager has reviewed the resolution.
- Security tickets cannot be closed until the Information Security Lead has confirmed closure, as described in ATAI-SEC-POL-005.

9. Ticket Assignment and Escalation Process

9.1 Assignment

1) The ServiceDesk Portal places the ticket in the IT Support queue.
2) An IT Support Engineer reviews the ticket and takes ownership. The owner's name appears on the ticket.
3) If the issue needs rights or tools that Level 1 does not have, the ticket is assigned to the IT Administrator group.
4) Security tickets are assigned to the Information Security Lead (or a deputy). Asset tickets are assigned to the IT Asset Coordinator.
5) The ticket owner stays responsible for communication with the employee even if technical work is done by someone else.

9.2 Escalation Levels

Level	Role	Handles
Level 1	IT Support Engineer	First contact, common fixes, guided troubleshooting
Level 2	IT Administrator	Admin tasks, accounts, VPN and network configuration, software deployment, server and application issues
Level 3	IT Support Manager (and Information Security Lead for Security tickets)	Target breaches, P1 and P2 coordination, resourcing, exceptions
Level 4	Head of IT and Security	P1 oversight, repeated breaches, Company-wide decisions, vendor and executive communication

9.3 Escalation Triggers

Functional escalation moves a ticket to a higher level because more skill or access is needed. Hierarchical escalation informs management because a target is at risk or has been missed.

Situation	Escalate to	When
Level 1 cannot resolve the issue with standard steps	Level 2	After initial troubleshooting, usually within 30 minutes for P1 and P2 or 2 Business Hours for P3

Situation	Escalate to	When
P1 ticket created	Level 2 immediately; Level 3 notified immediately	At creation
P1 not resolved or not under control	Level 4	After 60 minutes
P2 ticket reaches 75 percent of its Resolution Target without a fix	Level 3	At the 75 percent point
P2 ticket exceeds its Resolution Target	Level 4 informed	When the target is missed
P3 or P4 ticket exceeds its Resolution Target	Level 3	Next Business Day
Employee is unhappy with progress or priority	Level 3	On request
Ticket has a security element	Information Security Lead	Immediately
Required vendor or third party is not responding	Level 3	After 1 Business Day for P1 and P2, 3 Business Days for P3 and P4

9.4 Security Events Raised as Tickets

If an employee suspects phishing, malware, a lost device, a suspicious login or accidental data exposure, the employee must report it immediately by helpline (P1 or P2 indicators) or through the ServiceDesk Portal under the Security category. Lost or stolen Company devices must be reported within 1 hour of discovery. IT Support Engineers must hand all Security tickets to the Information Security Lead and follow ATAI-SEC-POL-005.

10. Employee and IT Support Communication Rules

- All communication about a ticket is recorded in the ticket, even if some discussion happens by phone or chat. The IT Support Engineer writes a short summary of any verbal conversation into the ticket.
- IT Support will contact the employee only through Company email, the ServiceDesk Portal, the Company chat tool or the Company helpline. If an employee gets a request from an unknown channel claiming to be IT Support, the employee must not respond and must report it as a Security ticket.
- IT Support will never ask for a password, an MFA code or a recovery code.
- Employees must not ask IT Support for access or password changes through chat messages or informal requests. They must create a ticket.
- Remote support sessions are started only with the employee's permission and are ended when the work is finished. The IT Support Engineer tells the employee what is being done.
- The employee is told when the ticket is accepted, when the priority changes, when the plan changes, and when the ticket is resolved.
- Messages use respectful professional language. Abusive language toward IT Support or employees can be reported to the IT Support Manager and, when needed, to the HR Manager.
- Notifications of planned downtime are sent by Company email at least 2 Business Days before the maintenance, except for urgent security patches.

11. Ticket Reopening Procedure

11.1 When a Ticket Can Be Reopened

An employee may ask for a Resolved or Closed ticket to be reopened if the same problem returns or the fix did not work. The request must be made within 5 Business Days of the Resolved date.

11.2 Steps

1) The employee selects "Reopen" in the ServiceDesk Portal, or contacts IT Support and gives the ticket number.
2) The employee explains why the issue is not resolved, with new error messages or screenshots.
3) The ticket returns to Open status, keeping its original number and history, and keeps its original priority.
4) The IT Support Engineer reviews it within the Response Target for its priority and informs the IT Support Manager if this is the second reopen.

5) If the issue returns after 5 Business Days, or is a different issue, the employee creates a new ticket. IT Support links the new ticket to the old one.

11.3 Repeat Reopens

A ticket reopened twice is escalated to Level 2 or Level 3 for a root-cause review. The IT Support Manager records the review outcome in the ticket.

12. Examples of Common Support Requests

All names, IDs and numbers below are fictional examples.

Employee request	Ticket type and category	Suggested priority	Next action
"My laptop ATAI-LAP-00125 will not start after an update."	Incident, Hardware (Laptop) or Software (Operating system)	P3, or P2 if the employee has a critical deadline today	IT Support Engineer troubleshoots; if hardware failure is confirmed, follow ATAI-IT-SOP-003
"Wi-Fi in the AI/ML area has been dropping for the whole team."	Incident, Network (Wi-Fi)	P2 (medium or high impact, medium urgency)	Level 1 checks; Level 2 inspects network; update every 2 Business Hours
"The VPN says authentication failed since this morning."	Incident, Network (VPN)	P3 for one user; P2 or P1 if many users	Level 1 checks account status and MFA; if many users, escalate to Level 2 and Level 3
"I forgot my password."	Incident, Account and Authentication (Password reset)	P3	Self-service reset with MFA; otherwise follow the reset procedure in ATAI-SEC-POL-002
"Please install a design tool from the software catalogue."	Service Request, Software installation	P4	IT Support Engineer installs within the fulfilment target
"I need access to the code repository for the new project."	Service Request, Access request	P4	Department Manager approval; IT Administrator provisions per ATAI-SEC-POL-002
"My headset microphone is not working."	Incident, Hardware (Headset)	P4, or P3 if used for client calls	IT Support Engineer tests; replacement under ATAI-IT-SOP-003
"I clicked a link in an email asking me to log in to my account."	Incident, Security (Phishing email)	P2 or P3 per ATAI-SEC-POL-005	Report immediately by helpline; Information Security Lead takes the ticket
"I lost my Company laptop on the way home."	Incident, Security (Lost or stolen device)	P2 minimum	Report within 1 hour; Information Security Lead and IT Asset Coordinator act per ATAI-SEC-POL-005 and ATAI-IT-SOP-003

13. Frequently Asked Questions

Q: How do I report an IT problem?

A: Open the ServiceDesk Portal, choose Incident for something that is broken or Service Request for something new, select the category, describe the problem with the required information and submit. If you cannot sign in, use the IT Support mailbox, the IT Support helpline or the walk-up desk at the Bahadurpally office. The addresses and extension are on the intranet IT Support page.

Q: What priority should I choose for my ticket?

A: Choose the impact and urgency that describe your situation honestly. One person affected with a workaround is normally P3 or P4. A team blocked is normally P2. Company-wide outage is P1. The IT Support Engineer confirms the final priority.

Q: How quickly will IT Support respond?

A: The fictional internal Response Targets are 15 minutes for P1, 30 minutes for P2, 4 Business Hours for P3 and 1 Business Day for P4. You get an automatic acknowledgement immediately. These are targets, not guarantees.

Q: What are Business Hours?

A: 9:00 AM to 6:00 PM IST, Monday to Friday, excluding Company holidays. P1 issues are supported 24 hours a day through the on-call IT Administrator.

Q: What should I do if my issue is urgent and nobody has replied?

A: For a P1 or P2 situation, call the IT Support helpline and quote the ticket number. If you have no answer within the Response Target, ask the Engineer to escalate to the IT Support Manager (Level 3).

Q: My ticket says Resolved but the problem is still there. What now?

A: Reopen the ticket in the ServiceDesk Portal within 5 Business Days of the Resolved date and describe what is still wrong. The ticket keeps its number and priority. After 5 Business Days, create a new ticket and mention the old number.

Q: Can I ask IT Support to reset my password by chat or phone without a ticket?

A: No. Every password reset needs a ticket and identity verification, as defined in ATAI-SEC-POL-002. You can use the self-service reset if you are enrolled for MFA.

Q: Does IT Support support my personal phone or home internet?

A: No. IT Support supports Company-issued devices and Company accounts. For a personal phone with the authenticator app or for home internet problems, IT Support gives general guidance only.

Q: What if I need a replacement laptop or a new mouse?

A: Raise a ticket under Hardware or Service Request (New asset). IT Support does initial troubleshooting and the IT Asset Coordinator handles the replacement under ATAI-IT-SOP-003. Fictional fulfilment targets are in section 7.3.

Q: How do I report a suspicious email or a lost device?

A: Report it immediately by helpline and open a ticket in the Security category. Lost or stolen Company devices must be reported within 1 hour of discovery. The Information Security Lead takes over under ATAI-SEC-POL-005.

Q: Will my ticket be closed without my confirmation?

A: Yes, in two cases. If a ticket is Resolved and you do not reply within 3 Business Days, it is closed automatically. If IT Support asks you for information twice and you do not reply, it is resolved and then closed 3 Business Days later. You can reopen within 5 Business Days.

Q: Who can I contact if I disagree with the priority or I am unhappy with the service?

A: Ask the IT Support Engineer to refer the ticket to the IT Support Manager (Escalation Level 3). The IT Support Manager reviews the priority and the handling and replies in the ticket.