Register1.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"</pre>
CodeBehind="register1.aspx.cs" Inherits="registeration_form.register1" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"</pre>
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head id="Head1" runat="server">
    <title></title>
    <style type="text/css">
      /* Style for the form container */
.form-container {
  background-color: #f2f2f2;
  border-radius: 10px;
  padding: 20px;
  width: 500px;
 margin: 0 auto;
}
/* Style for the form header */
.form-header {
  background-color: #333;
  color: #fff;
  font-size: 24px;
  font-weight: bold;
  text-align: center;
  padding: 10px;
  border-top-left-radius: 10px;
  border-top-right-radius: 10px;
}
/* Style for the form fields */
.form-field {
 margin: 10px 0;
.form-field label {
  display: block;
  font-size: 18px;
  font-weight: bold;
  margin-bottom: 5px;
}
.form-field input[type="text"],
.form-field input[type="email"],
.form-field input[type="password"] {
```

```
border-radius: 5px;
  padding: 5px;
  font-size: 16px;
  border: 1px solid #ccc;
  width: 100%;
}
.form-field input[type="text"]:focus,
.form-field input[type="email"]:focus,
.form-field input[type="password"]:focus {
  outline: none;
  border-color: #333;
}
/* Style for the form buttons */
.form-button {
  text-align: center;
  margin-top: 20px;
}
.form-button button {
  background-color: #333;
  color: #fff;
  border-radius: 10px;
  padding: 10px 20px;
  font-size: 18px;
  font-weight: bold;
  border: none;
  cursor: pointer;
}
.form-button button:hover {
  background-color: #555;
}
#form1
    background-color:#18EEEE;
    margin-left:300px;
    margin-right:300px;
    border: 2px solid red;
  border-radius: 25px;
    }
        .style1
        {
            height: 33px;
        }
        .style2
        {
            height: 36px;
        .style3
        {
            height: 96px;
```

```
}
   </style>
</head>
<body>
   <form id="form1" runat="server">
   <center style="height: 68px;text-align:center;"><h1>Registration
Form</h1></center>
   </div>
    
          
       
          
      <asp:TextBox ID="txtfn" runat="server"</pre>
Width="192px"></asp:TextBox>
            <asp:RequiredFieldValidator ID="RequiredFieldValidator1"</pre>
runat="server"
               ControlToValidate="txtfn" ErrorMessage="first name is
empty"
               ForeColor="#FF3300"></asp:RequiredFieldValidator>
         LastName
         <asp:TextBox ID="Txtln" runat="server"</pre>
Width="191px"></asp:TextBox>
            <asp:RequiredFieldValidator ID="RequiredFieldValidator2"</pre>
runat="server"
               ControlToValidate="Txtln" ErrorMessage="last name is
empty" ForeColor="#FF3300"></asp:RequiredFieldValidator>
         Email
         <asp:TextBox ID="Txtemail" runat="server"</pre>
Width="191px"></asp:TextBox>
```

```
<asp:RequiredFieldValidator ID="RequiredFieldValidator3"</pre>
runat="server"
                   ControlToValidate="Txtemail" ErrorMessage="Email is
empty" ForeColor="#FF3300"></asp:RequiredFieldValidator>
               <asp:RegularExpressionValidator</pre>
ID="RegularExpressionValidator1" runat="server"
                   ControlToValidate="Txtemail" ErrorMessage="Incorrect
Email" ForeColor="#3333FF"
                   ValidationExpression="\w+([-+.']\w+)*@\w+([-
.]\w+)*\.\w+([-.]\w+)*"></asp:RegularExpressionValidator>
           Age
           <asp:TextBox ID="txta" runat="server"</pre>
Width="193px"></asp:TextBox>
               <asp:RequiredFieldValidator ID="RequiredFieldValidator4"</pre>
runat="server"
                   ControlToValidate="txta" ErrorMessage="age is empty"
ForeColor="#FF3300"></asp:RequiredFieldValidator>
               <asp:RangeValidator ID="RangeValidator1" runat="server"</pre>
                   ControlToValidate="txta" ErrorMessage="age is>18
&<30"
                   ForeColor="Black" MaximumValue="30"
MinimumValue="18"></asp:RangeValidator>
           Password
           <asp:TextBox ID="Txtp" runat="server" Width="190px"</pre>
TextMode="Password"></asp:TextBox>
               <asp:RequiredFieldValidator ID="RequiredFieldValidator5"</pre>
runat="server"
                   ControlToValidate="Txtp" ErrorMessage="password is
empty" ForeColor="#FF3300"></asp:RequiredFieldValidator>
           Re-password
           <asp:TextBox ID="Txtp2" runat="server" Width="188px"</pre>
TextMode="Password"></asp:TextBox>
               <asp:RequiredFieldValidator ID="RequiredFieldValidator6"</pre>
runat="server"
                   ControlToValidate="Txtp2" ErrorMessage="password is
empty"
                   ForeColor="#FF3300"></asp:RequiredFieldValidator>
               <asp:CompareValidator ID="CompareValidator1"</pre>
runat="server"
```

```
ControlToCompare="Txtp" ControlToValidate="Txtp2"
                ErrorMessage="Invalid password"
ForeColor="#3333FF"></asp:CompareValidator>
         Mo-Number
         <asp:TextBox ID="Txtm" runat="server"</pre>
Width="188px"></asp:TextBox>
             <asp:RequiredFieldValidator ID="RequiredFieldValidator7"</pre>
runat="server"
                ControlToValidate="Txtm" ErrorMessage="mobile number
is empty"
                ForeColor="#FF3300"></asp:RequiredFieldValidator>
         Gender
         <asp:RadioButton ID="RadioButton1" runat="server"</pre>
Text="Male" />
             <asp:RadioButton ID="RadioButton2" runat="server"</pre>
Text="Female" />
          
          
      <asp:Button ID="Button1" runat="server" Text="Register</pre>
Now" Width="119px" />
         </form>
</body>
</html>
Register1.aspx.cs:
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
```

```
using System.Web.UI.WebControls;
namespace registeration_form
{
    public partial class register1 : System.Web.UI.Page
        protected void Page_Load(object sender, EventArgs e)
        protected void TextBox1_TextChanged()
        }
        protected void Button1_Click(object sender, EventArgs e)
        }
        protected void Button1_Click1(object sender, EventArgs e)
            Response.Write("sussfully done");
        protected void RadioButton1_CheckedChanged(object sender,
EventArgs e)
        {
        }
    }
}
```



