
AN OPERATING SYSTEM FOR GROWTH

Better signals.
Stronger decisions.

A practical approach to five GTM challenges: trustworthy data, explainable decisions, and reliable systems.



5
connected decisions

200
accounts to allocate

1
reliable operating system

01 / LEAD QUALITY

Fix the diagnosis before the score.

THE DECISION

Audit the measurement and routing path first; pilot a revised fit-and-engagement model only after the diagnosis is credible.

01 /

Poor conversion has several possible causes; score age does not identify the cause.

02 /

Repair identity and measurement, then compare mature, like-for-like cohorts.

03 /

Pilot a transparent challenger and protect total qualified pipeline, not just conversion rate.

KEY TRADE-OFF

A higher threshold reduces workload but may discard valuable accounts. Size the lost opportunity and keep a monitored review band.

02 / TERRITORY DESIGN

Balance opportunity. Respect capacity.

THE DECISION

Compare geography, industry, and hybrid designs using opportunity potential, workload, ramp, and account continuity. Start with a constrained pilot; avoid a blanket territory redraw.

01 /

The assignment is 200 accounts and three hires; the objective is productive coverage.

02 /

Balance opportunity against capacity while preserving geographic eligibility and live deals.

03 /

Use specialisation only where evidence and book density justify it.

KEY TRADE-OFF

Industry expertise can improve discovery but fragment regional coverage and create thin books. Keep regional eligibility and test specialist assistance before a full vertical reorganisation.

03 / REPORTING RELIABILITY

Make uncertainty visible. Then act.

THE DECISION

Publish an as-of snapshot with a reconciled total, explicit quality exceptions, and scenario bounds. Prioritise material owner-verified fixes before the reporting cutoff.

01 /

Freeze and reconcile the full population before editing or filtering it.

02 /

Quantify distinct exposure and prioritise exceptions that can change a decision.

03 /

Publish scenarios with assumptions; completeness is not forecast confidence.

KEY TRADE-OFF

Publish on time with decision-relevant caveats; defer only a decision whose missing evidence is material to that decision.

04 / STAGE ALIGNMENT

More visibility. Comparable history.

THE DECISION

Define buyer-evidence-based stages, preserve raw history, and introduce a versioned reporting crosswalk. Pilot downstream changes before the cutover.

01 /

Agree what the two additional stages mean and which decisions they improve.

02 /

Preserve the raw events; use a versioned crosswalk for comparable aggregation.

03 /

A mapping cannot manufacture missing historical detail or validate new probabilities.

KEY TRADE-OFF

Seven stages may add effort without improving decisions. Keep a stage only if it has distinct evidence and an operational use.

05 / SYSTEMS STRATEGY

Repair the flow. Build the foundation.

THE DECISION

Stabilise the operational score-to-routing path with field ownership, identity matching, freshness checks, and observable recovery; evolve analytics in parallel.

01 /

Fix the shortest business-critical path: fresh score > correct record > eligible owner.

02 /

Assign field authority and make stale, duplicate, failed, and out-of-order events explicit.

03 /

Build canonical history and reconciliation without making routing wait for a large rebuild.

KEY TRADE-OFF

Prefer the existing connector when it satisfies the contract. Add orchestration only for validated gaps; custom code creates an ownership and maintenance obligation.

06 / IMPLEMENTATION

Stabilise. Prove. Then scale.

DAYS 1-14

Establish trust.

Reconcile the report, repair the score flow, agree definitions, and triage the account pool.

Gate: reconciled totals, owned exceptions, and a working failure drill.

DAYS 15-45

Test the decisions.

Pilot scoring and territories. Sandbox stage definitions, crosswalks, and downstream consumers.

Gate: stakeholder sign-off, bounded pilots, and a documented rollback.

DAYS 46-90

Institutionalise it.

Review mature outcomes, activate capacity, and harden monitoring, canonical history, and service ownership.

Gate: measured outcomes, recurring reviews, and a maintenance backlog.

Prioritise live routing failures and material reporting risks. Expand after evidence and sign-off, with a named owner and a rollback path.

THE DECISION STANDARD

A system you can explain.
A decision you can defend.

01 /

Evidence

What do we know, what is missing, and what would change the recommendation?

02 /

Ownership

Who decides, who implements, and who handles the exceptions?

03 /

Reliability

How do we detect failure, recover safely, and measure the actual outcome?

Discussion: Which assumption would you challenge first - signal quality, team capacity, or the reliability of the data flow?

SOURCES & ASSUMPTIONS

Clear about what is known.

The scenarios come from the supplied assessment and job description. Public sources inform company context. All lab records and outcomes are synthetic.

DEMONSTRATION LIMITS

Territories: six existing reps, three incoming hires, regional eligibility, workload units, and a greedy allocation heuristic.

Scoring: 360 account-level episodes + 18 duplicate rows; a 60-day maturity assumption; descriptive replay, not causal evidence.

Reporting: 48 opportunities; quality-screened pipeline is not a calibrated forecast.

Systems and stages: simulated events and an illustrative crosswalk; no claims about production architecture.

REFERENCE SHELF

Rocketlane platform

Public positioning: onboarding, professional services automation, and agentic service delivery.

Onboarding & implementation

Customer collaboration, time-to-value, project templates, and CRM-triggered handoffs.

Professional services

Project, resource, time, and profitability use cases.

GoCardless customer story

Example of disconnected plans and manual reporting challenges; not used to infer internal GTM performance.

The interactive app includes full evidence requirements, owners, proposed timelines, metrics, trade-offs, and challenge questions for all five scenarios. Planning windows and policy thresholds require validation.