ORIENT

THE PRINTERS HOUSE

ORIENT X-CEL

36,000 CPH

Single Width Web Offset Press

Production-grade web offset press

for book, commercial, security & newspaper printing

ABOUT ORIENT

THE PRINTERS HOUSE

Est. 1946

Founded by Sri K.D. Kohli — a freedom fighter and newspaperman — TPH Orient has grown into a diversified group and global leader in printing machinery.

Now in its third generation under Rishab Kohli, Orient continues to set benchmarks in quality, engineering, and innovation.

80+
Years of Excellence

20,000+
Units Supplied

60+
Countries Worldwide

20
Acre Campus

PRODUCT OVERVIEW

The Orient X-Cel

Orient X-Cel is a single width, single circumference web-offset press with a speed of up to 36,000 copies per hour for high-quality newspaper, tabloid, book, and semi-commercial printing. Acclaimed as one of the finest web offset presses available worldwide, the Orient X-Cel is a true engineering marvel and hallmark of quality.

Engineered for

FLAWLESS PRINTING

KEY ADVANTAGES

Built for Speed. Engineered for Reliability.

36,000

CPH

Maximum Speed

20% faster than the Super — built for higher throughput newspaper and commercial demands

3

MODULES

Flexible Configurations

Mono Unit, 3-Colour Satellite, and 4 High Tower — configure to exact requirements

24/7

SUPPORT

Global Service Network

10 branch offices across India and 30+ agents worldwide for round-the-clock support

PRINTING MODULES

Three Configurations, One Platform

01

Mono Unit

Single colour printing with integral reel stand. Hardened and ground bushes, slit-type plate lock-up.

1-2 colours per side

Up to 36,000 CPH

02

3-Colour Satellite

Three plate cylinders around a stainless steel impression cylinder. Motorized circumferential register.

3 colours one side, or 2+1

Up to 36,000 CPH

03

4 High Tower

Four units stacked for full 4-colour process on both sides. Heavy-duty timer belt drive.

4 colours both sides

Up to 36,000 CPH

4 HIGH TOWER

Standard Features

- Hardened and ground bushes in frame for plate and blanket cylinder sleeves
- Lever-type swing-down ink fountain with overrides for ink fountain roller
- Dynamically-balanced hard chromium plated plate and blanket cylinders
- On the nose, slit type plate lock-up system
- Infra red web break detector and safety guards
- Centralized oil pressure lubrication for drive gears
- Provision for 4 colors on both sides of one web, or 2 colors on both sides of two webs, or single colour on both sides of three webs
- Heavy-duty timer belt drive for 4 stack units

OPTIONS: Heavy duty compensator | Pillar clutch on either side | Automatic grease lubrication | Centralized water with chiller | Solid stainless-steel cylinders | T-Bar blanket lock up | Spring type lock up | Spray dampening | AC drive

4 HIGH TOWER

Standard Features

- On the run manual adjustment for registration of 4 colors on each side of web
- Motorized running circumferential register for loading side plate cylinders
- Motorized side register system for both plate cylinders, on the run
- Variable-speed motorized dampening
- Centralized water circulation system
- PU Covered ink vibrator rollers and narrow gap blanket lock up
- Antiset web transfer grater roller
- Pneumatic on/off, brushmist dampening, cable management

OPTIONS: Heavy duty compensator | Pillar clutch on either side | Automatic grease lubrication | Centralized water with chiller | Solid stainless-steel cylinders | T-Bar blanket lock up | Spring type lock up | Spray dampening | AC drive

MONO UNIT

Standard Features

- Hardened and ground bushes in frame for plate and blanket cylinder sleeves
- Lever-type swing-down ink fountain with overrides for ink fountain roller
- Dynamically-balanced hard chromium plated plate and blanket cylinders
- On the nose slit type plate lock up system
- Motorized side register system for both plate cylinders, on the run
- Infra red web break detector
- Safety guards
- Centralized oil pressure lubrication for drive gears
- Provision for printing 2 colors on same side of web (direct litho)
- Variable speed motorized dampening
- Centralized water circulation system
- PU Covered ink vibrator rollers
- Narrow gap blanket lock-up
- Pneumatic on/off for Main impression/Ink feed/Ink form & Damper form
- Brushmist dampening system
- Cable management system

OPTIONS: Motorized running circumferential register for loading side | Heavy duty compensator | AC drive | Reel lifters (pneumatic) | Clutch on either side | Automatic grease lubrication | Auto reel changers | Centralized water with chiller | T-Bar blanket locking | Spring type plate lock up | Solid stainless-steel cylinders

3-COLOUR SATELLITE

Standard Features

- Hardened and ground bushes in frame for plate and blanket cylinder sleeves
- Lever-type swing-down ink fountain with overrides for ink fountain roller
- Dynamically-balanced hard chromium plated plate and blanket cylinders
- Stainless steel, balanced main impression cylinder
- On the nose, slit type plate lock-up system
- Motorized side register system for all plate cylinders on the run
- Motorized running circumferential register on two plate cylinders
- Safety guards and centralized oil pressure lubrication for drive gears
- Provision for printing 3 colors on one side of web or 2 colors on one side and 1 on other
- Heavy-duty compensator
- Variable-speed motorized dampening
- Centralized water circulation system
- PU Covered ink vibrator rollers
- Narrow gap blanket lock up
- Pneumatic on/off for Main impression/Ink feed/Ink form & Damper form
- Infra red web break detector, brushmist dampening, cable management

OPTIONS: AC drive | Automatic grease lubrication for operating side bearings | Centralized water circulation with Chiller | Solid stainless-steel plate and blanket cylinders | T-Bar blanket lock up | Spring type plate lock up

TECHNICAL SPECIFICATIONS

Orient X-Cel 36,000 CPH

Parameter	508mm	533mm	546mm	560mm	578mm	630mm
Printing Speed (CPH)	36,000	36,000	36,000	36,000	36,000	36,000
Paper Width	660-889mm	660-889mm	660-889mm	660-889mm	660-889mm	660-889mm
Reel Diameter Max.	1070mm (42")	1070mm (42")	1070mm (42")	1070mm (42")	1070mm (42")	1070mm (42")
Printing Plate Width	890mm	890mm	890mm	890mm	890mm	890mm
Plate Length — Unbent (Slit)	539mm	563mm	577mm	591mm	609mm	661mm
Plate Thickness	0.30/0.28mm	0.30/0.28mm	0.30/0.28mm	0.30/0.28mm	0.30/0.28mm	0.30/0.28mm
Rubber Blanket Width	889mm	889mm	889mm	889mm	889mm	889mm
Blanket Length (T-Bar)	556mm	581mm	594mm	608mm	626mm	678mm
Blanket Length (Narrow)	587mm	602mm	615mm	630mm	651mm	703mm
Blanket Thickness w/ packing	2.1mm	2.1mm	2.1mm	2.1mm	2.1mm	2.1mm
Blanket Thickness W/O packing	1.7mm	1.7mm	1.7mm	1.7mm	1.7mm	1.7mm
Printing Length Max (T-Bar)	482mm	507mm	520mm	534mm	552mm	604mm
Printing Length Max (Narrow)	493mm	518mm	531mm	545mm	563mm	615mm
Non-Printing Gap (T-Bar)	26mm	26mm	26mm	26mm	26mm	26mm
Non-Printing Gap (Narrow)	15mm	15mm	15mm	15mm	15mm	15mm
Paper Grammage (Uncoated)	38-100 g/sqm	38-100 g/sqm	38-100 g/sqm	38-100 g/sqm	38-100 g/sqm	38-100 g/sqm

All specifications subject to change. Contact Orient for detailed configuration drawings.
Actual speed and performance may vary depending on operator skill, substrate type, and application.

WHY ORIENT

Why Orient?

Superior Print Quality

Line contact technology with excellent crisp prints. Superior proprietary print unit design with custom bearer and gear designs — low backlash with 2 micron accuracy.

Higher Grade Metallurgy

Orient uses higher grade of internal metallurgy than any of its competitors — leading to a more robust and long-lasting machine.

Fully Backward Integrated

Everything is made in-house so the press is fully customizable. Due to our history we ensure excellent metallurgy and market-leading web handling.

Full Service & Support

Full backward integrated in-house manufacturing with service and support staff across the country in 10 branches and 60+ countries worldwide.

Excellent Resale Value

Orient machines hold their value — excellent secondhand resale is a testament to build quality and market reputation.

A Legacy of Excellence

The oldest and first manufacturer in India — 80+ years of printing expertise with over 20,000 units supplied to 60+ countries.

PROVEN PERFORMANCE

Trusted by Leading Printers Worldwide

OUR DISTINGUISHED PATRONS

Equipment you can rely on

...and many more across India, South Asia, Africa, the Maericas, and the Middle East.

With over 20,000 printing units supplied worldwide, Orient enjoys strong relationships with some of the most distinguished commercial printers, publishers, and news houses globally.

GET IN TOUCH

The Printers House (P) Ltd

10, Scindia House, Connaught Place, New Delhi — 110001, India

Tel: +91-11-2331 3071-73 | Fax: +91-11-2331 0490

tphho@tphorient.com | www.tphorient.com

ORIENT — THE PRINTERS HOUSE

Imprinting excellence worldwide

General Terms and conditions are applicable as published on www.tphorient.com website on the following link https://tphorient.com/assets/pdf/domestic.pdf for any orders in India and on the following link https://tphorient.com/assets/pdf/International.pdf for any orders outside of India.