com.sterlite.cal.core.base.restclient. **BaseRestClient**

~ public< T > T getForObject . (String uri, Map< String,

String[]> parameterMap, Class< T > responseType,

Map< String, String > requestHeader

Parameters)

public< T > T deleteForObject(String uri, Map< String,

String[]> parameterMap, Class

< T > responseType, Map< String, String > requestHeaderParameters)

final< T > T postForObject

(String uri, Object request, Class< T > responseType, Map

< String, String > requestHeaderParameters)


final< T > T patchForObject
(String uri, Object request,
Class< T > responseType, Map

< String, String > requestHeaderParameters) # final< T > T putForObject

(String uri, Object request, Class< T > responseType, Map< String, String > requestHeader

Parameters) # final< T > T deleteForObject

(String uri, Object request, Class< T > responseType, Map < String, String > requestHeaderParameters)



~ Environment env

~ JsonUtils jsonutil

+ Map< String, String

> prePareHeaderMap

(String authTypeId, Map < String, String > header)

~ public< T > T postForObject

(String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String

> header, String operationAlias)

public< T > T getForObject (String uri, Map< String,

String[]> parameterMap,

Class< T > responseType, String authTypeId, Map< String,

String > header, String operationAlias)

public< T > T patchForObject (String uri, Object request, Class< T > responseType, String

authTypeId, Map< String, String > header)

public< T > T putForObject

(String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)

public< T > T deleteForObject (String uri, Object request, Class< T > responseType, String

authTypeId, Map< String, String > header)

String getURL(String requestURI)