## com.sterlite.cal.core.base.restclient. BaseRestClient

- ~ public< T > T getForObject
  (String uri, Map< String,
   String[]> parameterMap,
   Class< T > responseType,
   Map< String, String > requestHeader
   Parameters)
- ~ public< T > T deleteForObject (String uri, Map< String, String[]> parameterMap, Class < T > responseType, Map< String, String > requestHeaderParameters)
- # final< T > T postForObject
  (String uri, Object request,
   Class< T > responseType, Map
   < String, String > requestHeaderParameters)
- # final< T > T patchForObject
  (String uri, Object request,
   Class< T > responseType, Map
   < String, String > requestHeaderParameters)
- # final< T > T putForObject
  (String uri, Object request,
   Class< T > responseType,
   Map< String, String > requestHeader
   Parameters)
- # final< T > T deleteForObject
  (String uri, Object request,
   Class< T > responseType, Map
   < String, String > requestHeaderParameters)

## Environment

## com.sterlite.cal.core.base.restclient. BRMRestClient

~env

- + Map< String, String
  > prePareHeaderMap
  (String authTypeId, Map
  < String, String > header)
- public< T > T postForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- ~ public< T > T getForObject
   (String uri, Map< String,
   String[]> parameterMap,
   Class< T > responseType,
   String authTypeId, Map< String,
   String > header)
- ~ public< T > T patchForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- public< T > T deleteForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- ~ public< T > T deleteForObject
  (String uri, Map< String,
   String[]> parameterMap, Class
  < T > responseType, String authTypeId,
   Map< String, String > header)
- public< T > T putForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- # String getURL(String requestURI)

com.sterlite.cal.brm.subscriber.integration. ISubscriberOperationIntegrationService

- String createCustomer (String brmuri, String serviceInstanceDetail, String authTypeId, Map
   String, String > headers)
- + String createServiceInstance (String brmuri, String serviceInstance Detail, String authTypeId, Map< String, String > headers)
- String getBillingDetails (String brmuri, String serviceInstanceDetail, String authTypeId, Map
   String, String > headers)
- String updateCustomerAccount Details(String brmuri, String requestJson, String authTypeId, Map< String, String > headers)
- String getServiceInstance
   Details(String brmURI,
   Map< String, String[]>
   parameterMap, String authTypeId,
   Map< String, String > header)
- + AssociateDiscountResponse
   VO associatedDiscount(String brmURI, String requestJason, String authTypeId, Map< String, String > header)

## com.sterlite.cal.core.logger. ILogger

- + void info(String strMethod Name, LogType logType, String strMessage)
- + void info(String strMethod Name, LogType logType, String ...strMessages)
- + void info(String strMethod Name, LogType logType, Object ...strMessage)
- void debug(String strMethod Name, LogType logType, String strMessage)
- void debug(String strMethod Name, LogType logType, String... strMessage)
- + void debug(String strMethod Name, LogType logType, Object ...strMessage)
- + void error(String strMethod Name, LogType logType, Throwable throwable)
   + void startLog(String
- strMethodName, LogType
  logType)
  + void endLog(String
- strMethodName, LogType logType)
  + void warn(String strMethod
- Name, LogType logType, String strMessage)
- + boolean isTraceEnabled()
- + boolean isDebugEnabled()
- + boolean isInfoEnabled()+ boolean isWarnEnabled()
- + boolean isErrorEnabled()
- + static ILogger getInstant (Class<?> className)

+LOGGER

~brmRestClient

com.sterlite.cal.brm.subscriber.integration.impl. SubscriberOperationIntegrationService

- + String createServiceInstance (String brmuri, String serviceInstance Detail, String authTypeId, Map< String, String > headers)
- String createCustomer
   (String brmuri, String serviceInstanceDetail, String authTypeId, Map
   String, String > headers)
- String getBillingDetails
  (String brmuri, String
  billingAccountNumber, String
  authTypeId, Map< String, String
  > headers)
- String updateCustomerAccount
  Details(String brmuri, String
  requestJson, String authTypeId,
  Map< String, String > headers)
- String getServiceInstance
   Details(String brmURI,
   Map< String, String[]>
   parameterMap, String authTypeId,
   Map< String, String > header)
- + AssociateDiscountResponse
  VO associatedDiscount(String
  brmURI, String requestJason,
  String authTypeId, Map< String,
  String > header)