```
com.sterlite.cal.brm.core.repository.
         IBRMRepository
```

+ Object getResultByQuery (Map< String, Object > parameterMap, QueryConfig

queryConfig)

+ Map< String, Object
 > queryForMapForSingleRecord
 (Map< String, Object > parameterMap,
 QueryConfig queryConfig)

+ List< Map< String,
Object > > queryForListMultiple

queryConfig)

rowMapper)

queryConfig)

Records(Map< String, Object > paramMap, QueryConfig queryConfig)

+ List< Map< String,

Object > > queryForListMultiple Records(Map< String, Object > paramMap, String queryToBeExecuted,

String dataSource) + void updateByQuery

(Map< String, Object > parameterMap, QueryConfig

+ public< T > T getObjectByQuery(Map< String, Object> parameterMap, QueryConfig

queryConfig, RowMapper< T

+ public< T > List< T > getListByQuery(Map < String, Object > parameter Map, QueryConfig queryConfig, RowMapper< T > rowMapper)

com.sterlite.cal.brm.core.repository.impl.

BRMRepository + static final ILogger

LOGGER ~ BRMQueryClient brmQueryClient

+ Object getResultByQuery (Map< String, Object >

parameterMap, QueryConfig

+ void updateByQuery (Map< String, Object > parameterMap, QueryConfig

queryConfig) + Map< String, Object > queryForMapForSingleRecord (Map< String, Object > parameterMap, QueryConfig queryConfig)

+ List< Map< String, Object > > queryForListMultiple Records(Map< String, Object > paramMap, QueryConfig queryConfig)

+ List< Map< String, Object > > queryForListMultiple

Records(Map< String, Object > paramMap, String queryToBeExecuted, ~ public< T > T getObjectBy

Query(Map< String, Object > parameterMap, QueryConfig queryConfig, RowMapper< T >

public< T > List< T > getListByQuery(Map < String, Object > parameter Map, QueryConfig queryConfig, RowMapper< T > rowMapper)

String dataSource)

rowMapper)