## com.sterlite.cal.core.base.restclient. BaseRestClient

- ~ public< T > T getForObject (String uri, Map< String, String[]> parameterMap, Class< T > responseType, Map< String, String > requestHeader Parameters)
- ~ public< T > T deleteForObject
   (String uri, Map< String,
   String[]> parameterMap, Class
   < T > responseType, Map< String,
   String > requestHeaderParameters)
- # final< T > T postForObject
  (String uri, Object request,
  Class< T > responseType, Map
  < String, String > requestHeaderParameters)
- # final< T > T patchForObject
  (String uri, Object request,
  Class< T > responseType, Map
  < String, String > requestHeaderParameters)
- # final< T > T putForObject
  (String uri, Object request,
  Class< T > responseType,
  Map< String, String > requestHeader
  Parameters)
- # final< T > T deleteForObject
  (String uri, Object request,
   Class< T > responseType, Map
   < String, String > requestHeaderParameters)

Environment

com.sterlite.cal.core.base.restclient. BRMRestClient

~env

- + Map< String, String</li>
   > prePareHeaderMap
   (String authTypeId, Map
   < String, String > header)
- ~ public< T > T postForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- ~ public< T > T getForObject
   (String uri, Map< String,
   String[]> parameterMap,
   Class< T > responseType,
   String authTypeId, Map< String,
   String > header)
- public< T > T patchForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- ~ public< T > T deleteForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- ~ public< T > T deleteForObject
   (String uri, Map< String,
   String[]> parameterMap, Class
   < T > responseType, String authTypeId,
   Map< String, String > header)
- public< T > T putForObject (String uri, Object request, Class< T > responseType, String authTypeId, Map< String, String > header)
- # String getURL(String requestURI)

com.sterlite.cal.core.security.integration. IAuthenticationIntegrationService

+ BRMTokenResponse getBRMAuth Token(String brmURI, BRMAuthentication Request brmAuthenticationRequest, String brmAuthTypeId, Map< String, String > header) com.sterlite.cal.core.logger. ILogger

- + void info(String strMethod Name, LogType logType, String strMessage)
- + void info(String strMethod Name, LogType logType, String ...strMessages)
- void info(String strMethod Name, LogType logType, Object ...strMessage)
- void debug(String strMethod Name, LogType logType, String strMessage)
- + void debug(String strMethod Name, LogType logType, String... strMessage)
- + void debug(String strMethod Name, LogType logType, Object ...strMessage)
- void error(String strMethod Name, LogType logType, Throwable throwable)
- + void startLog(String strMethodName, LogType logType)
- + void endLog(String strMethodName, LogType logType)
- void warn(String strMethod Name, LogType logType, String strMessage)
- + boolean isTraceEnabled()
- + boolean isDebugEnabled()
- + boolean isInfoEnabled()
- + boolean isWarnEnabled()
- + boolean isErrorEnabled()
- + static ILogger getInstant (Class<?> className)

+LOGGER

com.sterlite.cal.core.security.integration Impl.AuthenticationIntegrationService

~brmRestClient

+ BRMTokenResponse getBRMAuth Token(String brmURI, BRMAuthentication Request brmAuthenticationRequest, String brmAuthTypeId, Map< String, String > header)