com.sterlite.cal.core.base.restclient. BaseRestClient

- ~ public< T > T getForObject
 (String uri, Map< String,
 String[]> parameterMap,
 Class< T > responseType,
 Map< String, String > requestHeader
 Parameters)
- ~ public< T > T deleteForObject
 (String uri, Map< String,
 String[]> parameterMap, Class
 < T > responseType, Map< String,
 String > requestHeaderParameters)
- # final< T > T postForObject
 (String uri, Object request,
 Class< T > responseType, Map
- < String, String > requestHeaderParameters)
 # final< T > T putForObject
- (String uri, Object request,
 Class< T > responseType,
 Map< String, String > requestHeader
 Parameters)
- # final< T > T deleteForObject
 (String uri, Object request,
 Class< T > responseType, Map
 < String, String > requestHeaderParameters)

Environment

~env

com.sterlite.cal.core.base.restclient. BRMRestClient

- + Map< String, String
 > prePareHeaderMap
 (String authTypeId, Map
 < String, String > header)
- ~ public< T > T postForObject
 (String uri, Object request,
 Class< T > responseType, String
 authTypeId, Map< String, String
 > header)
- ~ public< T > T getForObject
 (String uri, Map< String,
 String[]> parameterMap,
 Class< T > responseType,
 String authTypeId, Map< String,
 String > header)
- ~ public< T > T patchForObject
 (String uri, Object request,
 Class< T > responseType, String
 authTypeId, Map< String, String
 > header)
- ~ public< T > T deleteForObject
 (String uri, Object request,
 Class< T > responseType, String
 authTypeId, Map< String, String
 > header)
- ~ public< T > T deleteForObject
 (String uri, Map< String,
 String[]> parameterMap, Class
 < T > responseType, String authTypeId,
 Map< String, String > header)
- ~ public< T > T putForObject
 (String uri, Object request,
 Class< T > responseType, String
 authTypeId, Map< String, String
 > header)
- # String getURL(String requestURI)