

Long-term ARID1A-conditioned BAF dependency: public-screen validation
A Long-term isogenic module enrichment
ARID1A-contacting cBAF
PBAF-specific
cBAF-associated
ncBAF-specific
Mean interaction vs random-gene null (SD)
3
2
1
0
−1
U2-OS ARID1A-KO, day 14
RMG-1 ARID1A-KO, day 14
293A ARID1A-KD, day 21
Complete-KO consensus, day 14
B Direct cBAF-associated contrasts
(95% bootstrap CI)
Complete-KO consensus, day 14 vs ncBAF
Complete-KO consensus, day 14 vs PBAF
293A ARID1A-KD, day 21 vs ncBAF
293A ARID1A-KD, day 21 vs PBAF
RMG-1 ARID1A-KO, day 14 vs ncBAF
RMG-1 ARID1A-KO, day 14 vs PBAF
U2-OS ARID1A-KO, day 14 vs ncBAF
U2-OS ARID1A-KO, day 14 vs PBAF
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
cBAF-associated mean percentile advantage
C Relative rank among nine displayed BAF genes
ARID1B
DPF2
SMARCA4
SMARCC1
SMARCB1
PBRM1
ARID2
BRD9
BICRA
U2-OS ARID1A-KO, day 14
RMG-1 ARID1A-KO, day 14
293A ARID1A-KD, day 21
Complete-KO consensus, day 14
1.0
0.8
0.6
0.4
0.2
0.0
Within-screen rank among nine displayed genes
D Screen characteristics
DepMap 26Q1 / Project Score
U2-OS ARID1A-KO, day 14
RMG-1 ARID1A-KO, day 14
293A ARID1A-KD, day 21
Yes
No
No
Yes
Yes
Yes
Yes
Yes
No
No
Yes
Yes
Yes
No
No
Yes
Yes
No
No
No
≥14 d
Isogenic
Complete ARID1A loss
Lung
cBAF-associated contrast positive