Arlette Maricela Rodríguez Flores

183046

```
MariaDB [(none)] > create database consultorio_veterinario
 ->;
Query OK, 1 row affected (0.002 sec)
MariaDB [(none)] > use consultorio_veterinario;
Database changed
MariaDB [consultorio_veterinario] > CREATE TABLE cliente (
 -> id_cliente INT PRIMARY KEY,
 -> Nombre VARCHAR(255),
 -> Apellido_p VARCHAR(255),
 -> Apellido_m VARCHAR(255),
 -> Fecha_nac DATE,
    Codigo_postal VARCHAR(20),
 ->
 -> Calle VARCHAR(255),
 -> Colonia VARCHAR(255),
 -> Ciudad VARCHAR(255),
 -> Estado VARCHAR(255),
 -> telefono VARCHAR(20),
    Email VARCHAR(255)
 ->
 ->);
Query OK, 0 rows affected (0.016 sec)
MariaDB [consultorio_veterinario] > describe cliente;
| Field
       | Type | Null | Key | Default | Extra |
+----+
| id_cliente | int(11) | NO | PRI | NULL | |
| Nombre | varchar(255) | YES | NULL | |
| Apellido_p | varchar(255) | YES | NULL | |
| Apellido_m | varchar(255) | YES | | NULL |
|Fecha_nac | date | YES | NULL | |
```

```
| Codigo_postal | varchar(20) | YES | NULL |
| Calle
         | varchar(255) | YES | | NULL | |
| Colonia
          | varchar(255) | YES | | NULL | |
| Ciudad
          | varchar(255) | YES | | NULL | |
| Estado
          | varchar(255) | YES | | NULL |
| telefono | varchar(20) | YES | NULL | |
| Email
         |varchar(255)|YES||NULL|
+----+
12 rows in set (0.120 sec)
MariaDB [consultorio_veterinario] > select * from cliente;
Empty set (0.003 sec)
MariaDB [consultorio_veterinario] > CREATE TABLE medico (
     id_medico INT PRIMARY KEY,
 -> Nombre VARCHAR(255),
 -> Ape_p_med VARCHAR(255),
 -> Ape_m_med VARCHAR(255),
     Telefono VARCHAR(20),
 ->
    Celular VARCHAR(20),
    Cedula VARCHAR(20),
    Curp VARCHAR(20),
 -> RFC VARCHAR(20),
     Turno VARCHAR(50),
 ->
    Salario DECIMAL(10, 2)
 ->
 ->);
Query OK, 0 rows affected (0.041 sec)
MariaDB [consultorio_veterinario] > describe medico;
+-----+
| Field | Type
               | Null | Key | Default | Extra |
```

```
| id_medico | int(11) | NO | PRI | NULL | |
| Nombre | varchar(255) | YES | NULL |
| Ape_p_med | varchar(255) | YES | NULL |
| Ape_m_med | varchar(255) | YES | | NULL |
| Telefono | varchar(20) | YES | NULL |
| Celular | varchar(20) | YES | NULL | |
| Cedula | varchar(20) | YES | NULL | |
| Curp | varchar(20) | YES | NULL |
| RFC
      |varchar(20) |YES | |NULL | |
|Turno | varchar(50) | YES | NULL | |
| Salario | decimal(10,2) | YES | NULL | |
+----+
11 rows in set (0.023 sec)
MariaDB [consultorio_veterinario] > CREATE TABLE mascota (
    id_mascota INT PRIMARY KEY,
    id_cliente INT REFERENCES cliente(id_cliente),
    id_medico INT REFERENCES medico(id_medico),
 ->
     Nom_mascota VARCHAR(255),
     Fech_n_mascota DATE,
    Especie VARCHAR(50)
 ->);
Query OK, 0 rows affected (0.015 sec)
MariaDB [consultorio_veterinario] > describe mascota;
+-----+
| Field
        | Type
               | Null | Key | Default | Extra |
  -----+
| id_mascota | int(11) | NO | PRI | NULL | |
|id_cliente |int(11) |YES | |NULL | |
```

```
|id_medico |int(11) |YES | |NULL | |
| Nom_mascota | varchar(255) | YES | | NULL |
| Fech_n_mascota | date | YES | | NULL | |
| Especie | varchar(50) | YES | NULL | |
+-----+
6 rows in set (0.039 sec)
MariaDB [consultorio_veterinario] > CREATE TABLE servicio (
 -> id_servicio INT PRIMARY KEY,
 -> id_mascota INT REFERENCES mascota(id_mascota),
 -> Tipo VARCHAR(255),
 -> Costo DECIMAL(10, 2),
 -> Fecha_servicio DATE,
   Hora TIME
 ->);
Query OK, 0 rows affected (0.015 sec)
MariaDB [consultorio_veterinario] > describe servicio;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+
| id_servicio | int(11) | NO | PRI | NULL | |
|id_mascota |int(11) |YES | |NULL | |
| Tipo
       | varchar(255) | YES | | NULL | |
        | decimal(10,2) | YES | | NULL | |
| Costo
| Fecha_servicio | date | YES | | NULL | |
| Hora
       |time |YES||NULL||
+----+
6 rows in set (0.026 sec)
```

MariaDB [consultorio_veterinario] > CREATE TABLE inventario (

-> medicina INT PRIMARY KEY,
-> Alimento_B INT,
-> Alimento_P INT,
-> Alimento_G INT,
-> Herramientas INT,
-> Miscelanea INT,
-> Accesorios INT,
-> Juguetes INT
->);

Query OK, 0 rows affected (0.013 sec)



MariaDB [consultorio_veterinario]> INSERT INTO cliente (id_cliente, Nombre, Apellido_p, Apellido_m, Fecha_nac, Codigo_postal, Calle, Colonia, Ciudad, Estado, telefono, Email)

^{-&}gt; VALUES

^{-&}gt; (4, 'Laura', 'Diaz', 'Gutierrez', '1992-09-12', '56789', 'Calle de la Rosa', 'Oriente', 'Ciudad D', 'Estado D', '5557778888', 'laura@example.com'),

-> (5, 'Javier', 'Lopez', 'Hernandez', '1980-04-18', '45678', 'Avenida del Sol', 'Poniente', 'Ciudad E', 'Estado E', '5558889999', 'javier@example.com'),

-> (6, 'Ana', 'Martinez', 'Gomez', '1995-12-03', '67890', 'Calle de la Luna', 'Centro', 'Ciudad F', 'Estado F', '5553334444', 'ana@example.com');

Query OK, 3 rows affected (0.004 sec)

Records: 3 Duplicates: 0 Warnings: 0

MariaDB [consultorio_veterinario]>

MariaDB [consultorio_veterinario] > INSERT INTO medico (id_medico, Nombre, Ape_p_med, Ape_m_med, Telefono, Celular, Cedula, Curp, RFC, Turno, Salario)

-> VALUES

-> (4, 'Dra. Ramirez', 'Gomez', 'Perez', '5551112233', '5544999111', 'MED45678', 'CURP456789', 'RFC234567', 'Mañana', 65000.00),

-> (5, 'Dr. Torres', 'Hernandez', 'Lopez', '5554445566', '5544886699', 'MED56789', 'CURP567890', 'RFC345678', 'Tarde', 72000.00),

-> (6, 'Dra. Soto', 'Luna', 'Diaz', '5557778899', '5544667788', 'MED67890', 'CURP678901', 'RFC456789', 'Noche', 78000.00);

Query OK, 3 rows affected (0.023 sec)

Records: 3 Duplicates: 0 Warnings: 0

MariaDB [consultorio_veterinario]> INSERT INTO mascota (id_mascota, id_cliente, id_medico, Nom_mascota, Fech_n_mascota, Especie)

-> VALUES

-> (4, 4, 4, 'Luna', '2017-08-02', 'Gato'),

-> (5, 5, 5, 'Rex', '2016-05-15', 'Perro'),

-> (6, 6, 6, 'Bella', '2019-11-20', 'Perico');

Query OK, 3 rows affected (0.003 sec)

Records: 3 Duplicates: 0 Warnings: 0

MariaDB [consultorio_veterinario] > INSERT INTO servicio (id_servicio, id_mascota, Tipo, Costo, Fecha_servicio, Hora)

- -> VALUES
- -> (4, 4, 'Esterilización', 120.00, '2024-03-01', '11:00:00'),
- -> (5, 5, 'Chequeo Anual', 60.00, '2024-03-02', '14:30:00'),

```
Query OK, 3 rows affected (0.006 sec)
Records: 3 Duplicates: 0 Warnings: 0
MariaDB [consultorio veterinario] > INSERT INTO inventario (medicina, Alimento B, Alimento P, Alimento G,
Herramientas, Miscelanea, Accesorios, Juguetes)
 -> VALUES
 -> (4, 45, 28, 22, 12, 15, 18, 30),
 -> (5, 55, 40, 30, 25, 10, 22, 38),
 -> (6, 50, 32, 18, 20, 14, 20, 35);
Query OK, 3 rows affected (0.004 sec)
Records: 3 Duplicates: 0 Warnings: 0
MariaDB [consultorio_veterinario] > SELECT * FROM cliente;
id_cliente | Nombre | Apellido_p | Apellido_m | Fecha_nac | Codigo_postal | Calle | Colonia | Ciudad |
Estado | telefono | Email
-----+
     4 | Laura | Diaz | Gutierrez | 1992-09-12 | 56789
                                                    | Calle de la Rosa | Oriente | Ciudad D | Estado D |
5557778888 | laura@example.com |
    5 | Javier | Lopez | Hernandez | 1980-04-18 | 45678
                                                     | Avenida del Sol | Poniente | Ciudad E | Estado E |
5558889999 | javier@example.com |
    6 | Ana | Martinez | Gomez | 1995-12-03 | 67890
                                                     | Calle de la Luna | Centro | Ciudad F | Estado F |
5553334444 | ana@example.com |
-----+
3 rows in set (0.001 sec)
MariaDB [consultorio_veterinario] > SELECT * FROM medico;
| id_medico | Nombre | Ape_p_med | Ape_m_med | Telefono | Celular | Cedula | Curp | RFC
                                                                                        |Turno |
Salario I
```

-> (6, 6, 'Vacunación', 80.00, '2024-03-03', '13:00:00');

```
4 | Dra. Ramirez | Gomez | Perez | 5551112233 | 5544999111 | MED45678 | CURP456789 | RFC234567 |
Mañana | 65000.00 |
   5 | Dr. Torres | Hernandez | Lopez | 5554445566 | 5544886699 | MED56789 | CURP567890 | RFC345678 |
Tarde | 72000.00 |
   6 | Dra. Soto | Luna | Diaz | 5557778899 | 5544667788 | MED67890 | CURP678901 | RFC456789 |
Noche | 78000.00 |
3 rows in set (0.001 sec)
MariaDB [consultorio_veterinario] > SELECT * FROM mascota;
+-----+
| id_mascota | id_cliente | id_medico | Nom_mascota | Fech_n_mascota | Especie |
+-----+
   4| 4| 4| Luna | 2017-08-02 | Gato |
        5 | 5 | Rex | 2016-05-15 | Perro |
   51
   61
        6 | 6 | Bella | 2019-11-20 | Perico |
+-----+
3 rows in set (0.000 sec)
MariaDB [consultorio_veterinario] > SELECT * FROM servicio;
+-----+
| id_servicio | id_mascota | Tipo | Costo | Fecha_servicio | Hora |
4 |
        4 | Esterilización | 120.00 | 2024-03-01 | 11:00:00 |
    5 | 5 | Chequeo Anual | 60.00 | 2024-03-02 | 14:30:00 |
    6|
        6 | Vacunación | 80.00 | 2024-03-03 | 13:00:00 |
+-----+
```

MariaDB [consultorio_veterinario] > SELECT * FROM inventario;

3 rows in set (0.000 sec)

3 rows in set (0.001 sec)

MariaDB [consultorio_veterinario] > Arlette Maricela Rodriguez Flores - 183046

id_medico		Ape_p_med				Celular			Curp 				
	Dr. Torres Dra. Soto	Hernandez Luna	Perez Lopez Diaz	55	554445566	5544886	6699 N	MED45678 0 MED56789 0 MED67890 0	CURP567890	RFC345678	3 Tarde	72000.0	0
	(0.001 sec)												
	ultorio_veteri												
id_mascota	id_cliente	id_medico	Nom_maso	ota F	Fech_n_masc								
4 5 6	4 5	4 5	Luna Rex Bella		2017-08-02 2016-05-15 2019-11-20	Ga Pe	ato erro						
ariaDB [cons	ultorio_veteri	.nario]> SEL	ECT * FROM	l servi	cio;								
	id_mascota				Fecha_serv								
4	5 5	Esteriliza Chequeo An	ación 12 nual 6	20.00	2024-03-01 2024-03-02	l 1 2 1	11:00:00 14:30:00 13:00:00	a a					
	(0.000 sec)												
	sultorio_veteri	nariol> SEL	ECT * FROM	linven	tario:								
	Alimento_B A												
4	45	28	2	22	12		15	 18	-+ 30)			
5 6	55 50	40 32		30 18	25 20		10 14	22 20					
-> ; RROR 1064 (4 5' at line 1 ariaDB [cons ye 5 C:\xampp\m ariaDB [cons	12000): You hav sultorio_veteri nysql\bin> sultorio_veter:	inario]> exi	in your S(QL synta	ax; check t	the manua	al that						
->; RROR 1064 (4 5' at line 1 ariaDB [cons ye 5 C:\xampp\m ariaDB [cons -> VALUE -> (4, '[-> (5, '[-> (6, '[Jurry OK, 3 r	(2000): You have a support of the control of the co	re an error : inario]> exi inario]> INS 'Gomez', 'P Hernandez', una', 'Diaz' (0.023 sec)	in your S(t; ERT INTO ; 'erez', '5 'Lopez', , '555777	QL synta medico 5511122 '555444	ax; check t (id_medico 233', '5544'	, Nombre	al that e, Ape_p , 'MED45 9', 'MED	o_med, Ape_ 5678', 'CURI 056789', 'CI	m_med, Tele P456789', ' URP567890',	efono, Celui RFC2345671 RFC345676	lar, Cedu , 'Mañana 3', 'Tard	la, Curp, f ', 65000.00 e', 72000.6	RFC, Turno, :
->; R->; R->; R-> 164 (4 5' at line 1 ariaDB [consection of the consection of the co	12000): You have the sultorio_veterion with the sultorio_veterion with the sultorio_veterion and sultorio_veterion and sultorio_veterion and sultorion with the sultorion and sultorion	ve an error : inario]> INS 'Gomez', 'P Hernandez', una', 'Diaz' (0.023 sec) Warnings: 0	in your 50 t; ERT INTO (erez', '5 'Lopez', , '555777	QL synta medico 5511122 '555444 8899',	ax; check t (id_medico 233', '5544 15566', '55 '554466778	, Nombre 1999111', 144886699	e, Ape_p , 'MED45 9', 'MED D67890',	o_med, Ape_r 5678', 'CURI 056789', 'CI , 'CURP67890	m_med, Tele P456789', ' URP567890', 01', 'RFC45	efono, Celu RFC234567' 'RFC34567' '6789', 'No	lar, Cedu , 'Mañana 3', 'Tard :he', 780	la, Curp, f ', 65000.00 e', 72000.0 00.00);	RFC, Turno, :
->; ->; ->; ->; ->; ->; ->; ->; ->; ->;	12000): You have sultorio_veteri mysql\bin> sultorio_veteri sultorio_veter: cona. Ramirez', rh. Torres', '! rha. Soto', 'lu rows affected of huplicates: 0 sultorio_veter: sultorio_veter:	ve an error : inario]> INS 'Gomez', 'P Hernandez', una', 'Diaz' (0.023 sec) Warnings: 0 inario]> INS 2017-08-02', 2016-05-15', '2019-11-20' (0.003 sec)	in your S(t; ERT INTO erez', '5 'Lopez', , '555777 ERT INTO 'Gato'), 'Perro'), , 'Perrico	QL synta medico 5511122 '555444 8899', mascota	ax; check t (id_medico 233', '5544 15566', '55 '554466778	, Nombre 1999111', 144886699	e, Ape_p , 'MED45 9', 'MED D67890',	o_med, Ape_r 5678', 'CURI 056789', 'CI , 'CURP67890	m_med, Tele P456789', ' URP567890', 01', 'RFC45	efono, Celu RFC234567' 'RFC34567' '6789', 'No	lar, Cedu , 'Mañana 3', 'Tard :he', 780	la, Curp, f ', 65000.00 e', 72000.0 00.00);	RFC, Turno, :
	ultorio_veteri wsal\bin> sultorio_veteri sultorio_veteri sultorio_veteri na. Ramirez', nc. Tornes', 'l na. Soto', 'l nous affected ' sultorio_veter: ', ', ', ', ', ', ', ', ', ', ', ', ', '	re an error : inario]> exi inario]> INS 'Gomez', 'P iernandez', una', 'Diaz' (0.023 sec) Warnings: 0 inario]> INS 2017-08-02', 2016-05-15', '2019-11-20' (0.003 sec) Warnings: 0 inario]> INS idn', 120.00 al', 60.00, 80.00, '20 (0.006 sec) (0.006 sec)	in your S(t; ERT INTO Cerez', '5 'Lopez', , '555777 CERT INTO Cato'), 'Perro'), , 'Perico CATO', ERT INTO ERT INTO 2024-03-03' 24-03-03'	medico 5511122 '555444 8899', mascota '); servici 3-01', 02', '1	ax; check t (id_medico 233', '5544 15566', '55 '554466778i a (id_masco io (id_serv. '11:00:00') 14:30:00'),	o, Nombre 19991111, 144886699 18', 'MED 18ta, id_c	e, Ape_p , 'MED45 9', 'MED 067890',	o_med, Ape_ 5678', 'CURI 956789', 'CURP6789' 'CURP6789'	m_med, Tele P456789', ' URP567890', 91', 'RFC45	efono, Celu RFC234567* . 'RFC345676 . 'RFC345576 . 'RFC345676 . 'RFC356 . 'RFC3456 . 'RFC3466 . 'RFC3466	lar, Cedu , 'Mañana '', 'Tard che', 780 mascota,	la, Curp, f ', 65000.00 e', 72000.0 00.00);	RFC, Turno, :
R-); RRR 1964 (2:5' at line 1 arial08 [conserved] S : Lixampula rial08 [conserved] -> (4), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (6), (1' -> (1	ultorio_veteri bra. Ramirez', bra. Ramirez', bra. Soto', 'Li brows affected ' buplicates: 0 ultorio_veteri c, 4, 'Luna', '.' 5, 'Rex', '2' 6, 'Bella', buplicates: 0 ultorio_veteri c, 'Kex', '2' c, 'Buplicates: 0 ultorio_veteri c, 'Chequeo Anu, 'Vacunación' buplicates: 0 ultorio_veteri c, 'Chequeo Anu, 'Vacunación' buplicates: 0 ultorio_veteri c, 'Ghequeo Anu, 'Vacunación' buplicates: 0 ultorio_veteri c, 'A, 40, 30, 25, 28, 22, 12, 40, 30, 25, 28, 22, 12, 40, 30, 25, 20, 32, 18, 20, 20, 33, 18, 25, 20, 33, 18, 25, 20, 33, 18, 25, 20, 33, 18, 25, 20, 33, 18, 25, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 33, 21, 81, 20, 20, 20, 33, 21, 81, 20, 20, 20, 33, 21, 81, 20, 20, 20, 33, 21, 81, 20, 20, 20, 33, 21, 81, 20, 20, 20, 33, 21, 81, 20, 20, 20, 20, 33, 21, 81, 20, 20, 20, 20, 33, 21, 81, 20, 20, 20, 20, 33, 21, 81, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	// A maring / Warings: 0 (0.006 sec) Warnings: 0 (0.006 sec) Warni	in your S(t; ERT INTO Perez', '5 'Lopez', '555777 ERT INTO 'Gato'), 'Perro'), 'Perro'), 'Perro'), '2024-03- 2024-03-	2L synta medico 5511122 '555444 8899', mmascota '); servici 3-01', 02', '13:0	ax; check t (id_medico 233', '55446 15566', '55 '554466778i a (id_masco io (id_serv. '11:00:00') 10:00'); 10:00'); 10:00'); 11:00:00'; 11:00:0	, Nombre 9991111', 44886699 8', 'MED eta, id_c	e, Ape_p , 'MED45 9', 'MED D67890', cliente,	P_med, Ape_ 5678', 'CURP 056789', 'CI 'CURP67894 id_medico	m_med, Tele P456789', ' URP567890', 01', 'RFC45 , Nom_masco	efono, Celu REC234567' 'REC34567' 16789', 'No ota, Fech_n n_servicio,	lar, Cedu , 'Mañana 3', 'Tard che', 780 mascota, Hora)	la, Curp, f ', 65000 00 e', 72000.0 00.00); Especie)	RFC, Turno, ;
ROY; ROR 1064 (2); A tine 1 aria08 [conserved of the conserved of the cons	sultorio_veteri bna. Ramirez', bna. Ramirez', bna. Ramirez', bna. Torres', '! rows affected buplicates: 0 sultorio_veteri 6. 4, 'Luna', '2', 6. 'Bella', '2', 6. 'Bella', '2', 6. 'Bella', '2', 10 was affected buplicates: 0 sultorio_veteri 6. 5, 'Esterilizac, 'Chequeo Anua', 'Vacunación', rows affected d', 10 yas affected d',	re an error : inario]> exi inario]> INS 'Gomez', 'P iennandez', 'Jua', 'Diaz' (0.023 sec) Warnings: 0 inario]> INS 2017-08-02', 216-08-15', '2019-11-20' (0.083 sec) Warnings: 0 inario]> INS ion', 120.00 al', 60.00, ', 80.00, '20 inario]> INS ion', 121.00 inario]> INS ion', 121.	in your S(t; ERT INTO 'Gato'), 'Perro'), 'Perro'), 'ERT INTO '2024-03- 224-03-03' ERT INTO , ERT INTO	medico 55511122 '555444 8899', mascota '); servici 3-01', 702', '13:0	ax; check t (id_medico 233', '5544' 15566', '55 '554466778' a (id_masco' io (id_serv: '11:00:00' 14:30:00'), 10:00'); ario (medic:	, Nombre 999111', 44886699 8', 'MED ta, id_c	e, Ape_p , 'MED45 9', 'MED 967890', cliente, d_mascot	o_med, Ape_ 5678', 'CUR 56789', 'CI 'CURP67894 , id_medico	m_med, Tele P456789', URP567890', 01', 'RFC45 , Nom_masco osto, Fecha	efono, Celu REC234567' 'REC34567' 16789', 'No ota, Fech_n n_servicio,	lar, Cedu , 'Mañana 3', 'Tard che', 780 mascota, Hora)	la, Curp, 1 ., 65000.06 e', 72000.0 00.00); Especie)	AFC, Turno, 1

```
ariaDB [consultorio_veterinario]> CREATE TABLE inventario (
-> medicina INT PRIMARY KEY,
-> Alimento_B INT,
-> Alimento_B INT,
-> Alimento_G INT,
                     Herramientas INT,
                    Miscelanea INT,
Accesorios INT,
                     Juguetes INT
   uerv OK. 0 rows affected (0.013 sec)
  ariaDB [consultorio_veterinario]> describe inventario;
                             | Type | Null | Key | Default | Extra |
                               int(11) | NO
int(11) | YES
  medicina
Alimento_B
                                                                             NULL
NULL
  Alimento_P
Alimento_G
                                                                              NULL
                                                                             NULL
NULL
   Herramientas
  Miscelanea
Accesorios
                                                                             NULL
                                                                             NULL
   Juguetes
  rows in set (0.016 sec)
 lariaOB [consultorio_veterinario]> INSERT INTO cliente (id_cliente, Nombre, Apellido_p, Apellido_m, Fecha_nac, Codigo_postal, Calle, Colonia, Ciudad, Estado, telefono, Email)
       -> VALUES
 -> (4, 'Laura', 'Diaz', 'Gutierrez', '1992-09-12', '56789', 'Calle de la Rosa', 'Oriente', 'Ciudad D', 'Estado D', '5557778888', 'laura@example.com'),
-> (5, 'Javier', 'Lopez', 'Hernandez', '1980-04-18', '45678', 'Avenida del Sol', 'Poniente', 'Ciudad E', 'Estado E', '5558889999', 'javier@example.com'),
-> (6, 'Ana', 'Martinez', 'Gomez', '1995-12-03', '67890', 'Calle de la Luna', 'Centro', 'Ciudad F', 'Estado F', '5553334444', 'ana@example.com');
luery (K, 3 rows affected (0.004 sec)
lecords: 3 Duplicates: 0 Warnings: 0
MariaDB [consultorio_veterinario]
MariaDB [consultorio_veterinario]> INSERT INTO medico (id_medico, Nombre, Ape_p_med, Ape_m_med, Telefono, Celular, Cedula, Curp, RFC, Turno, Salario)
  ariaDB [consultorio_veterinario]> INSERT INTO MEDICO (IS_MEDICO, NAMBOLEO, NAMBOLEO, NAMBOLEO, VALUES

-> VALUES

-> (A, 'Dra. Ramirez', 'Gomez', 'Perez', '5551112233', '5544999111', 'MED45678', 'CURP456789', 'RFC234567', 'Mañana', 65800.00),

-> (5, 'Dr. Torres', 'Hernandez', 'Lopez', '5554445566', '5544886699', 'MED56789', 'CURP567890', 'RFC345678', 'Tarde', 72000.00),

-> (6, 'Dra. Soto', 'Luna', 'Diaz', '5557778899', '5544667788', 'MED67890', 'CURP678901', 'RFC456789', 'Noche', 78000.00);

uery OK, 3 rows affected (0.023 sec)

ecords: 3 Duplicates: 0 Warnings: 0
Query OK, 0 rows affected (0.015 sec)
 lariaDB [consultorio_veterinario]> describe mascota;
                                                           | Null | Key | Default | Extra |
  Field
  id_mascota id_cliente
                                   int(11)
int(11)
                                                                                        NULL
NULL
                                                                                        NULL
NULL
NULL
NULL
  id_medico | int(11)
Nom_mascota | varchar(255)
Fech_n_mascota | date
Especie | varchar(50)
                                                            YES
YES
YES
YES
  rows in set (0.039 sec)
MariaDB [consultorio_veterinario]> CREATE TABLE servicio (

-> id_servicio INT PRIMARY KEY,

-> id_mascota INT REFERENCES mascota(id_mascota),

-> Tipo VARCHAR(255),

-> Costo DECIMAL(10, 2),

-> Fecha servicio DATE,

-> Hora TIME
  -> );
uery OK, 0 rows affected (0.015 sec)
MariaDB [consultorio veterinario]> describe servicio;
                               | Type
                                                             | Null | Key | Default | Extra |
                               | int(11)
| int(11)
| varchar(255)
| decimal(10,2)
  id_servicio
id_mascota
Tipo
Costo
                                                                NO
YES
YES
YES
                                                                               PRI | NULL
                                                                                          NULL
NULL
                                                                                           NULL
  Fecha_servicio | date
Hora | time
                                                                                          NULL
  rows in set (0.026 sec)
MariaDB [consultorio_veterinario]> CREATE TABLE inventario (
-> medicina INT PRIMARY KEY,
-> Alimento_B INT,
-> Alimento_F INT,
-> Alimento_G INT,
```

Herramientas INT, Miscelanea INT,

```
-> );
uery OK, 0 rows affected (0.041 sec)
    MariaDB [consultorio_veterinario]> describe medico;
                                                                             | Null | Key | Default | Extra |
                                           | Type
       Field
     NO 
                                                                                                                                 PRI | NULL
                                                                                                                                                     NULL
                                                                                                                                                    varchar(255)
varchar(20)
varchar(20)
varchar(20)
varchar(20)
varchar(20)
varchar(50)
varchar(50)
    l1 rows in set (0.023 sec)
  MariaDB [consultorio_veterinario]> CREATE TABLE mascota (
-> id_mascota INT PRIMARY KEY,
-> id_cliente INT REFERENCES cliente(id_cliente),
-> id_medico INT REFERENCES medico(id_medico),
-> Nom_mascota VARCHAR(255),
-> Fech_n_mascota DATE,
-> Especie VARCHAR(50)
-> ):
       uery OK, 0 rows affected (0.015 sec)
   MariaDB [consultorio_veterinario]> describe mascota;
   MariaDB [(none)]> create database consultorio_veterinario
   Query OK, 1 row affected (0.002 sec)
    MariaDB [(none)]> use consultorio_veterinario;
telefono VARCHAR(20),
Email VARCHAR(255)
        -> );
uery OK, 0 rows affected (0.016 sec)
     lariaDB [consultorio_veterinario]> describe cliente;
                                                                                      | Null | Key | Default | Extra |
                                               ---+------
| Type
       Field
                                                        | int(11) | NO | Vanchar(255) | YES | Vanchar(265) | YES | Vanchar(2655) 
     id_cliente
Nombre
Apellido_p
Apellido_m
Fecha_nac
Codigo_postal
Calle
Colonia
Ciudad
Fetado
                                                                                                                                                              NULL
NULL
                                                                                                                                                              Estado
telefono
Email
   12 rows in set (0.120 sec)
   MariaDB [consultorio_veterinario]> select * from cliente;
```

Empty set (0.003 sec)

