

dotfiles

集中管理各种配置文件

```
O v6.11.0
 00:00:07
 la | grep symlink
                      staff
              1 Cjj
                               33B 2 6 20:30 .gemrc -> /Users/Cjj/dotfiles/gemrc.symlink
lrwxr-xr-x
                                   2 21 20:12 .gitconfig -> /Users/Cjj/dotfiles/git/gitconfig.symlink
              1 Cjj
                      staff
lrwxr-xr-x
                                       6 20:48 .tmux.conf -> /Users/Cjj/dotfiles/tmux/tmux.conf.symlink
              1 Cjj
                      staff
lrwxr-xr-x
                                    2 6 20:59 .zshrc -> /Users/Cjj/dotfiles/zsh/zshrc.symlink
              1 Cjj
                      staff
lrwxr-xr-x
```

symlink 符号连接(软链)

In -s [源文件] [目标文件]

source 命令(点命令)

source [目标文件]

. [目标文件]

install.sh

```
if [ "\$(uname)" == "Darwin" ]; then
   source brew.sh
   source osx.sh
   source symlink.sh
fi
```

brew install

- ack
- tree
- wget
- zsh
- autojump
- ccat

config osx

- Show all filename extensions
- Show hidden files by default
- Avoid creating .DS_Store files on network volumes
- When performing a search, search the current folder by default

• • •

symlinks

- ~/.gemrc
- ~/.gitfonfig
- ~/.tmux.conf
- ~/.zshrc

zsh

更炫。。

各种补全

定制化强

oh-my-zsh

多款主题

时间

nodejs 版本

git 信息

命令补全

参数补全

路径补全

brew install zsh-completions

aliases

cd ..

git commit gc

git status => get

react-native run-android something u like

插件

git

zsh-nvm

插件

sublime

- st file
- stt

插件

dirhistory

· 后退: alt + left

· 前进: alt +right

zsh-autosuggestions

```
10:53:01 ~/dotfiles 0 v6.11.0 master * • *

$ ath s -page detail
```