
## **Cucumber Report**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
google search feature - this describe the name of this feature file	11.072 s	2	0	2	0	8	2	2	4

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	google search feature - this describe the name of this feature file	TC_01_iphone_search - Scenario is used to create test cases
2		TC_02_porcelain_tea_pot_search

TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@regression_test_runner	2	0	2	0	1	0	1	0	
@google_search	2	0	2	0	1	0	1	0	
@porcelain_tea_pot	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	google search feature - this describe the name of this feature file	2	0	2	0	11.072 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	google search feature - this describe the name of this feature file	TC_01_iphone_search - Scenario is used to create test cases	4	1	1	2	6.839 s
2		TC_02_porcelain_tea_pot_search	4	1	1	2	4.139 s

DETAILED SECTION -- 7 --

## google search feature - this describe the name of this feature file

Scenarios		Steps	
Total - 2		Total - 8	
Pass - 0	2	Pass - 2	🦰 g 📜
Fail - 2		Fail - 2	🦊 💆
Skip - 0		Skip - 4	
	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2  Total - 8 Pass - 2 Fail - 2

## TC\_01\_iphone\_search - Scenario is used to create test cases



#	Step / Hook Details	Status	Duration
1	Given user is on the google home page	PASSED	5.931 s
2	And user search for iPhone	FAILED	0.028 s
	java.lang.NullPointerException at stepdefinitions.GoogleStepDefs.user_search_for_i_phone(GoogleStepDefs.java:29) at ?.user search for iPhone(file:///C:/Users/49163/IdeaProjects/mycucumberproject/./src/test/resources/features/first_feature_file.feature:9) * Not displayable characters are replaced by '?'.		
3	Then verify the page title contains iPhone	SKIPPED	0.009 s
4	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.833 s
	screenshots		
	Some fax a Copy whyte a Copy whyte a Copy whyte a Copy which a Copy whyte a Copy which a Copy wh		

## TC\_02\_porcelain\_tea\_pot\_search

FAILED DURATION - 4.139 s	4 Steps	
/8:06:33.186 PM // 8:06:37.325 PM /	3 Total - 4	
google search feature - this describe the name of this feature file	Pass - 1 Fail - 1	4
@porcelain_tea_pot @regression_test_runner @google_search	Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given user is on the google home page	PASSED	3.059 s
2	And user search for porcelain_tea_pot	FAILED	0.011 s
	java.lang.NullPointerException at stepdefinitions.GoogleStepDefs.user_search_for_porcelain_tea_pot(GoogleStepDefs.java:38) at ?.user search for porcelain_tea_pot(file:///C:/Users/49163/IdeaProjects/mycucumberproject/./src/test/resources/features/first_feature_file. feature:16) * Not displayable characters are replaced by '?'.		
3	Then verify the page title contains porcelain_tea_pot	SKIPPED	0.003 s
4	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.028 s
	screenshots		
	For the disciplination of the control of the contro		