Recommender System

Louis Jachiet

What is a recommender system?

Wikipedia

A recommender system or a recommendation system is a system that seeks to predict the "rating" or "preference" a user would give to an item

Wikipedia

A recommender system or a recommendation system is a system that seeks to predict the "rating" or "preference" a user would give to an item

Recommendation comes in multiple flavors

Louis JACHIET _______ 2 / 8

Collaborative filtering


Infer preferences for a user based on:

- her previous preferences
- the preferences of other users

Collaborative filtering

Infer preferences for a user based on:

- her previous preferences
- the preferences of other users



Content-based filtering

Infer preferences based on items description and user profile:

- recommend similar items
- requires data on items

Content-based filtering

Infer preferences based on items description and user profile:

- recommend similar items
- requires data on items



Content-based filtering

Infer preferences based on items description and user profile:

- recommend similar items
- requires data on items

⇒ Can also be seen as a classifier for each user!

Diversity

showing diverse items

Diversity

showing diverse items

Persistence

How long to give the same recommendation

Diversity

showing diverse items

Persistence

How long to give the same recommendation

Privacy

How much data leaks through recommendation

Diversity

showing diverse items

Persistence

How long to give the same recommendation

Privacy

How much data leaks through recommendation

Serendipity

How "original" are the recommendation

Diversity

showing diverse items

Persistence

How long to give the same recommendation

Privacy

How much data leaks through recommendation

Serendipity

How "original" are the recommendation

Explainable

Can you provide information on why item A is recommended

Collaborative filtering using Pearson

correlation

Demo

Matrix factorization for

recommendation

Input

- A matrix M of dimension $U \times I$.
- $M_{u,i}$ contains the rating by the user u on the item i.
- ullet A special value ot can denote the absence of rating.

Output

Find H of dimension $U \times F$ and W of dimension $F \times I$ such that

$$M \equiv H \times W$$

Input

- A matrix M of dimension $U \times I$.
- $M_{u,i}$ contains the rating by the user u on the item i.
- ullet A special value ot can denote the absence of rating.

Output

Find H of dimension $U \times F$ and W of dimension $F \times I$ such that

$$M \equiv H \times W$$

Beware of over fitting!

Input

- A matrix M of dimension $U \times I$.
- $M_{u,i}$ contains the rating by the user u on the item i.
- A special value \perp can denote the absence of rating.

Output

Find H of dimension $U \times F$ and W of dimension $F \times I$ minimizing:

$$||M - H \times W||^2 + \lambda(||H||^2 + ||W||^2)$$

7 / 8

How to minimize the error?

$$||M - H \times W||^2 + \lambda(||H||^2 + ||W||^2)$$

Solution

• Gradient descent

How to minimize the error?

$$||M - H \times W||^2 + \lambda(||H||^2 + ||W||^2)$$

Solution

Gradient descent

Good for sparse matrices

How to minimize the error?

$$||M - H \times W||^2 + \lambda(||H||^2 + ||W||^2)$$

Solution

Gradient descent

Good for sparse matrices

Alternating Least Square

Good for full matrices