

INF344 2019–2020

[Tableau de bord](#) / [Mes cours](#) / [INF344 2019–2020](#) / [Disambiguation, Web sémantique](#) / [Disambiguation](#)

Description

[Submission view](#)

Disambiguation

Due date: Thursday 18 June 2020, 23:59
Requested files: simpleKB.py, parser.py, page.py, disambiguate.py ([Download](#))
Nombre maximal de fichiers: 20
Type of work: Individual work
Reduction by automatic evaluation: 10 **Free evaluations:** 2

Purpose

The goal of this lab is to disambiguate entities in a text. For example, given a Wikipedia article

Paris_17
Paris is a figure in the Greek mythology.

... the goal is to determine that

Paris_17 = <https://www.wikidata.org/wiki/Q167646>

Here, <https://www.wikidata.org/wiki/Q167646> is the URI of the Greek hero in Wikidata. Paris_17 is an artificial title of the Wikipedia article.

Task

Your task is to edit the file disambiguate.py to disambiguate every Wikipedia article given in input. In the previous example, one would call:

print("Paris_17", "<Q167646>", sep="\t", file=output)

in order to register the answer. The grade will take into account precision and recall ([f-0.5 measure](#)).

Resources


You find here https://louis.jachiet.com/tmp/Yo9kDfnWsYb_files.zip

- A simplified Wikidata, which consists just of the links between entities (without relation names), dates related to entities and the labels of entities.
- A prepared corpus of ambiguous Wikipedia pages (of the form shown above).
- A sample of a gold standard for the task.

Code

This lab can be programmed, run, debugged, evaluated, and graded directly in the Moodle.

[Submission](#) [Edit](#) [Submission view](#) [Note](#) [Previous submissions](#)



In the “Edit” tab, you will find:

- The Python module Page, which represents a page in Wikipedia.
- The Python module Parser, which allows iterating over the pages of a Wikipedia corpus.
- The Python module simpleKB, a simplified knowledge base.
- The Python module disambiguate, a skeleton that you should modify.

You can directly modify the code in the Web interface. Click the disk symbol to save. Click the bug to debug the code. Click the rocket to run it. This will also automatically compute precision and recall.

If you want to work offline: You can download the code files, modify them, and then upload them (in the tab “Submission”). The Web interface already knows Wikidata and Wikipedia, so you do not need to upload them.

Submitting the lab

When you are done, you can submit the lab (click the checkbox). This will directly compute an estimated grade on our gold standard. You can submit 2 times. If you submit more often, you lose points.

Plagiarism is sanctioned with a grade of 0/20 (plus potentially other sanctions). Submissions that share material all receive grade 0/20, no matter who is the author of the code.

NOTE: The submission server only works inside Télécom. Please visit <https://www.telecom-paristech.fr/vivre-ecole/services-numeriques-dsi/connexion-depuis-lexterieur.html> to know how to connect to the internal network from the outside.

Requested files

simpleKB.py

```
1  '''A simplified knowledge base with just
2  links between entities and labels'''
3
4  __author__ = "Jonathan Lajus"
5
6  def load(fileName, container, reverseContainer = None):
7      with open(fileName, encoding="utf-8") as file:
8          print("Loading",fileName,end="...",flush=True)
9          for line in file:
10             splitLine = line.split('\t')
11             if len(splitLine) is not 2:
12                 raise RuntimeError('The file is not a valid KB file')
13             subject=splitLine[0]
14             obj=splitLine[1].strip('\n')
15             container.setdefault(subject,set()).add(obj)
16             if reverseContainer!=None:
17                 reverseContainer.setdefault(obj,set()).add(subject)
18             print("done",flush=True)
19
20  class SimpleKB:
21      def __init__(self, yagoLinksFile, yagoLabelsFile, yagoDatesFile = None):
22          self.links = {}
23          self.labels = {}
24          self.rlabels = {}
25          self.dates = {}
26          load(yagoLinksFile, self.links, self.links)
27          load(yagoLabelsFile, self.labels, self.rlabels)
28          if yagoDatesFile:
29              load(yagoDatesFile, self.dates, None)
30
```

parser.py

```
1  '''Parses a Wikipedia file, returns page objects'''
2  from page import Page
3  __author__ = "Jonathan Lajus"
4
5  class Parser:
6      def __init__(self, wikipediaFile):
7          self.file = wikipediaFile
8      def __iter__(self):
9          title, content = None, ""
10         with open(self.file, encoding='utf-8') as f:
11             for line in f:
12                 line = line.strip()
13                 if not line and title is not None:
14                     yield Page(title, content.rstrip())
15                     title, content = None, ""
16                 elif title is None:
17                     title = line
18                 elif title is not None:
19                     content += line + " "
```

page.py

```
1  import sys
2
3  class Page:
4      def __init__(self, title, content):
5          self.content = content
6          self.title = title
7          if sys.version_info[0] < 3:
8              self.title = title.decode("utf-8")
9              self.content = content.decode("utf-8")
10
11      def __eq__(self, other):
12          return isinstance(other, self.__class__) and self.title == other.title and self.content == other.content
13
14      def __ne__(self, other):
15          return not self.__eq__(other)
16
17      def __hash__(self):
18          return hash((self.title, self.content))
19
20      def __str__(self):
21          return 'Wikipedia page: '+(self.title.encode("utf-8") if sys.version_info[0] < 3 else self.title)+' '
22
23      def __repr__(self):
24          return self.__str__()
25
26      def _to_tuple(self):
27          return (self.title, self.content)
28
29      # Only used for Disambiguation TP
30      def label(self):
31          return self.title[1:self.title.rindex("_")].replace("_", " ")
32
```

disambiguate.py

```

1 usage='''
2 Given as command line arguments
3 (1) wikidataLinks.tsv
4 (2) wikidataLabels.tsv
5 (optional 2') wikidataDates.tsv
6 (3) wikipedia-ambiguous.txt
7 (4) the output filename'''
8 '''writes lines of the form
9 title TAB entity
10 where <title> is the title of the ambiguous
11 Wikipedia article, and <entity> is the
12 wikidata entity that this article belongs to.
13 It is OK to skip articles (do not output
14 anything in that case).
15 (Public skeleton code)'''
16
17 import sys
18 import re
19 from parser import Parser
20 from simpleKB import SimpleKB
21
22 wikidata = None
23 if __name__ == "__main__":
24     if len(sys.argv) is 5:
25         dateFile = None
26         wikipediaFile = sys.argv[3]
27         outputFile = sys.argv[4]
28     elif len(sys.argv) is 6:
29         dateFile = sys.argv[3]
30         wikipediaFile = sys.argv[4]
31         outputFile = sys.argv[5]
32     else:
33         print(usage, file=sys.stderr)
34         sys.exit(1)
35
36     wikidata = SimpleKB(sys.argv[1], sys.argv[2], dateFile)
37
38 # wikidata is here an object containing 4 dictionaries:
39 ## wikidata.links is a dictionary of type: entity -> set(entity).
40 ## It represents all the entities connected to a
41 ## given entity in the yago graph
42 ## wikidata.labels is a dictionary of type: entity -> set(label).
43 ## It represents all the labels an entity can have.
44 ## wikidata.rlabels is a dictionary of type: label -> set(entity).
45 ## It represents all the entities sharing a same label.
46 ## wikidata.dates is a dictionary of type: entity -> set(date).
47 ## It represents all the dates associated to an entity.
48
49 # Note that the class Page has a method Page.label(),
50 # which retrieves the human-readable label of the title of an
51 # ambiguous Wikipedia page.
52
53 with open(outputFile, 'w', encoding="utf-8") as output:
54     for page in Parser(wikipediaFile):
55         # DO NOT MODIFY THE CODE ABOVE THIS POINT
56         # or you may not be evaluated (you can add imports).
57
58         # YOUR CODE GOES HERE:
59         pass
60

```

[VPL](#)

◀ Semantic web

Aller à...

Captation Disambiguation ►

Connecté sous le nom « Romain Legrand » (Déconnexion)

INF344 2019–2020

Résumé de conservation de données

Obtenir l'app mobile