

2 Unit Bridging Course – Day 12


Absolute values

Clinton Boys




THE UNIVERSITY OF
SYDNEY

The **number line** is a convenient way to represent all numbers:



We can put any number somewhere on this line (imagining it extends infinitely in both directions).

The **number line** is a convenient way to represent all numbers:



We can put any number somewhere on this line (imagining it extends infinitely in both directions).

The position of a number on the number line is completely specified by two pieces of information:

- (i) its **magnitude** or **absolute value**, that is, the absolute distance of the number from zero, and
- (ii) its **sign**, that is, whether it is positive (lies to the right of zero), or negative (lies to the left of zero).

The position of a number on the number line is completely specified by two pieces of information:

- (i) its **magnitude** or **absolute value**, that is, the absolute distance of the number from zero, and
- (ii) its **sign**, that is, whether it is positive (lies to the right of zero), or negative (lies to the left of zero).

The position of a number on the number line is completely specified by two pieces of information:

- (i) its **magnitude** or **absolute value**, that is, the absolute distance of the number from zero, and
- (ii) its **sign**, that is, whether it is positive (lies to the right of zero), or negative (lies to the left of zero).

The **absolute value** of a number denotes how far away it is from zero, without regard to its sign.

Thus the absolute value of a number x , which we write as $|x|$, is always **positive** (or zero if $x = 0$).

The **absolute value** of a number denotes how far away it is from zero, without regard to its sign.

Thus the absolute value of a number x , which we write as $|x|$, is always **positive** (or zero if $x = 0$).

If $x \geq 0$, the absolute value of x is just x itself since its sign is **positive**:

$$|x| = x \quad \text{if } x \geq 0.$$

However if $x < 0$, the absolute value of x is the positive number which sits on the other side of zero on the number line. This number is exactly the negative of the negative number x :

$$|x| = -x \quad \text{if } x < 0.$$




If $x \geq 0$, the absolute value of x is just x itself since its sign is **positive**:

$$|x| = x \quad \text{if } x \geq 0.$$

However if $x < 0$, the absolute value of x is the positive number which sits on the other side of zero on the number line. This number is exactly the negative of the negative number x :

$$|x| = -x \quad \text{if } x < 0.$$




If $x \geq 0$, the absolute value of x is just x itself since its sign is **positive**:

$$|x| = x \quad \text{if } x \geq 0.$$

However if $x < 0$, the absolute value of x is the positive number which sits on the other side of zero on the number line. This number is exactly the negative of the negative number x :

$$|x| = -x \quad \text{if } x < 0.$$



Example

(i) $|3| = 3$

(ii) $|-4| = 4.$

Equations involving absolute values

Suppose we are given the equation

$$|x| = 3$$

and asked to solve it for x . Since we now understand absolute values, we know there are exactly two possibilities:

(1) $x = 3$

(2) $x = -3$.

Equations involving absolute values

Suppose we are given the equation

$$|x| = 3$$

and asked to solve it for x . Since we now understand absolute values, we know there are exactly two possibilities:

(1) $x = 3$

(2) $x = -3$.

Equations involving absolute values

Suppose we are given the equation

$$|x| = 3$$

and asked to solve it for x . Since we now understand absolute values, we know there are exactly two possibilities:

(1) $x = 3$

(2) $x = -3$.

Equations involving absolute values

Suppose we are given the equation

$$|x| = 3$$

and asked to solve it for x . Since we now understand absolute values, we know there are exactly two possibilities:

(1) $x = 3$

(2) $x = -3$.

Equations involving absolute values

We can use a similar strategy to solve general equations with absolute values:

Example

Solve the equation

$$|x + 1| = 4$$

for x .

We know that if $|x + 1| = 4$, then either $x + 1 = 4$, or $x + 1 = -4$.

Equations involving absolute values

We can use a similar strategy to solve general equations with absolute values:

Example

Solve the equation

$$|x + 1| = 4$$

for x .

We know that if $|x + 1| = 4$, then either $x + 1 = 4$, or $x + 1 = -4$.

Equations involving absolute values

So there are two possibilities for the solution:

- (1) $x + 1 = 4$, i.e. $x = 3$, or
- (2) $x + 1 = -4$, i.e. $x = -5$.

Equations involving absolute values

So there are two possibilities for the solution:

(1) $x + 1 = 4$, i.e. $x = 3$, or

(2) $x + 1 = -4$, i.e. $x = -5$.

Equations involving absolute values

So there are two possibilities for the solution:

- (1) $x + 1 = 4$, i.e. $x = 3$, or
- (2) $x + 1 = -4$, i.e. $x = -5$.

Equations involving absolute values

Practice questions

Find the values of x which satisfy the following equations:

(i) $|x - 2| = 4$

(ii) $|3x + 1| = 2$

(iii) $|2 + x| = 1.$

Equations involving absolute values


Answers

- (i) $x = 6$ or $x = -2$
- (ii) $x = 1/3$ or $x = -1$
- (iii) $x = -1$ or $x = -3$.

Graphing absolute values

Suppose we want to graph the function $y = |x|$.


This function will look the same as the function $y = x$ when x is positive, but when x is negative it will be the *negative* of $y = x$.



Graphing absolute values

Suppose we want to graph the function $y = |x|$.


This function will look the same as the function $y = x$ when x is positive, but when x is negative it will be the *negative* of $y = x$.



Graphing absolute values

Suppose we want to graph the function $y = |x|$.


This function will look the same as the function $y = x$ when x is positive, but when x is negative it will be the *negative* of $y = x$.



Graphing absolute values

Suppose we want to graph the function $y = |x|$.

This function will look the same as the function $y = x$ when x is positive, but when x is negative it will be the *negative* of $y = x$.



Graphing absolute values

This just corresponds to *reflecting* the negative part of the graph in the x -axis.

Example

Here are the graphs of $y = 2x - 1$ and $y = |2x - 1|$.



Graphing absolute values

This just corresponds to *reflecting* the negative part of the graph in the x -axis.

Example

Here are the graphs of $y = 2x - 1$ and $y = |2x - 1|$.




Graphing absolute values

This just corresponds to *reflecting* the negative part of the graph in the x -axis.

Example

Here are the graphs of $y = 2x - 1$ and $y = |2x - 1|$.




Graphing absolute values

This just corresponds to *reflecting* the negative part of the graph in the x -axis.

Example

Here are the graphs of $y = 2x - 1$ and $y = |2x - 1|$.



Practice questions

Sketch the following curves:

(i) $y = |3x - 4|$


(ii) $y = |x^2 - 1|$

(iii) $y = |\sin x|$

Graphing absolute values

Answers


(i) $y = |3x - 4|$



Graphing absolute values

Answers


(i) $y = |3x - 4|$



Graphing absolute values

Answers


(ii) $y = |x^2 - 1|$



Graphing absolute values

Answers


(ii) $y = |x^2 - 1|$



Graphing absolute values

Answers

(iii) $y = |\sin x|$



Graphing absolute values

Answers

(iii) $y = |\sin x|$

