

# 2 Unit Bridging Course

## Day 9 - The Product Rule of Differentiation

Jackie Nicholas



Another way of combining functions to make new ones is by multiplying them together to form a product.

Examples:

$$y = (x + 1)(x^2 + 3)$$

$$f(x) = \sqrt{x}(x^3 - 3x^2 + 7)$$

$$h(t) = t e^t.$$

We can differentiate the first two examples by multiplying out the brackets (note that  $\sqrt{x} = x^{\frac{1}{2}}$ ), but that method does not work for the third example.

Another way of combining functions to make new ones is by multiplying them together to form a product.

Examples:

$$y = (x + 1)(x^2 + 3)$$

$$f(x) = \sqrt{x}(x^3 - 3x^2 + 7)$$

$$h(t) = t e^t.$$

We can differentiate the first two examples by multiplying out the brackets (note that  $\sqrt{x} = x^{\frac{1}{2}}$ ), but that method does not work for the third example.

We need a rule to differentiate product functions in general.

## The Product rule

If  $y = u \times v$ , where  $u = f(x)$  and  $v = g(x)$ , then

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}.$$

Alternatively, If  $h(x) = f(x) \times g(x)$  then

$$h'(x) = f(x)g'(x) + g(x)f'(x).$$

We need a rule to differentiate product functions in general.

## The Product rule

If  $y = u \times v$ , where  $u = f(x)$  and  $v = g(x)$ , then

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}.$$

Alternatively, If  $h(x) = f(x) \times g(x)$  then

$$h'(x) = f(x)g'(x) + g(x)f'(x).$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}$$

$$= (x + 1) \times 2x + (x^2 + 3) \times 1$$

$$= 2x^2 + 2x + x^2 + 3$$

$$= 3x^2 + 2x + 3.$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}$$

$$= (x + 1) \times 2x + (x^2 + 3) \times 1$$

$$= 2x^2 + 2x + x^2 + 3$$

$$= 3x^2 + 2x + 3.$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= (x + 1) \times 2x + (x^2 + 3) \times 1 \\ &= 2x^2 + 2x + x^2 + 3 \\ &= 3x^2 + 2x + 3. \end{aligned}$$



## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= (x + 1) \times 2x + (x^2 + 3) \times 1 \\ &= 2x^2 + 2x + x^2 + 3 \\ &= 3x^2 + 2x + 3. \end{aligned}$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$\uparrow$   
 $u$

$\uparrow$   
 $v$

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}$$

$$= (x + 1) \times 2x + (x^2 + 3) \times 1$$

$$= 2x^2 + 2x + x^2 + 3$$

$$= 3x^2 + 2x + 3.$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= (x + 1) \times 2x + (x^2 + 3) \times 1 \\ &= 2x^2 + 2x + x^2 + 3 \\ &= 3x^2 + 2x + 3. \end{aligned}$$

## Example

Let  $y = (x + 1)(x^2 + 3)$ , then

$$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= (x + 1) \times 2x + (x^2 + 3) \times 1 \\ &= 2x^2 + 2x + x^2 + 3 \\ &= 3x^2 + 2x + 3. \end{aligned}$$

## Example

Let  $y = f(x) = \sqrt{x}(x^3 - 3x^2 + 7) = x^{\frac{1}{2}}(x^3 - 3x^2 + 7)$ , then

$\begin{matrix} \uparrow & \uparrow \\ u & v \end{matrix}$

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}$$

$$= x^{\frac{1}{2}} \times (3x^2 - 6x) + (x^3 - 3x^2 + 7) \times \frac{1}{2}x^{-\frac{1}{2}}.$$

## Example

Let  $y = f(x) = \sqrt{x}(x^3 - 3x^2 + 7) = x^{\frac{1}{2}}(x^3 - 3x^2 + 7)$ , then

$\begin{matrix} \uparrow & \uparrow \\ u & v \end{matrix}$

$$\frac{dy}{dx} = u \times \frac{dv}{dx} + v \times \frac{du}{dx}$$

$$= x^{\frac{1}{2}} \times (3x^2 - 6x) + (x^3 - 3x^2 + 7) \times \frac{1}{2}x^{-\frac{1}{2}}.$$

## Example

Let  $y = f(x) = \sqrt{x}(x^3 - 3x^2 + 7) = x^{\frac{1}{2}}(x^3 - 3x^2 + 7)$ , then

$\begin{matrix} \uparrow & \uparrow \\ u & v \end{matrix}$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= x^{\frac{1}{2}} \times (3x^2 - 6x) + (x^3 - 3x^2 + 7) \times \frac{1}{2}x^{-\frac{1}{2}}. \end{aligned}$$

## Example

Let  $y = f(x) = \sqrt{x}(x^3 - 3x^2 + 7) = x^{\frac{1}{2}}(x^3 - 3x^2 + 7)$ , then

$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= x^{\frac{1}{2}} \times (3x^2 - 6x) + (x^3 - 3x^2 + 7) \times \frac{1}{2}x^{-\frac{1}{2}}. \end{aligned}$$



## Example

Let  $y = f(x) = \sqrt{x}(x^3 - 3x^2 + 7) = x^{\frac{1}{2}}(x^3 - 3x^2 + 7)$ , then

$\begin{array}{cc} \uparrow & \uparrow \\ u & v \end{array}$

$$\begin{aligned} \frac{dy}{dx} &= u \times \frac{dv}{dx} + v \times \frac{du}{dx} \\ &= x^{\frac{1}{2}} \times (3x^2 - 6x) + (x^3 - 3x^2 + 7) \times \frac{1}{2}x^{-\frac{1}{2}}. \end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t+1).\end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t+1).\end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t+1).\end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t+1).\end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t + 1).\end{aligned}$$

## Example

Consider  $y = h(t) = te^t$ . Let  $u = t$  and  $v = e^t$ .

Notice that  $y$ ,  $u$  and  $v$  are functions of  $t$  so the derivatives will be with respect to  $t$ .

Then

$$\begin{aligned}\frac{dy}{dt} &= u \times \frac{dv}{dt} + v \times \frac{du}{dt} \\ &= t \times e^t + e^t \times 1 \\ &= e^t(t + 1).\end{aligned}$$

## Practice questions

Differentiate the following functions:

- (i)  $x^2 e^x$
- (ii)  $x^3 \sqrt{x-1}$
- (iii)  $(x+1)e^{x^2}$  (Hint: you need the chain rule too).



## Answers to practice questions

(i)  $x^2 e^x + 2x e^x$

(ii)  $x^3 \times \frac{1}{2}(x-1)^{-\frac{1}{2}} + 3x^2(x-1)^{\frac{1}{2}}$

(iii)  $2x(x+1)e^{x^2} + e^{x^2}(1).$