# 2 Unit Bridging Course

Day 9 - The Quotient Rule of Differentiation

Jackie Nicholas





# Quotients of functions

We can form quotients of functions by dividing one function by another.

Here are some examples.

$$y = \frac{e^x}{x^2 - 1}$$

$$y = \frac{2t}{1 + 2t^3}$$

$$g(x) = \frac{x(x+1)}{x^2 + 3x + 1}$$



# Quotients of functions

We can form quotients of functions by dividing one function by another.

Here are some examples.

$$y = \frac{e^x}{x^2 - 1}$$

$$y=\frac{2t}{1+2t^3}$$

$$g(x) = \frac{x(x+1)}{x^2 + 3x + 1}$$





#### The Quotient rule

If 
$$y = \frac{u}{v}$$
, where  $u = f(x)$  and  $v = g(x)$ , then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}.$$

Alternatively, if 
$$h(x) = \frac{f(x)}{g(x)}$$
 ther

$$h'(x) = \frac{g(x)f'(x) - f(x)g'(x)}{(g(x))^2}$$





#### The Quotient rule

If 
$$y = \frac{u}{v}$$
, where  $u = f(x)$  and  $v = g(x)$ , then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}.$$

Alternatively, if 
$$h(x) = \frac{f(x)}{g(x)}$$
 then

$$h'(x) = \frac{g(x)f'(x) - f(x)g'(x)}{(g(x))^2}.$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{x^2 - 1}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{x^2 - 1}$$
, ther

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{v^2}$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{\stackrel{e^x}{x^2 - 1}}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$
$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{\stackrel{e^x}{x^2 - 1}}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$
$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$
$$e^x (x^2 - 2x - 1)$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{x^2 - 1}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$

$$= \frac{e^x(x^2 - 2x - 1)}{(x^2 - 2x - 1)}$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{x^2 - 1}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$

$$= \frac{e^x (x^2 - 2x - 1)}{(x^2 - 2x - 1)^2}$$



Let 
$$y = \frac{\stackrel{u}{\downarrow}}{x^2 - 1}$$
, then

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 - 1) \times e^x - e^x \times 2x}{(x^2 - 1)^2}$$

$$= \frac{e^x (x^2 - 2x - 1)}{(x^2 - 1)^2}.$$



Let 
$$y=rac{\overset{u}{\downarrow}}{1+2t^3}$$
 , then  $\overset{r}{v}$ 

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1+2t^3) \times 2 - 2t \times 6t^3}{(1+2t^3)^2}$$

$$= \frac{2-8t^3}{(1+2t^3)^2}$$



Let 
$$y=rac{\overset{u}{\downarrow}}{1+2t^3}$$
 , then  $\overset{\uparrow}{v}$ 

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1 + 2t^3) \times 2 - 2t \times 6t^2}{(1 + 2t^3)^2}$$



Let 
$$y=rac{\overset{u}{\downarrow}}{1+2t^3}$$
 , then  $\overset{r}{v}$ 

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1 + 2t^3) \times 2 - 2t \times 6t^2}{(1 + 2t^3)^2}$$



Let 
$$y=rac{\overset{u}{\downarrow}}{1+2t^3}$$
 , then  $\overset{\uparrow}{v}$ 

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1 + 2t^3) \times 2 - 2t \times 6t^2}{(1 + 2t^3)^2}$$

$$= \frac{2 - 8t^3}{(1 + 2t^3)^2}$$



Let 
$$y=rac{\overset{u}{\downarrow}}{1+2t^3}$$
 , then  $\overset{r}{v}$ 

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1+2t^3) \times 2 - 2t \times 6t^2}{(1+2t^3)^2}$$

$$= \frac{2-8t^3}{(1+2t^3)^2}$$



Let 
$$y = \frac{2t}{1 + 2t^3}$$
, then

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1+2t^3) \times 2 - 2t \times 6t^2}{(1+2t^3)^2}$$

$$= \frac{2-8t^3}{(1+2t^3)^2}$$



Let 
$$y = \frac{2t}{1 + 2t^3}$$
, then

$$\frac{dy}{dt} = \frac{v \times \frac{du}{dt} - u \times \frac{dv}{dt}}{v^2}$$

$$= \frac{(1+2t^3) \times 2 - 2t \times 6t^2}{(1+2t^3)^2}$$

$$= \frac{2-8t^3}{(1+2t^3)^2}.$$



$$y=\frac{x(x+1)}{x^2+3x+1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$
$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(x^2 + 3x + 1)^2}.$$



$$y = \frac{x(x+1)}{x^2 + 3x + 1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$
$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(2x + 3)^2}.$$



$$y = \frac{x(x+1)}{x^2 + 3x + 1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(x^2 + 3x + 1)^2}.$$



$$y=\frac{x(x+1)}{x^2+3x+1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(x^2 + 3x + 1)^2}.$$



$$y=\frac{x(x+1)}{x^2+3x+1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(x^2 + 3x + 1)^2}$$



$$y=\frac{x(x+1)}{x^2+3x+1}.$$

$$\frac{dy}{dx} = \frac{v \times \frac{du}{dx} - u \times \frac{dv}{dx}}{v^2}$$

$$= \frac{(x^2 + 3x + 1) \times (2x + 1) - (x^2 + x) \times (2x + 3)}{(x^2 + 3x + 1)^2}$$



#### Practice questions

Differentiate the following functions:

- (i)  $\frac{x^2}{e^x+1}$
- (ii)  $\frac{x^3}{\sqrt{x-1}}$
- (iii)  $\frac{e^{x^2}}{1-x^3}$  (Hint: you need the chain rule too).

It is important that you follow the formula exactly and be careful of the - sign.



### Answers to practice questions

(i) 
$$\frac{(e^x+1)2x-x^2(e^x)}{(e^x+1)^2}$$

(ii) 
$$\frac{(x-1)^{\frac{1}{2}}(3x^2) - x^3 \frac{1}{2}(x-1)^{-\frac{1}{2}}}{(x-1)}$$

(iii) 
$$\frac{(1-x^3)2xe^{x^2}-e^{x^2}(-3x^2)}{(1-x^3)^2}.$$