

# Experiment 4

## Docker Build and Push using GitHub Actions

**Objective:** Set up a GitHub Actions workflow to automatically build a Docker image from a Dockerfile in your GitHub repository and push it to a container registry (e.g., Docker Hub).


**Prerequisites:**

**GitHub account**

- Docker installed on your local machine
- A Dockerfile in your GitHub repository
- A Docker Hub account (or any other container registry)

**Exercise Steps:**

### Step 1: Fork and Clone the Repository



```
rohith@victus:~/UPES/Sem 4/cicd/experiment 4$ git clone https://github.com/rohith079/CICD-Experiment-4.git
Cloning into 'CICD-Experiment-4'...
uk133@device:~/UPES/Sem 4/cicd/experiment 4$ git pull
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
uk133@device:~/UPES/Sem 4/cicd/experiment 4$
```

- Fork a sample GitHub repository containing a Dockerfile or create a new repository and add a Dockerfile to it.
- Clone the forked repository to your local machine.



### Step 2: Create Docker Hub Access Token:

- Log in to your Docker Hub account
- Go to your account settings and click on the "Security" tab.
- Under "Access Tokens," click "New Access Token." Give it a name, select the required permissions (e.g., "Write" for pushing Docker images), and click "Create."
- Copy the generated access token. You will need it to authenticate with Docker Hub in your GitHub Actions workflow.

Access Tokens						New Access Token
<input type="checkbox"/>	Description	Source	Scope	Last Used	Created	
<input type="checkbox"/>	cicd	<a href="#">MANUAL</a>	Read, Write, Delete	Sep 26, 2023 09:46:17	Sep 26, 2023 09:43:09	⋮



### Step 3: Create a GitHub Actions Workflow

- In your cloned repository, create a directory named `.github/workflows` if it doesn't exist.
- Inside the `.github/workflows` directory, create a YAML file (e.g., `docker-build-and-push.yml`) to define your GitHub Actions workflow. You can use any text editor to create the file.
- Edit `cicd.yml`



### Step 4: Add Docker Hub Credentials to GitHub Secrets

- Go to your GitHub repository on the GitHub website.
- Click on "Settings" and then "Secrets" in the left sidebar.
- Click on "New repository secret" and add two secrets:
- DOCKER\_USERNAME: Set this to your Docker Hub username.
- DOCKER\_PASSWORD: Set this to the Docker Hub access token you generated earlier.




## Step 5: Commit and Push Changes Save

the docker-build-and-push.yml file.

Commit the changes to your local repository:

## Step 6: Check the Workflow Status

- Go to your GitHub repository on the GitHub website.
- Click on the "Actions" tab to see the workflow running. You should see a workflow named "Docker Build and Push" or the name you specified in the YAML file.
- Monitor the workflow's progress, and once it is completed successfully, you should see a green checkmark indicating a successful build and push of the Docker image to Docker Hub.





## Step 7: Verify the Docker Image on Docker Hub

- Log in to your Docker Hub account.
- Navigate to your Docker Hub repository, and you should see the Docker image you pushed from the GitHub Actions workflow.

Tags

This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
 <a href="#">main-b460559</a>		Image	7 days ago	7 days ago

[See all](#)[Go to Advanced Image Management](#)

Automated Builds

Manually pushing images to Hub? Connect your Bitbucket to automatically build and tag code is updated, so you can focus your

Available with Pro, Team and Business plans. [Learn more](#)

[automated builds](#) [external link](#)

Upgrade