
Lab-5


Master/Slave Concept in Jenkins

Step $1 \rightarrow$ Create 2 slave on your local drive


```
arnim_taliyan@device:~/Desktop/la56cicd$ mkdir slave1
arnim_taliyan@device:~/Desktop/la56cicd$ mkdir slave2
arnim_taliyan@device:~/Desktop/la56cicd$ ls
slave1 slave2
arnim_taliyan@device:~/Desktop/la56cicd$
```

Step 2 → Go to manage Jenkins and make 2 nodes-slave1, slave2






Step $3 \rightarrow \text{Now run your nodes}$




Step 4 → Make new maven project and connect it to GitHub project making automatic build



Pre Steps

Add pre-build step ▼		
Build		
Root POM ?		
pom.xml		
Goals and options ?		
install		
Advanced		

Step $5 \rightarrow$ Now make another maven project on Jenkins with label Agent2 and give your path of local system to run different agents of same project to run processes parallel.



Build Root POM ? pom.xml Goals and options ? install Advanced... Maven project cicd-lab5 Status </> Changes ─ Workspace **Build Now Permalinks** (Configure • Last build (#1), 3 min 50 sec ago • Last stable build (#1), 3 min 50 sec ago Delete Maven project • Last successful build (#1), 3 min 50 sec ag · Last completed build (#1), 3 min 50 sec a Modules Rename **Build History** trend v Q Filter builds... Oct 6, 2023, 10:31 AM

Atom feed for all Atom feed for failures