

Laboratory work 6


1. Write a query that displays all flights of a specific airline.




2. Compose a query to obtain a list of all flights with the names of departure airport




3. Create a query that finds all airlines that have no flights scheduled for the next month.




4. Create a query to display a list of passengers on a specific flight.




5. Write a query that calculates the average, total, maximum and minimum price of tickets for each flight.




6. Create a query that shows all flights flying to a specific country by combining flights, airports and airline, and using the condition on the country name.




7. Display a list of minor passengers and their arrival destination.




8. Display the passenger's full name, passport number, and the passenger's current time of arrival at the destination.




9. Print a list of flights where the airline's home country and origin country are the same. Group them by the airport country.




10. Write a query that lists each flight number, airline name, departure airport, and arrival airport by joining the relevant tables.




11. Display all passengers who have booked tickets for flights operated by a specific airline, including the passenger's full name and flight number.




12. Create a query that shows each flight's number, destination country, and number of passengers booked on that flight. Include flights with no booked passengers.




13. Find passengers who have not booked any tickets, using an appropriate JOIN operation.



14. Display each airline and the total number of flights it operates, including airlines that currently have no flights.



15. List flights departing from airports in a specified country and show the airline name, flight number, and departure airport city.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Triggers
flights
Columns (14)
flight_id integer
flight_no character varying(50)
scheduled_departure date
scheduled_arrival date
departure_airport_id integer
arrival_airport_id integer
departing_gate character varying(50)
arriving_gate character varying(50)
airline_id integer
status character varying(50)
actual_departure date
actual_arrival date
created_at date
update_at date
Constraints (5)
Indexes
RLS Policies
Rules
Triggers
passengers
Columns (10)
passenger_id integer
first_name character varying(50)
last_name character varying(50)
date_of_birth date
gender character varying(50)
country_of_citizenship character varying(50)
country_of_residence character varying(50)
passport_number character varying(50)
created_at date
update_at date
Constraints (5)
Indexes
RLS Policies
Rules
Triggers
security_check
Trigger Functions
airport_database/postgres@PostgreSQL 18*
airport_database/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
select airline.airline_name, flights.flight_no, airport.city as departure_city
from flights
join airline on airline.airline_id = flights.airline_id
join airport on airport.airport_id = flights.departure_airport_id
where airport.country = 'China';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 248
Page No: 1
of 1
airline_name character varying (50)
flight_no character varying (50)
departure_city character varying (50)
1 GYA US-CT Shuiting
2 BLD RU-KR Tielu
3 KKL CA-NL Shuiting
4 CSC BR-TO Tielu
5 HOU CH-TI Shuiting
6 KMA UZ-SU Luodian
7 YBQ NO-18 Tielu
8 KGF MN-1 Shuiting
9 DNU US-AK Luodian
10 CLY US-CA Sangzhou
11 IPC AU-NT Shuiting
12 KIQ ID-MU Linfen
13 SJS PG-MPL Shuiting
14 JKR OM-ZA Shuiting
Total rows: 248
Query complete 00:00:00.046
CRLF
Ln 6, Col 1