

## Group A: Lab Assignment No.2 B

**TITLE: Design at least 10 SQL queries for suitable database application using SQL DML statements: Insert, Select, Update, Delete with operators, functions, and set operator.**

-----

**mysql> show databases;**

```
+-----+
| Database
|
+-----+
| information_schema |
| A |
| Abhi |
| PVG |
| RENUKA |
| mysql |
| nishant |
| performance_schema |
| renuka |
| sys |
| time |
+-----+
11 rows in set (0.11 sec)
```

**mysql> use Abhi;**

Database changed

**mysql> create table Employee(emp\_no int,emp\_name varchar(20),date date,position varchar(20));**

Query OK, 0 rows affected (0.75 sec)

**mysql> alter table Employee add salary int;**

Query OK, 0 rows affected (0.68 sec)

Records: 0

Duplicates: 0

Warnings: 0

**mysql> insert into Employee values('01','abc','2018-07-11','clerk','50000');**

Query OK, 1 row affected (0.08 sec)

**mysql> insert into Employee values('02','abhi','2018-05-11','ceo','150000');**

Query OK, 1 row affected (0.08 sec)

**mysql> insert into Employee values('03','xyz','2018-05-21','hr','100000');**

Query OK, 1 row affected (0.04 sec)

**mysql> insert into Employee values('04','aqwgy','2018-06-21','te','10000');**

Query OK, 1 row affected (0.03 sec)

**mysql> insert into Employee values('05','sfhjfh','2018-07-21','gt','12000');**

Query OK, 1 row affected (0.03 sec)

**mysql> create table TE(emp\_no int,emp\_namevarchar(20),join\_date date,position  
varchar(20),salary int);**

Query OK, 0 rows affected (0.36 sec)

**mysql> insert into TE values('01','abc','2018-07-11','clerk','50000');**

Query OK, 1 row affected (0.03 sec)

**mysql> insert into TE values('02','abhi','2018-05-11','ceo','150000');**

Query OK, 1 row affected (0.04 sec)

**mysql> insert into TE values('03','xyz','2018-05-21','hr','100000');**

Query OK, 1 row affected (0.04 sec)

**mysql> insert into TE values('04','aqwgy','2018-06-21','te','10000');**

Query OK, 1 row affected (0.05 sec)

**mysql> insert into TE values('05','sfhjfh','2018-07-21','gt','12000');**

Query OK, 1 row affected (0.04 sec)

**mysql> select \* from TE;**

```
+-----+-----+-----+-----+ -----+
| emp_no | emp_name | join_date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
```

```

10000 |
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+ -----+
5 rows in set (0.04 sec)

```

**mysql> select \* from Employee;**

```

+-----+-----+-----+-----+ -----+
| emp_no | emp_name | date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+ -----+
5 rows in set (0.00 sec)

```

**mysql> update TE set emp\_name='gjjg' where emp\_no='5';**

```

Query OK, 1 row affected (0.13 sec)
Rows matched: 1
Changed: 1
Warnings: 0

```

**mysql> select \* from TE;**

```

+-----+-----+-----+-----+ -----+
| emp_no | emp_name | join_date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | gjgj | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+ -----+
5 rows in set (0.00 sec)

```

**mysql> select \* from Employee union select \* from TE;**

```

+-----+-----+-----+-----+ -----+
| emp_no | emp_name | date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |

```

```

50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
| 5 | gjgj | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

```

**mysql> select \* from Employee union all select \* from TE;**

```

+-----+-----+-----+-----+-----+| emp_no | emp_name | date
| position | salary |
+-----+-----+-----+-----+-----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | gjgj | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)

```

**mysql> select distinct emp\_no from Employee where emp\_no in(select emp\_no from TE);**

```

+-----+
| emp_no |
+-----+
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.03 sec)

```

**mysql> select \* from Employee;**

```

+-----+-----+-----+-----+-----+
| emp_no | emp_name | date
| position | salary |

```

```

+-----+-----+-----+-----+ -----+ | 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+ -----+
5 rows in set (0.00 sec)

```

**mysql> select \* from TE;**

```

+-----+-----+-----+-----+ -----+
| emp_no | emp_name | join_date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | gjgj | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+ -----+
5 rows in set (0.00 sec)

```

**mysql> select distinct emp\_name from Employee where emp\_name in(select emp\_name from TE);**

```

+-----+
| emp_name |
+-----+
| abc |
| abhi |
| xyz |
| aqwgy |
+-----+
4 rows in set (0.00 sec)

```

**mysql> select \* from Employee;**

```

+-----+-----+-----+-----+ -----+
| emp_no | emp_name | date
| position | salary |
+-----+-----+-----+-----+ -----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |

```

```
| 5 | sfhjfh | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

**mysql> select \* from TE;**

```
+-----+-----+-----+-----+-----+
| emp_no | emp_name | join_date
| position | salary |
+-----+-----+-----+-----+
| 1 | abc | 2018-07-11 | clerk |
50000 |
| 2 | abhi | 2018-05-11 | ceo | 150000 |
| 3 | xyz | 2018-05-21 | hr | 100000 |
| 4 | aqwgy | 2018-06-21 | te |
10000 |
| 5 | gjgj | 2018-07-21 | gt |
12000 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

**mysql> select distinct emp\_name from Employee where emp\_name in(select emp\_name from TE);**

```
+-----+
| emp_name |
+-----+
| abc |
| abhi |
| xyz || aqwgy
|
+-----+
4 rows in set (0.00 sec)
```

**mysql> select min(salary) from Employee;**

```
+-----+
| min(salary) |
+-----+
|
10000 |
+-----+
1 row in set (0.04 sec)
```

**mysql> select max(salary) from Employee;**

```
+-----+
| max(salary) |
+-----+
|
150000 |
+-----+
```

1 row in set (0.00 sec)

**mysql> select sum(salary) from Employee;**

```
+-----+
| sum(salary) |
+-----+
|
322000 |
+-----+
1 row in set (0.00 sec)
```

**mysql> select avg(salary) from Employee;**

```
+-----+
| avg(salary) |
+-----+
|
64400.0000 |
+-----+
1 row in set (0.00 sec)
```

**mysql> select count(salary) from Employee;**

```
+-----+
| count(salary) |
+-----+
|
5 |
+-----+
1 row in set (0.00 sec)
```

**mysql> select lcase(emp\_no) from Employee;**

```
+-----+
| lcase(emp_no) |
+-----+
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select ucase(emp\_no) from Employee;**

```
+-----+
| ucase(emp_no) |
+-----+
| 1 |
| 2 |
| 3 |
| 4 || 5
|
```

```
+-----+
5 rows in set (0.00 sec)
```

**mysql> select lcase(salary) from Employee;**

```
+-----+
| lcase(salary) |
+-----+
| 50000 |
| 150000 |
| 100000 |
| 10000 |
| 12000 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select mid(emp\_no,1,3) from Employee;**

```
+-----+
| mid(emp_no,1,3) |
+-----+
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.01 sec)
```

**mysql> select mid(emp\_no,1,3) from Employee;**

```
+-----+
| mid(emp_no,1,3) |
+-----+| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select mid(emp\_no,1,5) from Employee;**

```
+-----+
| mid(emp_no,1,5) |
+-----+
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select mid(salary,1,3) from Employee;**

```
+-----+
| mid(salary,1,3) |
+-----+
| 500 |
| 150 |
| 100 |
| 100 |
| 120 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select mid(salary,1,5) from Employee;**

```
+-----+
| mid(salary,1,5) |
+-----+
| 50000 |
| 15000 |
| 10000 |
| 10000 |
| 12000 |
+-----+
5 rows in set (0.00 sec)
```

**mysql> select mid(emp\_no,1,2) from Employee;**

```
+-----+
| mid(emp_no,1,2) |
+-----+
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
+-----+
5 rows in set (0.00 sec)
```