



## Oral Questions & Answers

### 1. Which file is responsible for defining the database settings for a Django project?

The [settings.py](#) file is responsible for defining database settings.

Inside this file, the DATABASES dictionary contains configuration like engine, name, user, password, host, and port.

#### Example:

```
DATABASES = { 'default': { 'ENGINE': 'django.db.backends.sqlite3', 'NAME': BASE_DIR / 'db.sqlite3', } }
```

### 2. Explain the purpose of the Django admin site.

The Django admin site is a built-in web interface used to manage application data.

It allows:

Creating, editing, deleting records

Viewing model data

Searching and filtering data

Managing registered models

### 3. What is the purpose of a URL pattern in Django?

A URL pattern maps a URL to a specific view function or class-based view.

#### Example:

```
from django.urls import path from . import views urlpatterns = [ path('home/', views.home, name='home'), ]
```

### 4. Difference between path() and re\_path() in Django?

path() → Used for simple URL patterns.

re\_path() → Used for complex patterns with regular expressions.

### 5. What does the yesno filter do?

It displays different strings depending on whether a value is True or False.

#### Example:

```
{{ value|yesno:"Yes,No" }}
```

### 6. What does the date filter do?

Formats date/time in a readable format.

#### Example:

```
{{ my_date|date:"Y-m-d" }}
```

### 7. What is a Django form and its purpose?

A Django form is a Python class (forms.Form or forms.ModelForm) used to collect and validate user input.

### 8. How is a Django form submitted in a template?

Using HTML <form> tag.

#### Example:

```
<form method="POST"> {% csrf_token %} {{ form.as_p }} <button type="submit">Submit</button> </form>
```

### 9. What is a static file URL?

It is the URL used to access static files like CSS, JS, images.

Example:

```
{% load static %} <link rel="stylesheet" href="{% static 'style.css' %}">
```

## 10. Purpose of serializers in DRF?

Serializers convert complex data (models/querysets) into JSON and vice versa.



### Short Questions (16–30)

#### 16. Database settings file?

[settings.py](#)

#### 17. Where to store static files?

Inside a static folder in project root or inside each app.

#### 18. How is URL pattern defined in [urls.py](#)?

Using urlpatterns list.

#### Example:

```
urlpatterns = [ path('about/', views.about, name='about'), ]
```

#### 19. Purpose of reverse() function?

Generates URL dynamically using view name instead of hardcoding.

#### Example:

```
from django.urls import reverse reverse('home')
```

#### 20. What does date filter do?

Formats a date object according to format string.

#### 21. Purpose of length filter?

Returns length of string, list, queryset, or dictionary.

#### Example:

```
{{ my_list|length }}
```

#### 22. How to create a new database record using Django ORM?

Steps:

Import model

Create object

Save it

#### Example:

```
from app.models import Student student = Student(name="John", age=20) student.save()
```

#### 23. How to perform bulk delete in Django?

Using delete() on queryset.

#### Example:

```
Student.objects.filter(age=20).delete()
```

#### 24. How to define a form class?

Using forms.Form or forms.ModelForm.

#### Example:

```
from django import forms class ContactForm(forms.Form): name = forms.CharField(max_length=100)
```

#### 25. How to access POST form data?

Using [request.POST](#).

#### Example:

```
name = request.POST.get('name')
```

## 26. Role of `get_context()` in custom widgets?

It adds extra context data for rendering widget in templates.

## 27. How to include Bootstrap?

Using CDN:

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
```

## 28. Role of `is_authenticated`?

Checks whether a user is logged in or not.

### Example:

```
if request.user.is_authenticated:
```

## 29. What are Bootstrap modals?

Popup dialog boxes implemented using HTML, CSS, and Bootstrap JS.

## 30. Two commonly used web servers with Django?

**Gunicorn** → WSGI HTTP server used in production.

**uWSGI** → High-performance WSGI server supporting multiple protocols.



### Multiple Choice Answers (1–15)

**B** – `$ django-admin startproject project_name`

**A** – 2 (GET and POST)

**B** – A database table representation

**D** – `makemigrations`

**C** – Sets the field to the current timestamp when the object is created

**C** – Sets the default value for the field

**B** – Retrieves a record if it exists, otherwise creates a new one

**A** – Defines a block that can be overridden in child templates

**A** – `{{ variable_name }}`

**C** – `{% include %}`

**B** – `python -m venv myenv`

**D** – `pyvenv.cfg`

**B** – It lists all installed packages and their versions

**A** – It compiles static files into a single directory for deployment

**B** – `source myenv/bin/activate`

If you want, I can also write all short answers (16–30) in a clean exam-ready format for you.