


Sprint 3 Increment – Frontend Development (Vue.js)

Learning Vue.js and Setting Up Components

At the start of this sprint, I focused on learning the basics of **Vue.js** and understanding how components work. I experimented with small examples to get comfortable with Vue's reactivity system, templates, and data binding.

After that, I began **creating custom components** for our project. I identified parts of the website that were reused across multiple pages and turned them into separate Vue components. This improved the structure and maintainability of the website.



Improving the Website with Components

Once the base components were working, I integrated them into the main website. This allowed me to simplify the layout and reduce duplicated HTML and logic. The website became cleaner, easier to update, and more consistent in design and behavior.

Learning and Implementing Routing

Next, I learned in detail how **Vue Router** works.

I set up a single route that all serves the same page and experimented with different possibilities in vue, such as:

- The URL leading to the needed components

- Using the `<component :is=" " >` syntax
- Dynamic routing
- Computed properties and v-for binding

I also learned how to add **new pages** to the project that are mostly separate from the main page, I did this to keep the logic for an administrator in a different place than the logic for a standard user

Creating a Simple Wireframe

Before creating the new page, I made a **very simple wireframe** to plan out the structure and layout. The purpose was not to make a detailed design, but to visualize where different components and sections would go. This helped me organize the content logically and determine which parts of the page should be turned into reusable Vue components. The wireframe also gave me a clear overview of how navigation between components should work before I started building the actual page. It was meant to be simple for multiple reasons, mainly because it would become mostly dynamic and very changeable.

Dynamic Component Loading

After getting comfortable with routing, I created a **custom script** that uses the current **URL to dynamically load components**.

This means that instead of hardcoding routes for every page, the script determines which component to display based on the path in the browser. It makes the application more flexible and reduces the amount of manual configuration needed when adding new pages.

Results and Value

By the end of the sprint, the front-end architecture was much more modular and scalable.

- Components are reusable and consistent
- Routing is dynamic and well-structured
- The codebase is easier to expand with new pages or features

This lays a strong foundation for future front-end improvements and integration with backend data.

Next Steps

For the next sprint, I want to get more into the backend, since my co-students already did most of this work I will see what I can still do and learn the rest that I need to know from the backend by creating small demo's and documenting my learning progress to show that I have been working on these skills.