

## PHP Version 5.3.27



<b>System</b>	Linux n21 3.2.6mtv13 #1 SMP Tue May 14 15:32:13 PDT 2013 x86_64
<b>Build Date</b>	Aug 12 2013 17:37:12
<b>Configure Command</b>	'./configure' '--prefix=/usr/local/php-5.3.27' '--enable-zip' '--enable-cgi' '--enable-cli' '--enable-fastcgi' '--disable-debug' '--disable-rpath' '--disable-static' '--with-pic' '--with-openssl=/usr' '--enable-bcmath' '--with-bz2' '--enable-calendar' '--enable-ctype' '--with-curl' '--with-db4' '--with-zlib-dir=/usr' '--with-xsl' '--enable-exif' '--enable-ftp' '--with-gd' '--with-ttf' '--with-mime-magic=/usr/share/file/magic.mime' '--enable-gd-native-ttf' '--with-jpeg-dir=/usr' '--with-png-dir=/usr' '--with-freetype-dir=/usr' '--with-gettext' '--with-iconv' '--with-imap' '--with-kerberos=/usr' '--with-imap-ssl=/usr' '--enable-mbstring' '--with-mhash' '--with-mysql=/usr/bin/mysql_config' '--with-mysqli=/usr/bin/mysql_config' '--with-pcre-regex=/usr' '--with-pgsql' '--with-pspell=/usr' '--enable-sockets' '--enable-wddx' '--with-xmlrpc' '--with-zlib=/usr' '--with-pear' '--with-layout=GNU' '--with-ldap' '--with-sqlite' '--enable-pdo' '--with-pdo-mysql=/usr' '--with-pdo-pgsql=/usr' '--enable-soap' '--with-mcrypt' '--with-pcre-regex=/usr'
<b>Server API</b>	CGI/FastCGI
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/usr/local/php-5.3.27/etc
<b>Loaded Configuration File</b>	/nfs/c08/h04/mnt/124453/etc/php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>Additional .ini files parsed</b>	(none)
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered</b>	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower,

<b>Stream Filters</b>	string.strip_tags, convert.*, consumed, dechunk
-----------------------	---

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2013 Zend Technologies



## PHP Credits

### Configuration

#### bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
<b>bcmath.scale</b>	0	0

#### bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.5, 10-Dec-2007

#### calendar

<b>Calendar support</b>	enabled
-------------------------	---------

#### cgi-fcgi

Directive	Local Value	Master Value
<b>cgi.check_shebang_line</b>	1	1
<b>cgi.discard_path</b>	0	0
<b>cgi.fix_pathinfo</b>	1	1
<b>cgi.force_redirect</b>	1	1
<b>cgi.nph</b>	0	0
<b>cgi.redirect_status_env</b>	<i>no value</i>	<i>no value</i>
<b>cgi.rfc2616_headers</b>	0	0
<b>fastcgi.logging</b>	1	1

#### Core

<b>PHP Version</b>	5.3.27
--------------------	--------

Directive	Local Value	Master Value
-----------	-------------	--------------

Directive	Local value	master value
allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/php-5.3.27/lib/php/20090626	/usr/local/php-5.3.27/lib/php/20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/php-5.3.27/share/pear	./usr/local/php-5.3.27/share/pear
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off

mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	120	120
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
max_input_vars	1000	1000
memory_limit	99M	99M
open_basedir	/nfs:/tmp:/usr/local:/etc/apache2/gs-bin	/nfs:/tmp:/usr/local:/etc/apache2/gs-bin
output_buffering	0	0
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
request_order	no value	no value
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	2M	2M
upload_tmp_dir	no value	no value
user_dir	no value	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

## ctype

ctype functions	enabled
-----------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.21.0
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	Yes
<b>IDN</b>	Yes
<b>IPv6</b>	Yes
<b>Largefile</b>	Yes
<b>NTLM</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>krb4</b>	No
<b>libz</b>	Yes
<b>CharConv</b>	No
<b>Protocols</b>	dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
<b>Host</b>	x86_64-pc-linux-gnu
<b>SSL Version</b>	OpenSSL/0.9.8o
<b>ZLib Version</b>	1.2.3.4
<b>libSSH Version</b>	libssh2/1.2.6

## date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	2013.3
<b>Timezone Database</b>	internal
<b>Default timezone</b>	America/Los_Angeles

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	America/Los_Angeles	America/Los_Angeles

## dba

<b>DBA support</b>	enabled
<b>Supported handlers</b>	cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
<b>dba.default_handler</b>	flatfile	flatfile

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.8
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
version	1.0.5-dev

## filter

Input Validation and Filtering	enabled
Revision	\$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
-------------	---------

## gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.2
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.44
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

## gettext

GetText Support	enabled
-----------------	---------

## hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.3

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

## json

json support	enabled
json version	1.2.1

## ldap

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20423

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

## libxml

libXML support	active
libXML Compiled Version	2.7.8
libXML Loaded Version	20708
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass



mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

## mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

## mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.72
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>

mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysqli

Mysqli Support	enabled
Client API library version	5.1.72
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.66
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8o 01 Jun 2010
OpenSSL Header Version	OpenSSL 0.9.8o 01 Jun 2010

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

## PDO

PDO support	enabled
PDO drivers	mysql, pgsql, sqlite, sqlite2

## pdo\_mysql

<b>PDO Driver for MySQL</b>	<b>enabled</b>
<b>Client API version</b>	5.1.72

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>pdo_mysql.default_socket</b>	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

## pdo\_pgsql

<b>PDO Driver for PostgreSQL</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.4.17
<b>Module version</b>	1.0.2
<b>Revision</b>	\$Id\$

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
<b>SQLite Library</b>	3.7.7.1

## pgsql

<b>PostgreSQL Support</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.4.17
<b>Multibyte character support</b>	enabled
<b>SSL support</b>	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>pgsql.allow_persistent</b>	On	On
<b>pgsql.auto_reset_persistent</b>	Off	Off
<b>pgsql.ignore_notice</b>	Off	Off
<b>pgsql.log_notice</b>	Off	Off
<b>pgsql.max_links</b>	Unlimited	Unlimited
<b>pgsql.max_persistent</b>	Unlimited	Unlimited

## Phar

<b>Phar: PHP Archive support</b>	<b>enabled</b>
<b>Phar EXT version</b>	2.0.1
<b>Phar API version</b>	1.1.1
<b>SVN revision</b>	\$Id: 21d763042eb5769ae0a09dc1118df2b5aae6fb33 \$
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
Phar fully realized by Gregory Beaver and Marcus Boerger.  
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

## posix

Revision	\$Id: 5a2da3946b96c5afbf3aff8db8a8681f8bedee85 \$
----------	---

## pspell

PSpell Support	enabled
----------------	---------

## Reflection

Reflection	enabled
Version	\$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf \$

## session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID

<b>session.referer_check</b>	<i>no value</i>	<i>no value</i>
<b>session.save_handler</b>	files	files
<b>session.save_path</b>	/home/124453/data/tmp	/home/124453/data/tmp
<b>session.serialize_handler</b>	php	php
<b>session.use_cookies</b>	On	On
<b>session.use_only_cookies</b>	On	On
<b>session.use_trans_sid</b>	0	0

## SimpleXML

<b>Simplexml support</b>	<b>enabled</b>
<b>Revision</b>	\$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$
<b>Schema support</b>	enabled

## soap

<b>Soap Client</b>	enabled
<b>Soap Server</b>	enabled

Directive	Local Value	Master Value
<b>soap.wsdl_cache</b>	1	1
<b>soap.wsdl_cache_dir</b>	/tmp	/tmp
<b>soap.wsdl_cache_enabled</b>	1	1
<b>soap.wsdl_cache_limit</b>	5	5
<b>soap.wsdl_cache_ttl</b>	86400	86400

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

<b>SPL support</b>	<b>enabled</b>
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

<b>SQLite support</b>	<b>enabled</b>
<b>PECL Module version</b>	2.0-dev \$Id\$

SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

## sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

## standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

## xml

XML Support	active
XML Namespace Support	active

libxml2 Version	2.7.8
-----------------	-------

## xmlreader

XMLReader	enabled
-----------	---------

## xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
open sourced by	Epinions.com

## xmlwriter

XMLWriter	enabled
-----------	---------

## xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libexslt Version	1.1.26

## zip

Zip	enabled
Extension Version	\$Id: b1a1a3628c4ed0ad78fb0cc4a99b06a56aa281c4 \$
Zip version	1.11.0
Libzip version	0.10.1

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.4
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
-------------

## Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
REDIRECT_HANDLER	php-legacy
REDIRECT_STATUS	200
UNIQUE_ID	Uthyic26sBUAAB0eBKsAAAC5
SCRIPT_URL	/saci/info.php
SCRIPT_URI	http://www.be-ime.com/saci/info.php
WM_UCONTROL_XMLRPC_SERVER	http://10.0.0.13
ACCESS_DOMAIN	s124453.gridserver.com
DATABASE_SERVER	internal-db.s124453.gridserver.com
SITE_ROOT	/home/124453
SITE_CGIROOT	/home/124453/cgi-bin
SITE_HTMLROOT	/home/124453/domains/be-ime.com/html
PHPRC	/home/124453/etc/
HTTP_HOST	www.be-ime.com
HTTP_CONNECTION	keep-alive
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_7_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.72 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.8,es;q=0.6
SERVER_SIGNATURE	<address>Apache/2.2.22 Server at www.be-ime.com Port 80</address>
SERVER_SOFTWARE	Apache/2.2.22
SERVER_NAME	www.be-ime.com
SERVER_ADDR	205.186.179.68
SERVER_PORT	80
REMOTE_ADDR	187.188.109.41
DOCUMENT_ROOT	/home/124453/domains/be-ime.com/html
SERVER_ADMIN	webmaster@be-ime.com
SCRIPT_FILENAME	/home/124453/domains/be-ime.com/html/saci/info.php
REMOTE_PORT	49530
REDIRECT_URL	/saci/info.php
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/saci/info.php
SCRIPT_NAME	/saci/info.php
ORIG_SCRIPT_FILENAME	/etc/apache2/gs-bin/php-legacy
ORIG_PATH_INFO	/saci/info.php
ORIG_PATH_TRANSLATED	/home/124453/domains/be-ime.com/html/saci/info.php
ORIG_SCRIPT_NAME	/gs-bin/php-legacy



# PHP Variables

Variable	Value
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["REDIRECT_HANDLER"]	php-legacy
_SERVER["REDIRECT_STATUS"]	200
_SERVER["UNIQUE_ID"]	Uthyic26sBUAAB0eBKsAAAC5
_SERVER["SCRIPT_URL"]	/saci/info.php
_SERVER["SCRIPT_URI"]	http://www.be-ime.com/saci/info.php
_SERVER["WM_UCONTROL_XMLRPC_SERVER"]	http://10.0.0.13
_SERVER["ACCESS_DOMAIN"]	s124453.gridserver.com
_SERVER["DATABASE_SERVER"]	internal-db.s124453.gridserver.com
_SERVER["SITE_ROOT"]	/home/124453
_SERVER["SITE_CGIROOT"]	/home/124453/cgi-bin
_SERVER["SITE_HTMLROOT"]	/home/124453/domains/be-ime.com/html
_SERVER["PHPRC"]	/home/124453/etc/
_SERVER["HTTP_HOST"]	www.be-ime.com
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_7_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.72 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8,es;q=0.6
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.22 Server at www.be-ime.com Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.22
_SERVER["SERVER_NAME"]	www.be-ime.com
_SERVER["SERVER_ADDR"]	205.186.179.68
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	187.188.109.41
_SERVER["DOCUMENT_ROOT"]	/home/124453/domains/be-ime.com/html
_SERVER["SERVER_ADMIN"]	webmaster@be-ime.com
_SERVER["SCRIPT_FILENAME"]	/home/124453/domains/be-ime.com/html/saci/info.php
_SERVER["REMOTE_PORT"]	49530
_SERVER["REDIRECT_URL"]	/saci/info.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/saci/info.php
_SERVER["SCRIPT_NAME"]	/saci/info.php
_SERVER["ORIG_SCRIPT_FILENAME"]	/etc/apache2/gs-bin/php-legacy
_SERVER["ORIG_PATH_INFO"]	/saci/info.php
_SERVER["ORIG_PATH_TRANSLATED"]	/home/124453/domains/be-ime.com/html/saci/info.php
_SERVER["ORIG_SCRIPT_NAME"]	/gs-bin/php-legacy
_SERVER["PHP_SELF"]	/saci/info.php
_SERVER["REQUEST_TIME"]	1389916809
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0

_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["REDIRECT_HANDLER"]	php-legacy
_ENV["REDIRECT_STATUS"]	200
_ENV["UNIQUE_ID"]	Uthyic26sBUAAB0eBKsAAAC5
_ENV["SCRIPT_URL"]	/saci/info.php
_ENV["SCRIPT_URI"]	http://www.be-ime.com/saci/info.php
_ENV["WM_UCONTROL_XMLRPC_SERVER"]	http://10.0.0.13
_ENV["ACCESS_DOMAIN"]	s124453.gridserver.com
_ENV["DATABASE_SERVER"]	internal-db.s124453.gridserver.com
_ENV["SITE_ROOT"]	/home/124453
_ENV["SITE_CGIROOT"]	/home/124453/cgi-bin
_ENV["SITE_HTMLROOT"]	/home/124453/domains/be-ime.com/html
_ENV["PHPRC"]	/home/124453/etc/
_ENV["HTTP_HOST"]	www.be-ime.com
_ENV["HTTP_CONNECTION"]	keep-alive
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_7_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/32.0.1700.72 Safari/537.36
_ENV["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_ENV["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8,es;q=0.6
_ENV["SERVER_SIGNATURE"]	<address>Apache/2.2.22 Server at www.be-ime.com Port 80</address>
_ENV["SERVER_SOFTWARE"]	Apache/2.2.22
_ENV["SERVER_NAME"]	www.be-ime.com
_ENV["SERVER_ADDR"]	205.186.179.68
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	187.188.109.41
_ENV["DOCUMENT_ROOT"]	/home/124453/domains/be-ime.com/html
_ENV["SERVER_ADMIN"]	webmaster@be-ime.com
_ENV["SCRIPT_FILENAME"]	/home/124453/domains/be-ime.com/html/saci/info.php
_ENV["REMOTE_PORT"]	49530
_ENV["REDIRECT_URL"]	/saci/info.php
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	<i>no value</i>
_ENV["REQUEST_URI"]	/saci/info.php
_ENV["SCRIPT_NAME"]	/saci/info.php
_ENV["ORIG_SCRIPT_FILENAME"]	/etc/apache2/gs-bin/php-legacy
_ENV["ORIG_PATH_INFO"]	/saci/info.php
_ENV["ORIG_PATH_TRANSLATED"]	/home/124453/domains/be-ime.com/html/saci/info.php
_ENV["ORIG_SCRIPT_NAME"]	/gs-bin/php-legacy

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact

