


There are ഉ	61 omp	s hard 57	رح problems
64	LL	32	94
79	77	35	76
in Computer 29	Science: 22		0 <i>L</i> 0 <i>L</i>
34	31	ET 13	70
	9 things, &4		45 errors.



There ഉ	42 19	42 o 19	o ways
7.5	LΤ	99	۲8
72	17	56	87
to 29	67 write 18	∞ error-free 6 H	7 programs;
St	6	9	77
45	9	6	24
the &	88 third 12	one 82	works.




The 72	27 great 27	thing 61	19 about
٤9	<b>₽</b> S	ST	Ţξ
63	54	15	31
TCP 4	54 jokes 33	52 EE	25 that
72	ε	35	23
22	3	32	53
you 19	61 always 82	50 get 28	Os them.




73 74	£ know ∞ 88	8 a 67	joke t
44	88	18	4
about 50	05 UDP, 30	06 put 82	S you
<del>7</del> 9	75	78	٤9
64	34	82	63
might 5	not 87	75 get 	15. it.

| 4444 | 4444 | 4444 | 4444 | 4444 | 44444 | 44444 , 44 44 44 4 , 4 4 4


If E			
09	0/	3.7	<u>58</u>
60	70	31	85
garbage u	င္တင္ collection, 2	73 most 73	က programs
LÞ	91	09	97
47	16	50	46
would	delete ω	$_{ m m}$ themselves $_{ m 4}^{ m \omega}$	automatically.




You 22	25 can 16	91 write 29	၀ software
St	78	83	۲3
45	82	83	43
without 10	01 even 62	74 realising	that
38	8	35	۲۲
38	8	32	27
you &	08 are თ	doing 13	ღ maths.



Programs ∞	ത must be ഗ	25 written 18	∞ <sub>L</sub> for
23	20	9	<b>L</b> E
53	20	6	37
people &	m to read, မ	9c and only 48	∞ incidentally
IZ	۷8	<b>L</b> Z	<b>7</b> 8
12	87	27	84
for	4 machines 2	22 to	∞ execute.



	2 month 28		6c the
LZ	<b>L</b> 8	<del>7</del> 9	٤9
27	87	64	63
lab 54	frequently 2	saves 76	9L an
OΤ	88	07	72
10	88	40	22
hour 29	in 57	the the	ြည် library.



Whether 46	9 Machines 26	92 Can 62	7 Think
09	7	L	97
50	4	7	76
is 55	37 as	relevant ∞ ∞	က as
77	Lτ	LΤ	9
42	47	17	6
whether 72	Submarines &	79 Can 88	6 Swim.

