


There are 4	44 two	LS hard 9	o problems
S <i>t</i>	7 8	23	98
45	84	23	36
in Computer +	5 Science: 4	4 cache 6	്വ invalidation,
67	8	30	SI
49	8	30	15
naming 📙	things, 70	0 off-by-1 86	9 errors.



There 3	31 are 80	73 08	e ways
64	7.2	18	09
79	72	18	60
to 13	et write 27	c error-free 14	† programs;
S <i>†</i>	83	SI	32
45	83	15	32
the 28	49 third 82	one 54	45 works.




The	great 29	thing 10	OI about
61	۲3	L 9	Τ9
19	43	67	61
TCP g	jokes 48	48 is 6	ပ that
b	7	18	ς
4	2	18	5
you	31 always 50	9et 42 09	them.




29			77 joke
t	79	L 9	77
4	62	67	22
about 10	0T UDP, 88	88 but 23	g you
52	S	τL	98
25	5	74	36
might 79	49 not 6 <i>L</i>	64 get 86	98 it.

| 4444 | 4444 | 4444 | 4444 | 4444 | 44444 | 44444 , 44 44 44 4 , 4 4 4


	9 Java 47		55 true
ST	58	08	87
15	85	80	78
garbage 14	collection, 68	8 most 6 4	7 programs
1 78	09	⊅ S	۲S
84	60	54	57
would 29	delete 19	61 themselves 31	ਜ਼ automatically.




You 5	24 Eg	74 write 37	്ന software
67	18	7.7	69
49	81	21	59
without 50	95 even 61	realising ω Θ	om that
91	32	35	7 9
16	35	32	54
you ~	r are &	doing 72	2 maths.



Programs 46	9 must be 24	5 written 5	∼ for
18	۷9	7 8	٤٧
81	67	84	73
people &	ന്ന to read, ഗ്ര	ണ്ട് and only ‡	↑ incidentally
3.1	7 8	43	6₺
31	87	43	49
for 44	4 machines 10	51 01	execute.



A 46			the the
52	LS	LZ	79
25	57	27	62
lab 32	c frequently 1	11 saves 81	t an
87	ħΔ	67	L 8
48	74	29	87
hour 13	64 ET	the 39	ရ library.



Whether (55	Machines ල	65	Can	75	22 Think
64		L		79		77
79		7		62		22
is C	81	as 11	11	relevant	49	64 as
7.5		Ţ		9		38
72		1		6		38
whether t	17	Submarines &	68	Can	84	8 Swim.

