

Schema documentation for basisregistraties-mutaties.xsd

Publication date 14 april 2009

Table of Contents

Namespace: "http://www.stelselcatalogus.nl/br_import"	2
Schemas	2
Main schema basisregistraties-mutaties.xsd	2
Elements	3
Element br:mutaties	3
Element br:mutaties/br:mutatie	7
Element br:mutatie/br:mutaties/br:project	11
Element br:mutatie/br:mutaties/br:catalogi	11
Element br:catalogi/br:mutatie/br:mutaties/br:catalogus	12
Element br:id	12
Element br:naam	13
Element br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:time-version	13
Element br:code	14
Element br:versienummer	14
Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:versiedatum	14
Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:datum_publicatie	15
Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:datum_opname	15
Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:code_gebruiksstatus	15
Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:indicatie_vrijgave	15
Element br:toelichting	16
Element br:definitie	16
Element br:previous-version-valid-until	16
Element br:valid-from	16
Element br:valid-until	17
Element br:mutatie/br:mutaties/br:objecten	17
Element br:objecten/br:mutatie/br:mutaties/br:object	18
Element br:object/br:objecten/br:mutatie/br:mutaties/br:time-version	18
Element br:afkorting	20
Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:unieke_aanduiding	20
Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:identificatie	20
Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:populatie	20
Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:kwaliteitsbegrip	20
Element br:gegevensregel	21
Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:relations	21
Element br:object_relations/br:relation	21
Element br:relation/br:object_relations/br:relation-type-id	22
Element br:object-id	22
Element br:definitierelatie	23
Element br:mutatie/br:mutaties/br:attributen	23
Element br:attributen/br:mutatie/br:mutaties/br:attribuut	24
Element br:attribuut/br:attributen/br:mutatie/br:mutaties/br:time-version	24
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:categorie	26
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:xml_tag	26
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_formele_historie	26
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_materiele_historie	26
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:cardinaliteit	27
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_authentiek	27
Element br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:relations	27
Element br:attribuut_relations/br:relation	28
Element br:relation/br:attribuut_relations/br:relation-type-id	28
Element br:mutatie/br:mutaties/br:domeinen	29
Element br:domeinen/br:mutatie/br:mutaties/br:domein	29
Element br:domein/br:domeinen/br:mutatie/br:mutaties/br:time-version	30
Element br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:waardeverzameling	31
Element br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:formaat	31
Element br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:uitwisselingsmasker	31
Element br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:lengte	32
Element br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:relations	32
Element br:domein_relations/br:relation	32
Element br:relation/br:domein_relations/br:relation-type-id	33

Element br:mutatie/br:mutaties/br:domeinwaarden	33
Element br:domeinwaarden/br:mutatie/br:mutaties/br:domeinwaarde	34
Element br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:time-version	34
Element br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:volledigheid	35
Element br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:punt	36
Element br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:lijn	36
Element br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:vlak	36
Element br:inwinningscriteria	36
Element br:mutatie/br:mutaties/br:gebeurtenissen	36
Element br:gebeurtenissen/br:mutatie/br:mutaties/br:gebeurtenis	37
Element br:gebeurtenis/br:gebeurtenissen/br:mutatie/br:mutaties/br:time-version	38
Element br:time-version/br:gebeurtenis/br:gebeurtenissen/br:mutatie/br:mutaties/br:relations	38
Element br:gebeurtenis_relations/br:relation	39
Element br:relation/br:gebeurtenis_relations/br:relation-type-id	39
Element br:mutatie/br:mutaties/br:gegevensservices	40
Element br:gegevensservices/br:mutatie/br:mutaties/br:gegevensservice	40
Element br:gegevensservice/br:gegevensservices/br:mutatie/br:mutaties/br:time-version	41
Element br:status	42
Element br:datum_ingang_operationaliteit	42
Element br:datum_einde_operationaliteit	42
Element br:time-version/br:gegevensservice/br:gegevensservices/br:mutatie/br:mutaties/br:relations	42
Element br:gegevensservice_relations/br:relation	43
Element br:relation/br:gegevensservice_relations/br:relation-type-id	43
Element br:mutatie/br:mutaties/br:berichttypes	44
Element br:berichttypes/br:mutatie/br:mutaties/br:berichttype	44
Element br:berichttype/br:berichttypes/br:mutatie/br:mutaties/br:time-version	45
Element br:time-version/br:berichttype/br:berichttypes/br:mutatie/br:mutaties/br:relations	46
Element br:berichttype_relations/br:relation	46
Element br:relation/br:berichttype_relations/br:relation-type-id	47
Element br:mutatie/br:mutaties/br:berichtcomponenten	47
Element br:berichtcomponenten/br:mutatie/br:mutaties/br:berichtcomponent	47
Element br:berichtcomponent/br:berichtcomponenten/br:mutatie/br:mutaties/br:time-version	48
Element br:time-version/br:berichtcomponent/br:berichtcomponenten/br:mutatie/br:mutaties/br:relations	49
Element br:berichtcomponent_relations/br:relation	49
Element br:relation/br:berichtcomponent_relations/br:relation-type-id	50
Element br:value	50
Element br:relation-type-id	50
Element br:relation	51
Element br:relations	52
Simple Types	52
Simple Type br:id	52
Simple Type br:property	52
Simple Type br:emptyDate_type	53
Simple Type br:object-id	53
Simple Type br:categorie_type	53
Simple Type br:indicatie_historie_type	54
Simple Type br:cardinaliteit_type	54
Simple Type br:indicatie_authentiek_type	54
Simple Type br:volledigheid_type	55
Simple Type br:ja_nee_type	55
Complex Types	55
Complex Type br:object_relations	55
Complex Type br:attribuut_relations	56
Complex Type br:domein_relations	56
Complex Type br:gebeurtenis_relations	57
Complex Type br:gegevensservice_relations	57
Complex Type br:berichttype_relations	58
Complex Type br:berichtcomponent_relations	58

Namespace: "http://www.stelselcatalogus.nl/br_import"

Schemas

Main schema basisregistraties-mutaties.xsd

Namespace	http://www.stelselcatalogus.nl/br_import
Properties	attribute form default: unqualified element form default: qualified
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Elements

Element br:mutaties

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:mutatie+
Children	br:mutatie
Instance	<pre><br:mutaties> <br:mutatie>{1,unbounded}</br:mutatie> </br:mutaties></pre>
Source	<pre><xs:element name="mutaties"> <xs:complexType> <xs:sequence> <xs:element name="mutatie" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="project" type="xs:string"> <xs:annotation> <xs:documentation>Naam van de projectmap.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="catalogi" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="catalogus"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element ref="br:versienummer"/> <xs:element name="versiedatum" type="br:property"/> <xs:element name="datum_publicatie" type="br:property"/> <xs:element name="datum_opname" type="br:property"/> <xs:element name="code_gebruiksstatus" type="br:property"/> <xs:element name="indicatie_vrijgave" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> <xs:element name="objecten" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="object" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element ref="br:afkorting"/> <xs:element name="unieke_aanduiding" type="br:property"/> <xs:element name="identificatie" type="br:property"/> <xs:element name="populatie" type="br:property"/> <xs:element name="kwaliteitsbegrip" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

```

<xs:element ref="br:gegevensregel"/>
<xs:element name="relations" type="br:object_relations"
minOccurs="0"/>
<xs:element ref="br:previous-version-valid-until"
minOccurs="0"/>
<xs:element ref="br:valid-from" minOccurs="0"/>
<xs:element ref="br:valid-until" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="attributen" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="attribuut" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element ref="br:id"/>
<xs:element ref="br:naam"/>
<xs:element name="time-version">
<xs:complexType>
<xs:sequence>
<xs:element ref="br:code"/>
<xs:element name="categorie" type="br:categorie_type"/>
<xs:element name="xml_tag" type="br:property"/>
<xs:element name="indicatie_formele_historie"
type="br:indicatie_historie_type"/>
<xs:element name="indicatie_materiele_historie"
type="br:indicatie_historie_type"/>
<xs:element name="cardinaliteit"
type="br:cardinaliteit_type"/>
<xs:element name="indicatie_authentiek"
type="br:indicatie_authentiek_type"/>
<xs:element ref="br:toelichting"/>
<xs:element ref="br:definitie"/>
<xs:element ref="br:gegevensregel"/>
<xs:element name="relations" type="br:attribuut_relations"
minOccurs="0"/>
<xs:element ref="br:previous-version-valid-until"
minOccurs="0"/>
<xs:element ref="br:valid-from" minOccurs="0"/>
<xs:element ref="br:valid-until" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="domeinen" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="domein" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element ref="br:id"/>
<xs:element ref="br:naam"/>
<xs:element name="time-version">
<xs:complexType>
<xs:sequence>
<xs:element name="waardeverzameling" type="br:property"/>
<xs:element name="formaat" type="br:property"/>
<xs:element name="uitwisselingsmasker" type="br:property"/>
<xs:element name="lengte" type="br:property"/>
<xs:element ref="br:toelichting"/>
<xs:element ref="br:definitie"/>
<xs:element ref="br:gegevensregel"/>
<xs:element name="relations" type="br:domein_relations"
minOccurs="0"/>
<xs:element ref="br:previous-version-valid-until"
minOccurs="0"/>
<xs:element ref="br:valid-from" minOccurs="0"/>
<xs:element ref="br:valid-until" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

```

        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="domeinwaarden" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="domeinwaarde" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="volledigheid" type="br:volledigheid_type"/
>
                  <xs:element name="punt" type="br:ja_nee_type"/>
                  <xs:element name="lijn" type="br:ja_nee_type"/>
                  <xs:element name="vlak" type="br:ja_nee_type"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:inwinningscriteria"/>
                  <xs:element ref="br:previous-version-valid-until"
minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="gebeurtenissen" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="gebeurtenis" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element ref="br:afkorting"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:toelichting"/>
                  <xs:element name="relations" type="br:gebeurtenis_relations"
minOccurs="0"/>
                  <xs:element ref="br:previous-version-valid-until"
minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="gegevensservices" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="gegevensservice" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <!-- todo: hier diensten time-versions -->
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:versienummer"/>
                  <xs:element ref="br:status"/>
                  <xs:element ref="br:datum_ingang_operationaliteit"/>
                  <xs:element ref="br:datum_einde_operationaliteit"/>

```


	</xs:element>
Schema location	file://D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:mutaties/br:mutatie

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:project, br:catalogi{0,1}, br:objecten{0,1}, br:attributen{0,1}, br:domeinen{0,1}, br:domeinwaarden{0,1}, br:gebeurtenissen{0,1}, br:gegevensservices{0,1}, br:berichttypes{0,1}, br:berichtcomponenten{0,1}				
Children	br:attributen, br:berichtcomponenten, br:berichttypes, br:catalogi, br:domeinen, br:domeinwaarden, br:gebeurtenissen, br:gegevensservices, br:objecten, br:project				
Instance	<pre> <br:mutatie> <br:project>{1,1}</br:project> <br:catalogi>{0,1}</br:catalogi> <br:objecten>{0,1}</br:objecten> <br:attributen>{0,1}</br:attributen> <br:domeinen>{0,1}</br:domeinen> <br:domeinwaarden>{0,1}</br:domeinwaarden> <br:gebeurtenissen>{0,1}</br:gebeurtenissen> <br:gegevensservices>{0,1}</br:gegevensservices> <br:berichttypes>{0,1}</br:berichttypes> <br:berichtcomponenten>{0,1}</br:berichtcomponenten> </br:mutatie> </pre>				
Source	<pre> <xs:element name="mutatie" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="project" type="xs:string"> <xs:annotation> <xs:documentation>Naam van de projectmap.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="catalogi" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="catalogus"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element ref="br:versienummer"/> <xs:element name="versiedatum" type="br:property"/> <xs:element name="datum_publicatie" type="br:property"/> <xs:element name="datum_opname" type="br:property"/> <xs:element name="code_gebruiksstatus" type="br:property"/> <xs:element name="indicatie_vrijgave" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> </pre>				

```

        <xs:element ref="br:valid-until" minOccurs="0"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="objecten" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="object" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element ref="br:code"/>
                  <xs:element ref="br:afkorting"/>
                  <xs:element name="unieke_aanduiding" type="br:property"/>
                  <xs:element name="identificatie" type="br:property"/>
                  <xs:element name="populatie" type="br:property"/>
                  <xs:element name="kwaliteitsbegrip" type="br:property"/>
                  <xs:element ref="br:toelichting"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:gegevensregel"/>
                  <xs:element name="relations" type="br:object_relations"
minOccurs="0"/>
                  <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="attributen" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="attribuut" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element ref="br:code"/>
                  <xs:element name="categorie" type="br:categorie_type"/>
                  <xs:element name="xml_tag" type="br:property"/>
                  <xs:element name="indicatie_formele_historie"
type="br:indicatie_historie_type"/>
                  <xs:element name="indicatie_materiele_historie"
type="br:indicatie_historie_type"/>
                  <xs:element name="cardinaliteit" type="br:cardinaliteit_type"/>
                  <xs:element name="indicatie_authentiek"
type="br:indicatie_authentiek_type"/>
                  <xs:element ref="br:toelichting"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:gegevensregel"/>
                  <xs:element name="relations" type="br:attribuut_relations"
minOccurs="0"/>
                  <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="domeinen" minOccurs="0">

```



```

<xs:complexType>
  <xs:sequence>
    <xs:element name="domein" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element ref="br:id"/>
          <xs:element ref="br:naam"/>
          <xs:element name="time-version">
            <xs:complexType>
              <xs:sequence>
                <xs:element name="waardeverzameling" type="br:property"/>
                <xs:element name="formaat" type="br:property"/>
                <xs:element name="uitwisselingsmasker" type="br:property"/>
                <xs:element name="lengte" type="br:property"/>
                <xs:element ref="br:toelichting"/>
                <xs:element ref="br:definitie"/>
                <xs:element ref="br:gegevensregel"/>
                <xs:element name="relations" type="br:domein_relations"
minOccurs="0"/>
                <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                <xs:element ref="br:valid-from" minOccurs="0"/>
                <xs:element ref="br:valid-until" minOccurs="0"/>
              </xs:sequence>
            </xs:complexType>
          </xs:element>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:element name="domeinwaarden" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="domeinwaarde" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="volledigheid" type="br:volledigheid_type"/>
                  <xs:element name="punt" type="br:ja_nee_type"/>
                  <xs:element name="lijn" type="br:ja_nee_type"/>
                  <xs:element name="vlak" type="br:ja_nee_type"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:inwinningscriteria"/>
                  <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="gebeurtenissen" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="gebeurtenis" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="br:id"/>
            <xs:element ref="br:naam"/>
            <xs:element name="time-version">
              <xs:complexType>
                <xs:sequence>
                  <xs:element ref="br:afkorting"/>
                  <xs:element ref="br:definitie"/>
                  <xs:element ref="br:toelichting"/>
                  <xs:element name="relations" type="br:gebeurtenis_relations"
minOccurs="0"/>
                  <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                  <xs:element ref="br:valid-from" minOccurs="0"/>
                  <xs:element ref="br:valid-until" minOccurs="0"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:sequence>

```

```

        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="gegevensservices" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="gegevensservice" maxOccurs="unbounded">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element ref="br:id"/>
                        <xs:element ref="br:naam"/>
                        <!-- todo: hier diensten time-versions -->
                        <xs:element name="time-version">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element ref="br:definitie"/>
                                    <xs:element ref="br:versienummer"/>
                                    <xs:element ref="br:status"/>
                                    <xs:element ref="br:datum_ingang_operationaliteit"/>
                                    <xs:element ref="br:datum_einde_operationaliteit"/>
                                    <xs:element name="relations" type="br:gegevensservice_relations"
minOccurs="0"/>
                                    <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                                    <xs:element ref="br:valid-from" minOccurs="0"/>
                                    <xs:element ref="br:valid-until" minOccurs="0"/>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:element>
<xs:element name="berichttypes" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="berichttype" maxOccurs="unbounded">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element ref="br:id"/>
                        <xs:element ref="br:naam"/>
                        <!-- todo: hier diensten time-versions -->
                        <xs:element name="time-version">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element ref="br:definitie"/>
                                    <xs:element ref="br:versienummer"/>
                                    <xs:element ref="br:datum_ingang_operationaliteit"/>
                                    <xs:element ref="br:datum_einde_operationaliteit"/>
                                    <xs:element name="relations" type="br:berichttype_relations"
minOccurs="0"/>
                                    <xs:element ref="br:previous-version-valid-until" minOccurs="0"/>
                                    <xs:element ref="br:valid-from" minOccurs="0"/>
                                    <xs:element ref="br:valid-until" minOccurs="0"/>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:element>
<xs:element name="berichtcomponenten" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="berichtcomponent" maxOccurs="unbounded">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element ref="br:id"/>
                        <xs:element ref="br:naam"/>
                        <!-- todo: hier diensten time-versions -->
                        <xs:element name="time-version">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element ref="br:definitie"/>
                                    <xs:element ref="br:versienummer"/>
                                    <xs:element ref="br:datum_ingang_operationaliteit"/>
                                    <xs:element ref="br:datum_einde_operationaliteit"/>

```

	<pre> <xs:element name="relations" type="br:berichtcomponent_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:mutatie/br:mutaties/br:project

Namespace	http://www.stelselcatalogus.nl/br_import
Annotations	Naam van de projectmap.
Diagram	
Type	xs:string
Properties	content: simple
Source	<pre> <xs:element name="project" type="xs:string"> <xs:annotation> <xs:documentation>Naam van de projectmap.</xs:documentation> </xs:annotation> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:mutatie/br:mutaties/br:catalogi

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 0
Model	br:catalogus
Children	br:catalogus
Instance	<pre> <br:catalogi> <br:catalogus>{1,1}</br:catalogus> </br:catalogi> </pre>
Source	<pre> <xs:element name="catalogi" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="catalogus"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element ref="br:versienummer"/> <xs:element name="versiedatum" type="br:property"/> <xs:element name="datum_publicatie" type="br:property"/> <xs:element name="datum_opname" type="br:property"/> <xs:element name="code_gebruiksstatus" type="br:property"/> <xs:element name="indicatie_vrijgave" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

	<pre> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:catalogi/br:mutatie/br:mutaties/br:catalogus`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:id , br:naam , br:time-version
Children	br:id, br:naam, br:time-version
Instance	<pre> <br:catalogus> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:catalogus> </pre>
Source	<pre> <xs:element name="catalogus"> <xs:complexType> <xs:sequence> <xs:element ref="br:id" /> <xs:element ref="br:naam" /> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code" /> <xs:element ref="br:versienummer" /> <xs:element name="versiedatum" type="br:property" /> <xs:element name="datum_publicatie" type="br:property" /> <xs:element name="datum_opname" type="br:property" /> <xs:element name="code_gebruiksstatus" type="br:property" /> <xs:element name="indicatie_vrijgave" type="br:property" /> <xs:element ref="br:toelichting" /> <xs:element ref="br:definitie" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:id`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:id
Properties	content: simple
Facets	maxLength 8
Used by	<p>Elements</p> <p>br:mutaties/br:mutatie/br:attributen/br:attribuut, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent, br:mutaties/br:mutatie/br:berichttypes/br:berichttype, br:mutaties/br:mutatie/br:catalogi/br:catalogus, br:mutaties/br:mutatie/</p>

	br:domeinen/br:domein, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice, br:mutaties/br:mutatie/br:objecten/br:object
Source	<code><xs:element name="id" type="br:id"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:naam

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent, br:mutaties/br:mutatie/br:berichttypes/br:berichttype, br:mutaties/br:mutatie/br:catalogi/br:catalogus, br:mutaties/br:mutatie/br:domeinen/br:domein, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice, br:mutaties/br:mutatie/br:objecten/br:object
Source	<code><xs:element name="naam" type="xs:string"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:code , br:versienummer , br:versiedatum , br:datum_publicatie , br:datum_opname , br:code_gebruiksstatus , br:indicatie_vrijgave , br:toelichting , br:definitie , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:code, br:code_gebruiksstatus, br:datum_opname, br:datum_publicatie, br:definitie, br:indicatie_vrijgave, br:previous-version-valid-until, br:toelichting, br:valid-from, br:valid-until, br:versiedatum, br:versienummer

Instance	<pre> <br:time-version> <br:code>{1,1}</br:code> <br:versienummer>{1,1}</br:versienummer> <br:versiedatum>{1,1}</br:versiedatum> <br:datum_publicatie>{1,1}</br:datum_publicatie> <br:datum_opname>{1,1}</br:datum_opname> <br:code_gebruiksstatus>{1,1}</br:code_gebruiksstatus> <br:indicatie_vrijgave>{1,1}</br:indicatie_vrijgave> <br:toelichting>{1,1}</br:toelichting> <br:definitie>{1,1}</br:definitie> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code" /> <xs:element ref="br:versienummer" /> <xs:element name="versiedatum" type="br:property" /> <xs:element name="datum_publicatie" type="br:property" /> <xs:element name="datum_opname" type="br:property" /> <xs:element name="code_gebruiksstatus" type="br:property" /> <xs:element name="indicatie_vrijgave" type="br:property" /> <xs:element ref="br:toelichting" /> <xs:element ref="br:definitie" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:code


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<xs:element name="code" type="xs:string" />
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:versienummer


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version
Source	<xs:element name="versienummer" type="br:property" />
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:versiedatum


Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="versiedatum" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element `br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:datum_publicatie`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="datum_publicatie" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element `br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:datum_opname`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="datum_opname" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:code_gebruiksstatus`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="code_gebruiksstatus" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:catalogus/br:catalogi/br:mutatie/br:mutaties/br:indicatie_vrijgave`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="indicatie_vrijgave" type="br:property"/></code>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---


Element **br:toelichting**

Namespace	http://www.stelselcatalogus.nl/br_import	
Diagram		
Type	xs:string	
Properties	content:	simple
Used by	Elements	br:attribuut_relations/br:relation, br:domein_relations/br:relation, br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version, br:object_relations/br:relation, br:relation
Source	<xs:element name="toelichting" type="xs:string" />	
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd	

Element **br:definitie**


Namespace	http://www.stelselcatalogus.nl/br_import	
Diagram		
Type	xs:string	
Properties	content:	simple
Used by	Elements	br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<xs:element name="definitie" type="xs:string" />	
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd	

Element **br:previous-version-valid-until**


Namespace	http://www.stelselcatalogus.nl/br_import	
Diagram		
Type	br:emptyDate_type	
Properties	content:	simple
Used by	Elements	br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<xs:element name="previous-version-valid-until" type="br:emptyDate_type" />	
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd	

Element **br:valid-from**

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram	
Type	br:emptyDate_type
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<code><xs:element name="valid-from" type="br:emptyDate_type" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:valid-until

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:emptyDate_type
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:catalogi/br:catalogus/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version, br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<code><xs:element name="valid-until" type="br:emptyDate_type" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:mutatie/br:mutaties/br:objecten

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 0
Model	br:object+
Children	br:object
Instance	<pre><br:objecten> <br:object>{1,unbounded}</br:object> </br:objecten></pre>
Source	<pre><xs:element name="objecten" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="object" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id" /> <xs:element ref="br:naam" /> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code" /> <xs:element ref="br:afkorting" /> <xs:element name="unieke_aanduiding" type="br:property" /> <xs:element name="identificatie" type="br:property" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> <xs:element name="populatie" type="br:property"/> <xs:element name="kwaliteitsbegrip" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:object_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element `br:objecten/br:mutatie/br:mutaties/br:object`

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:id , br:naam , br:time-version				
Children	br:id, br:naam, br:time-version				
Instance	<pre> <br:object> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:object> </pre>				
Source	<pre> <xs:element name="object" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element ref="br:afkorting"/> <xs:element name="unieke_aanduiding" type="br:property"/> <xs:element name="identificatie" type="br:property"/> <xs:element name="populatie" type="br:property"/> <xs:element name="kwaliteitsbegrip" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:object_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element `br:object/br:objecten/br:mutatie/br:mutaties/br:time-version`

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram



Properties

content: complex

Model

br:code , br:afkorting , br:unieke_aanduiding , br:identificatie , br:populatie , br:kwaliteitsbegrip , br:toelichting , br:definitie , br:gegevensregel , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}

Children

br:afkorting, br:code, br:definitie, br:gegevensregel, br:identificatie, br:kwaliteitsbegrip, br:populatie, br:previous-version-valid-until, br:relations, br:toelichting, br:unieke_aanduiding, br:valid-from, br:valid-until

Instance

```
<br:time-version>
  <br:code>{1,1}</br:code>
  <br:afkorting>{1,1}</br:afkorting>
  <br:unieke_aanduiding>{1,1}</br:unieke_aanduiding>
  <br:identificatie>{1,1}</br:identificatie>
  <br:populatie>{1,1}</br:populatie>
  <br:kwaliteitsbegrip>{1,1}</br:kwaliteitsbegrip>
  <br:toelichting>{1,1}</br:toelichting>
  <br:definitie>{1,1}</br:definitie>
  <br:gegevensregel>{1,1}</br:gegevensregel>
  <br:relations>{0,1}</br:relations>
  <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until>
  <br:valid-from>{0,1}</br:valid-from>
  <br:valid-until>{0,1}</br:valid-until>
</br:time-version>
```

Source

```
<xs:element name="time-version">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="br:code"/>
      <xs:element ref="br:afkorting"/>
      <xs:element name="unieke_aanduiding" type="br:property"/>
      <xs:element name="identificatie" type="br:property"/>
      <xs:element name="populatie" type="br:property"/>
      <xs:element name="kwaliteitsbegrip" type="br:property"/>
      <xs:element ref="br:toelichting"/>
      <xs:element ref="br:definitie"/>
      <xs:element ref="br:gegevensregel"/>
      <xs:element name="relations" type="br:object_relations" minOccurs="0"/>
      <xs:element name="previous-version-valid-until" minOccurs="0"/>
      <xs:element name="valid-from" minOccurs="0"/>
      <xs:element name="valid-until" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

	<pre> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:afkorting**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<code><xs:element name="afkorting" type="br:property" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:unieke_aanduiding**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="unieke_aanduiding" type="br:property" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:identificatie**


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="identificatie" type="br:property" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:populatie**


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="populatie" type="br:property" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:kwaliteitsbegrip**


Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram	 A diagram showing a box labeled 'kwaliteitsbegrip' with 'Type br:property' below it. This box is connected to a rounded rectangle labeled 'br:property'.
Type	br:property
Properties	content: simple
Source	<code><xs:element name="kwaliteitsbegrip" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element br:gegevensregel

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 A diagram showing a box labeled 'gegevensregel' with 'Type xs:string' below it. This box is connected to a rounded rectangle labeled 'xs:string'.
Type	xs:string
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version, br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version, br:mutaties/br:mutatie/br:objecten/br:object/br:time-version
Source	<code><xs:element name="gegevensregel" type="xs:string"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:time-version/br:object/br:objecten/br:mutatie/br:mutaties/br:relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 A diagram showing a dashed box labeled 'relations' with 'Type br:object_relations' below it. This box is connected to a rounded rectangle labeled 'br:object_relations'. This rounded rectangle is then connected to a box labeled 'relation' with '1..∞' below it.
Type	br:object_relations
Properties	content: complex minOccurs: 0
Model	br:relation+
Children	br:relation
Instance	<pre><br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations></pre>
Source	<code><xs:element name="relations" type="br:object_relations" minOccurs="0"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:object_relations/br:relation

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 A diagram showing a box labeled 'relation' with '1..∞' below it. This box is connected to a rounded rectangle containing a sequence of elements: 'relation-type-id' (Type restriction of 'xs:string'), 'br:object-id' (Type br:object-id), 'br:definitierelatie' (Type restriction of 'xs:string'), and 'br:toelichting' (Type xs:string).
Properties	content: complex

	minOccurs: 1 maxOccurs: unbounded
Model	br:relation-type-id , br:object-id , br:definitierelatie{0,1} , br:toelichting{0,1}
Children	br:definitierelatie, br:object-id, br:relation-type-id, br:toelichting
Instance	<pre><br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> <br:definitierelatie>{0,1}</br:definitierelatie> <br:toelichting>{0,1}</br:toelichting> </br:relation></pre>
Source	<pre><xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="object_van"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="definitierelatie_met_object"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:relation/br:object_relations/br:relation-type-id


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration object_van, verklaart_door, definitierelatie_met_object
Source	<pre><xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="object_van"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="definitierelatie_met_object"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:object-id


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:object-id
Properties	content: simple
Facets	maxLength 60
Used by	Elements br:attribuut_relations/br:relation, br:berichtcomponent_relations/br:relation, br:berichttype_relations/br:relation, br:domein_relations/br:relation, br:gebeurtenis_relations/br:relation, br:gegevensservice_relations/br:relation, br:object_relations/br:relation, br:relation
Source	<pre><xs:element name="object-id" type="br:object-id"/></pre>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---

Element `br:definitierelatie`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration specialisatie van, aggregatie van, classificatie van, equivalent van, elementair
Used by	Elements br:attribuut_relations/br:relation, br:domein_relations/br:relation, br:object_relations/br:relation, br:relation
Source	<pre><xs:element name="definitierelatie"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="specialisatie van"/> <xs:enumeration value="aggregatie van"/> <xs:enumeration value="classificatie van"/> <xs:enumeration value="equivalent van"/> <xs:enumeration value="elementair"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:mutatie/br:mutaties/br:attributen`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 0
Model	br:attribuut+
Children	br:attribuut
Instance	<pre><br:attributen> <br:attribuut>{1,unbounded}</br:attribuut> </br:attributen></pre>
Source	<pre><xs:element name="attributen" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="attribuut" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element name="categorie" type="br:categorie_type"/> <xs:element name="xml_tag" type="br:property"/> <xs:element name="indicatie_formele_historie" type="br:indicatie_historie_type"/> <xs:element name="indicatie_materiele_historie" type="br:indicatie_historie_type"/> <xs:element name="cardinaliteit" type="br:cardinaliteit_type"/> <xs:element name="indicatie_authentiek" type="br:indicatie_authentiek_type"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:attribuut_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element **br:attributen/br:mutatie/br:mutaties/br:attribuut**

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:id , br:naam , br:time-version				
Children	br:id, br:naam, br:time-version				
Instance	<pre> <br:attribuut> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:attribuut> </pre>				
Source	<pre> <xs:element name="attribuut" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element name="categorie" type="br:categorie_type"/> <xs:element name="xml_tag" type="br:property"/> <xs:element name="indicatie_formele_historie" type="br:indicatie_historie_type"/> <xs:element name="indicatie_materiele_historie" type="br:indicatie_historie_type"/> <xs:element name="cardinaliteit" type="br:cardinaliteit_type"/> <xs:element name="indicatie_authentiek" type="br:indicatie_authentiek_type"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:attribuut_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element **br:attribuut/br:attributen/br:mutatie/br:mutaties/br:time-version**

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram



Properties	content: complex
Model	br:code , br:categorie , br:xml_tag , br:indicatie_formele_historie , br:indicatie_materiele_historie , br:cardinaliteit , br:indicatie_authentiek , br:toelichting , br:definitie , br:gegevensregel , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:cardinaliteit, br:categorie, br:code, br:definitie, br:gegevensregel, br:indicatie_authentiek, br:indicatie_formele_historie, br:indicatie_materiele_historie, br:previous-version-valid-until, br:relations, br:toelichting, br:valid-from, br:valid-until, br:xml_tag
Instance	<pre> <br:time-version> <br:code>{1,1}</br:code> <br:categorie>{1,1}</br:categorie> <br:xml_tag>{1,1}</br:xml_tag> <br:indicatie_formele_historie>{1,1}</br:indicatie_formele_historie> <br:indicatie_materiele_historie>{1,1}</br:indicatie_materiele_historie> <br:cardinaliteit>{1,1}</br:cardinaliteit> <br:indicatie_authentiek>{1,1}</br:indicatie_authentiek> <br:toelichting>{1,1}</br:toelichting> <br:definitie>{1,1}</br:definitie> <br:gegevensregel>{1,1}</br:gegevensregel> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:code"/> <xs:element name="categorie" type="br:categorie_type"/> <xs:element name="xml_tag" type="br:property"/> <xs:element name="indicatie_formele_historie" type="br:indicatie_historie_type"/> <xs:element name="indicatie_materiele_historie" type="br:indicatie_historie_type"/> <xs:element name="cardinaliteit" type="br:cardinaliteit_type"/> <xs:element name="indicatie_authentiek" type="br:indicatie_authentiek_type"/> <xs:element ref="br:toelichting"/> </pre>

	<pre> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:attribuut_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:categorie`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:categorie_type
Properties	content: simple
Facets	enumeration Authentiek gegeven Kadaster, Overig gegeven Kadaster, Overig gegeven Kadaster. Bij oplevering BRA: Authentiek gegeven Adressen, Overig, Overig gegeven Kadaster voor personen die niet in GBA of RNI zijn opgenomen., Overig gegeven Kadaster voor personen die niet in NHR zijn opgenomen
Source	<code><xs:element name="categorie" type="br:categorie_type"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:xml_tag`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="xml_tag" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_formele_historie`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:indicatie_historie_type
Properties	content: simple
Facets	enumeration actuele waarde, J
Source	<code><xs:element name="indicatie_formele_historie" type="br:indicatie_historie_type"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_materiele_historie`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	

Type	br:indicatie_historie_type
Properties	content: simple
Facets	enumeration actuele waarde, J
Source	<code><xs:element name="indicatie_materiele_historie" type="br:indicatie_historie_type"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:cardinaliteit`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 The diagram shows a box labeled 'cardinaliteit' with a sub-label 'Type br:cardinaliteit_type'. This box is connected to a larger box labeled 'br:cardinaliteit_type' which has a checkmark icon.
Type	br:cardinaliteit_type
Properties	content: simple
Facets	enumeration 0-1: wordt soms niet geleverd, 1-1: wordt altijd geleverd, 0-N: wordt niet altijd geleverd, kan lijst zijn, 1-N: wordt altijd geleverd, kan lijst zijn
Source	<code><xs:element name="cardinaliteit" type="br:cardinaliteit_type"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:indicatie_authentiek`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 The diagram shows a box labeled 'indicatie_authentiek' with a sub-label 'Type br:indicatie_authentiek_type'. This box is connected to a larger box labeled 'br:indicatie_authentiek_type' which has a checkmark icon.
Type	br:indicatie_authentiek_type
Properties	content: simple
Facets	enumeration Authentiek gegeven, Niet authentiek gegeven, J, N, Authentiek gegeven uit andere bron (BGR), Authentiek gegeven uit andere bron (BRA), Authentiek gegeven uit andere bron (BRK), Authentiek gegeven uit andere bron (GBA), Authentiek gegeven uit andere bron (NHR), Authentiek gegeven uit andere bron (GBA resp. NHR)
Source	<code><xs:element name="indicatie_authentiek" type="br:indicatie_authentiek_type"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:attribuut/br:attributen/br:mutatie/br:mutaties/br:relations`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	 The diagram shows a box labeled 'relations' with a sub-label 'Type br:attribuut_relations'. This box is connected to a larger box labeled 'br:attribuut_relations' which contains a sequence of three boxes: a box with four dots, a box labeled 'relation', and a box labeled '1..∞'.
Type	br:attribuut_relations
Properties	content: complex minOccurs: 0
Model	br:relation+
Children	br:relation
Instance	<code><br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations></code>

Source	<code><xs:element name="relations" type="br:attribuut_relations" minOccurs="0"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:attribuut_relations/br:relation

Namespace	http://www.stelselcatalogus.nl/br_import						
Diagram							
Properties	<table> <tr><td>content:</td><td>complex</td></tr> <tr><td>minOccurs:</td><td>1</td></tr> <tr><td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded
content:	complex						
minOccurs:	1						
maxOccurs:	unbounded						
Model	br:relation-type-id, br:object-id, br:definitierelatie{0,1}, br:toelichting{0,1}						
Children	br:definitierelatie, br:object-id, br:relation-type-id, br:toelichting						
Instance	<pre><br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> <br:definitierelatie>{0,1}</br:definitierelatie> <br:toelichting>{0,1}</br:toelichting> </br:relation></pre>						
Source	<pre><xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="attribuut_van"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="opgenomen_in_berichttype"/> <xs:enumeration value="opgenomen_in_berichtcomponent"/> <xs:enumeration value="onderdeel_van_attribuut"/> <xs:enumeration value="heeft_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_attribuut"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element></pre>						
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd						

Element br:relation/br:attribuut_relations/br:relation-type-id

Namespace	http://www.stelselcatalogus.nl/br_import		
Diagram			
Type	restriction of xs:string		
Properties	<table> <tr><td>content:</td><td>simple</td></tr> </table>	content:	simple
content:	simple		
Facets	<table> <tr><td>enumeration</td><td>attribuut_van, verklaart_door, opgenomen_in_berichttype, opgenomen_in_berichtcomponent, onderdeel_van_attribuut, heeft_domein, heeft_domeinwaarde, definitierelatie_met_attribuut</td></tr> </table>	enumeration	attribuut_van, verklaart_door, opgenomen_in_berichttype, opgenomen_in_berichtcomponent, onderdeel_van_attribuut, heeft_domein, heeft_domeinwaarde, definitierelatie_met_attribuut
enumeration	attribuut_van, verklaart_door, opgenomen_in_berichttype, opgenomen_in_berichtcomponent, onderdeel_van_attribuut, heeft_domein, heeft_domeinwaarde, definitierelatie_met_attribuut		
Source	<code><xs:element name="relation-type-id"></code>		

	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="attribuut_van"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="opgenomen_in_berichttype"/> <xs:enumeration value="opgenomen_in_berichtcomponent"/> <xs:enumeration value="onderdeel_van_attribuut"/> <xs:enumeration value="heeft_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_attribuut"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:domeinen/br:mutatie/br:mutaties/br:domeinen**

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	br:domein+				
Children	br:domein				
Instance	<pre> <br:domeinen> <br:domein>{1,unbounded}</br:domein> </br:domeinen> </pre>				
Source	<pre> <xs:element name="domeinen" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="domein" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element name="waardeverzameling" type="br:property"/> <xs:element name="formaat" type="br:property"/> <xs:element name="uitwisselingsmasker" type="br:property"/> <xs:element name="lengte" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:domein_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element **br:domeinen/br:mutatie/br:mutaties/br:domein**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	


Properties	content: complex
	maxOccurs: unbounded
Model	br:id , br:naam , br:time-version
Children	br:id, br:naam, br:time-version
Instance	<pre><br:domein> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:domein></pre>
Source	<pre><xs:element name="domein" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id" /> <xs:element ref="br:naam" /> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element name="waardeverzameling" type="br:property" /> <xs:element name="formaat" type="br:property" /> <xs:element name="uitwisselingsmasker" type="br:property" /> <xs:element name="lengte" type="br:property" /> <xs:element ref="br:toelichting" /> <xs:element ref="br:definitie" /> <xs:element ref="br:gegevensregel" /> <xs:element name="relations" type="br:domein_relations" minOccurs="0" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file://D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:domein/br:domeinen/br:mutatie/br:mutaties/br:time-version


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex

Model	br:waardeverzameling , br:formaat , br:uitwisselingsmasker , br:lengte , br:toelichting , br:definitie , br:gegevensregel , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:definitie, br:formaat, br:gegevensregel, br:lengte, br:previous-version-valid-until, br:relations, br:toelichting, br:uitwisselingsmasker, br:valid-from, br:valid-until, br:waardeverzameling
Instance	<pre> <br:time-version> <br:waardeverzameling>{1,1}</br:waardeverzameling> <br:formaat>{1,1}</br:formaat> <br:uitwisselingsmasker>{1,1}</br:uitwisselingsmasker> <br:lengte>{1,1}</br:lengte> <br:toelichting>{1,1}</br:toelichting> <br:definitie>{1,1}</br:definitie> <br:gegevensregel>{1,1}</br:gegevensregel> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element name="waardeverzameling" type="br:property"/> <xs:element name="formaat" type="br:property"/> <xs:element name="uitwisselingsmasker" type="br:property"/> <xs:element name="lengte" type="br:property"/> <xs:element ref="br:toelichting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:gegevensregel"/> <xs:element name="relations" type="br:domein_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element **br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:waardeverzameling**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<pre><xs:element name="waardeverzameling" type="br:property"/></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:formaat**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<pre><xs:element name="formaat" type="br:property"/></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:uitwisselingsmasker**

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	

Type	br:property
Properties	content: simple
Source	<code><xs:element name="uitwisselingsmasker" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:lengte`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Source	<code><xs:element name="lengte" type="br:property"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:domein/br:domeinen/br:mutatie/br:mutaties/br:relations`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:domein_relations
Properties	content: complex minOccurs: 0
Model	br:relation+
Children	br:relation
Instance	<pre><br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations></pre>
Source	<code><xs:element name="relations" type="br:domein_relations" minOccurs="0"/></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:domein_relations/br:relation`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 1 maxOccurs: unbounded
Model	br:relation-type-id, br:object-id, br:definitierelatie{0,1}, br:toelichting{0,1}
Children	br:definitierelatie, br:object-id, br:relation-type-id, br:toelichting
Instance	<code><br:relation></code>

	<pre> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> <br:definitierelatie>{0,1}</br:definitierelatie> <br:toelichting>{0,1}</br:toelichting> </br:relation> </pre>
Source	<pre> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="onderdeel_van_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_domein"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:relation/br:domein_relations/br:relation-type-id

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration onderdeel_van_domein, heeft_domeinwaarde, definitierelatie_met_domein
Source	<pre> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="onderdeel_van_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_domein"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:mutatie/br:mutaties/br:domeinwaarden

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 0
Model	br:domeinwaarde+
Children	br:domeinwaarde
Instance	<pre> <br:domeinwaarden> <br:domeinwaarde>{1,unbounded}</br:domeinwaarde> </br:domeinwaarden> </pre>
Source	<pre> <xs:element name="domeinwaarden" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="domeinwaarde" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

	<pre> <xs:complexType> <xs:sequence> <xs:element name="volledigheid" type="br:volledigheid_type"/> <xs:element name="punt" type="br:ja_nee_type"/> <xs:element name="lijn" type="br:ja_nee_type"/> <xs:element name="vlak" type="br:ja_nee_type"/> <xs:element ref="br:definitie"/> <xs:element ref="br:inwinningscriteria"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:domeinwaarden/br:mutatie/br:mutaties/br:domeinwaarde

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex maxOccurs: unbounded
Model	br:id , br:naam , br:time-version
Children	br:id, br:naam, br:time-version
Instance	<pre> <br:domeinwaarde> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:domeinwaarde> </pre>
Source	<pre> <xs:element name="domeinwaarde" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element name="volledigheid" type="br:volledigheid_type"/> <xs:element name="punt" type="br:ja_nee_type"/> <xs:element name="lijn" type="br:ja_nee_type"/> <xs:element name="vlak" type="br:ja_nee_type"/> <xs:element ref="br:definitie"/> <xs:element ref="br:inwinningscriteria"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--


Diagram	
Properties	content: complex
Model	br:volledigheid , br:punt , br:lijn , br:vlak , br:definitie , br:inwinningscriteria , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:definitie, br:inwinningscriteria, br:lijn, br:previous-version-valid-until, br:punt, br:valid-from, br:valid-until, br:vlak, br:volledigheid
Instance	<pre> <br:time-version> <br:volledigheid>{1,1}</br:volledigheid> <br:punt>{1,1}</br:punt> <br:lijn>{1,1}</br:lijn> <br:vlak>{1,1}</br:vlak> <br:definitie>{1,1}</br:definitie> <br:inwinningscriteria>{1,1}</br:inwinningscriteria> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element name="volledigheid" type="br:volledigheid_type"/> <xs:element name="punt" type="br:ja_nee_type"/> <xs:element name="lijn" type="br:ja_nee_type"/> <xs:element name="vlak" type="br:ja_nee_type"/> <xs:element ref="br:definitie"/> <xs:element ref="br:inwinningscriteria"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element **br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:volledigheid**


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:volledigheid_type
Properties	content: simple
Facets	enumeration -, volledig, beperkt, N, niet
Source	<pre> <xs:element name="volledigheid" type="br:volledigheid_type"/> </pre>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---


Element `br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:punt`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:ja_nee_type
Properties	content: simple
Facets	enumeration Ja, Nee
Source	<code><xs:element name="punt" type="br:ja_nee_type" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element `br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:lijn`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:ja_nee_type
Properties	content: simple
Facets	enumeration Ja, Nee
Source	<code><xs:element name="lijn" type="br:ja_nee_type" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:domeinwaarde/br:domeinwaarden/br:mutatie/br:mutaties/br:vlak`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:ja_nee_type
Properties	content: simple
Facets	enumeration Ja, Nee
Source	<code><xs:element name="vlak" type="br:ja_nee_type" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:inwinningscriteria`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element <code>br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version</code>
Source	<code><xs:element name="inwinningscriteria" type="xs:string" /></code>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:mutatie/br:mutaties/br:gebeurtenissen`

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	br:gebeurtenis+				
Children	br:gebeurtenis				
Instance	<pre><br:gebeurtenissen> <br:gebeurtenis>{1,unbounded}</br:gebeurtenis> </br:gebeurtenissen></pre>				
Source	<pre><xs:element name="gebeurtenissen" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="gebeurtenis" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:afkorting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:toelichting"/> <xs:element name="relations" type="br:gebeurtenis_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element br:gebeurtenissen/br:mutatie/br:mutaties/br:gebeurtenis

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:id , br:naam , br:time-version				
Children	br:id, br:naam, br:time-version				
Instance	<pre><br:gebeurtenis> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:gebeurtenis></pre>				
Source	<pre><xs:element name="gebeurtenis" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:afkorting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:toelichting"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>				

	<pre> <xs:element name="relations" type="br:gebeurtenis_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:gebeurtenis/br:gebeurtenissen/br:mutatie/br:mutaties/br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:afkorting , br:definitie , br:toelichting , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:afkorting, br:definitie, br:previous-version-valid-until, br:relations, br:toelichting, br:valid-from, br:valid-until
Instance	<pre> <br:time-version> <br:afkorting>{1,1}</br:afkorting> <br:definitie>{1,1}</br:definitie> <br:toelichting>{1,1}</br:toelichting> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:afkorting"/> <xs:element ref="br:definitie"/> <xs:element ref="br:toelichting"/> <xs:element name="relations" type="br:gebeurtenis_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:time-version/br:gebeurtenis/br:gebeurtenissen/br:mutatie/br:mutaties/br:relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	

Type	br:gebeurtenis_relations				
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	br:relation+				
Children	br:relation				
Instance	<pre><br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations></pre>				
Source	<code><xs:element name="relations" type="br:gebeurtenis_relations" minOccurs="0"/></code>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element br:gebeurtenis_relations/br:relation

Namespace	http://www.stelselcatalogus.nl/br_import						
Diagram							
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>1</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded
content:	complex						
minOccurs:	1						
maxOccurs:	unbounded						
Model	br:relation-type-id , br:object-id						
Children	br:object-id, br:relation-type-id						
Instance	<pre><br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> </br:relation></pre>						
Source	<pre><xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="gebeurtenis"/> <xs:enumeration value="betreft_object"/> <xs:enumeration value="betreft_attribuut"/> <xs:enumeration value="veroorzaakt_door"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> </xs:sequence> </xs:complexType> </xs:element></pre>						
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd						

Element br:relation/br:gebeurtenis_relations/br:relation-type-id

Namespace	http://www.stelselcatalogus.nl/br_import		
Diagram			
Type	restriction of xs:string		
Properties	<table> <tr> <td>content:</td><td>simple</td></tr> </table>	content:	simple
content:	simple		
Facets	enumeration gebeurtenis, betreft_object, betreft_attribuut, veroorzaakt_door		
Source	<pre><xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="gebeurtenis"/> <xs:enumeration value="betreft_object"/> <xs:enumeration value="betreft_attribuut"/> <xs:enumeration value="veroorzaakt_door"/> </xs:restriction> </xs:simpleType> </xs:element></pre>		

	<pre> </xs:restriction> </xs:simpleType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:mutatie/br:mutaties/br:gegevensservices`

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	<code>br:gegevensservice+</code>				
Children	<code>br:gegevensservice</code>				
Instance	<pre> <br:gegevensservices> <br:gegevensservice>{1,unbounded}</br:gegevensservice> </br:gegevensservices> </pre>				
Source	<pre> <xs:element name="gegevensservices" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="gegevensservice" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <!-- todo: hier diensten time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:status"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:gegevensservice_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element `br:gegevensservices/br:mutatie/br:mutaties/br:gegevensservice`

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	<code>br:id, br:naam, br:time-version</code>				
Children	<code>br:id, br:naam, br:time-version</code>				
Instance	<pre> <br:gegevensservice> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> </pre>				

	<pre> <br:time-version>{1,1}</br:time-version> </br:gegevensservice> </pre>
Source	<pre> <xs:element name="gegevensservice" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <!-- todo: hier diensten time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:status"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:gegevensservice_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:gegevensservice/br:gegevensservices/br:mutatie/br:mutaties/br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:definitie , br:versienummer , br:status , br:datum_ingang_operationaliteit , br:datum_einde_operationaliteit , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:datum_einde_operationaliteit, br:datum_ingang_operationaliteit, br:definitie, br:previous-version-valid-until, br:relations, br:status, br:valid-from, br:valid-until, br:versienummer
Instance	<pre> <br:time-version> <br:definitie>{1,1}</br:definitie> <br:versienummer>{1,1}</br:versienummer> <br:status>{1,1}</br:status> <br:datum_ingang_operationaliteit>{1,1}</br:datum_ingang_operationaliteit> <br:datum_einde_operationaliteit>{1,1}</br:datum_einde_operationaliteit> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </pre>

	</br:time-version>
Source	<pre><xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie" /> <xs:element ref="br:versienummer" /> <xs:element ref="br:status" /> <xs:element ref="br:datum_ingang_operationaliteit" /> <xs:element ref="br:datum_einde_operationaliteit" /> <xs:element name="relations" type="br:gegevensservice_relations" minOccurs="0" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:status

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:property
Properties	content: simple
Used by	Element br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version
Source	<pre><xs:element name="status" type="br:property" /></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:datum_ingang_operationaliteit

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version
Source	<pre><xs:element name="datum_ingang_operationaliteit" type="xs:string" /></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:datum_einde_operationaliteit

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Used by	Elements br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version, br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version, br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version
Source	<pre><xs:element name="datum_einde_operationaliteit" type="xs:string" /></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:time-version/br:gegevensservice/br:gegevensservices/br:mutatie/br:mutaties/br:relations

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram	
Type	br:gegevensservice_relations
Properties	content: complex minOccurs: 0
Model	br:relation+
Children	br:relation
Instance	<pre><br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations></pre>
Source	<pre><xs:element name="relations" type="br:gegevensservice_relations" minOccurs="0"/></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:gegevensservice_relations/br:relation

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 1 maxOccurs: unbounded
Model	br:relation-type-id, br:object-id
Children	br:object-id, br:relation-type-id
Instance	<pre><br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> </br:relation></pre>
Source	<pre><xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="service_van"/> <xs:enumeration value="service_bij"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:relation/br:gegevensservice_relations/br:relation-type-id

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration service_van, service_bij
Source	<pre><xs:element name="relation-type-id"> <xs:simpleType></pre>

	<pre> <xs:restriction base="xs:string"> <xs:enumeration value="service_van"/> <xs:enumeration value="service_bij"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:mutatie/br:mutaties/br:berichttypes`

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	br:berichttype+				
Children	br:berichttype				
Instance	<pre> <br:berichttypes> <br:berichttype>{1,unbounded}</br:berichttype> </br:berichttypes> </pre>				
Source	<pre> <xs:element name="berichttypes" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="berichttype" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <!-- todo: hier diensten time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:berichttype_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element `br:berichttypes/br:mutatie/br:mutaties/br:berichttype`

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:id , br:naam , br:time-version				
Children	br:id, br:naam, br:time-version				

Instance	<pre> <br:berichttype> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:berichttype> </pre>
Source	<pre> <xs:element name="berichttype" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id" /> <xs:element ref="br:naam" /> <!-- todo: hier dienen time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie" /> <xs:element ref="br:versienummer" /> <xs:element ref="br:datum_ingang_operationaliteit" /> <xs:element ref="br:datum_einde_operationaliteit" /> <xs:element name="relations" type="br:berichttype_relations" minOccurs="0" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:berichttype/br:berichttypes/br:mutatie/br:mutaties/br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
Model	br:definitie , br:versienummer , br:datum_ingang_operationaliteit , br:datum_einde_operationaliteit , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:datum_einde_operationaliteit, br:datum_ingang_operationaliteit, br:definitie, br:previous-version-valid-until, br:relations, br:valid-from, br:valid-until, br:versienummer
Instance	<pre> <br:time-version> <br:definitie>{1,1}</br:definitie> <br:versienummer>{1,1}</br:versienummer> <br:datum_ingang_operationaliteit>{1,1}</br:datum_ingang_operationaliteit> <br:datum_einde_operationaliteit>{1,1}</br:datum_einde_operationaliteit> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> </pre>

	<pre> <xs:element ref="br:definitie" /> <xs:element ref="br:versienummer" /> <xs:element ref="br:datum_ingang_operationaliteit" /> <xs:element ref="br:datum_einde_operationaliteit" /> <xs:element name="relations" type="br:berichttype_relations" minOccurs="0" /> <xs:element ref="br:previous-version-valid-until" minOccurs="0" /> <xs:element ref="br:valid-from" minOccurs="0" /> <xs:element ref="br:valid-until" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:time-version/br:berichttype/br:berichttypes/br:mutatie/br:mutaties/br:relations`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	br:berichttype_relations
Properties	content: complex minOccurs: 0
Model	br:relation+
Children	br:relation
Instance	<pre> <br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations> </pre>
Source	<pre> <xs:element name="relations" type="br:berichttype_relations" minOccurs="0" /> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:berichttype_relations/br:relation`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex minOccurs: 1 maxOccurs: unbounded
Model	br:relation-type-id , br:object-id
Children	br:object-id, br:relation-type-id
Instance	<pre> <br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> </br:relation> </pre>
Source	<pre> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="berichttype_bij" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id" /> </xs:sequence> </xs:complexType> </xs:element> </pre>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---

Element `br:relation/br:berichttype_relations/br:relation-type-id`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration berichttype_bij
Source	<pre><xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="berichttype_bij"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:mutatie/br:mutaties/br:berichtcomponenten`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Properties	content: complex
	minOccurs: 0
Model	br:berichtcomponent+
Children	br:berichtcomponent
Instance	<pre><br:berichtcomponenten> <br:berichtcomponent>{1,unbounded}</br:berichtcomponent> </br:berichtcomponenten></pre>
Source	<pre><xs:element name="berichtcomponenten" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="berichtcomponent" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <!-- todo: hier diensten time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:berichtcomponent_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:berichtcomponenten/br:mutatie/br:mutaties/br:berichtcomponent`

Namespace	http://www.stelselcatalogus.nl/br_import
-----------	--

Diagram					
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	br:id , br:naam , br:time-version				
Children	br:id, br:naam, br:time-version				
Instance	<pre> <br:berichtcomponent> <br:id>{1,1}</br:id> <br:naam>{1,1}</br:naam> <br:time-version>{1,1}</br:time-version> </br:berichtcomponent> </pre>				
Source	<pre> <xs:element name="berichtcomponent" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element ref="br:id"/> <xs:element ref="br:naam"/> <!-- todo: hier dienen time-versions --> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:berichtcomponent_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element br:berichtcomponent/br:berichtcomponenten/br:mutatie/br:mutaties/ br:time-version

Namespace	http://www.stelselcatalogus.nl/br_import		
Diagram			
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> </table>	content:	complex
content:	complex		

Model	br:definitie , br:versienummer , br:datum_ingang_operationaliteit , br:datum_einde_operationaliteit , br:relations{0,1} , br:previous-version-valid-until{0,1} , br:valid-from{0,1} , br:valid-until{0,1}
Children	br:datum_einde_operationaliteit, br:datum_ingang_operationaliteit, br:definitie, br:previous-version-valid-until, br:relations, br:valid-from, br:valid-until, br:versienummer
Instance	<pre> <br:time-version> <br:definitie>{1,1}</br:definitie> <br:versienummer>{1,1}</br:versienummer> <br:datum_ingang_operationaliteit>{1,1}</br:datum_ingang_operationaliteit> <br:datum_einde_operationaliteit>{1,1}</br:datum_einde_operationaliteit> <br:relations>{0,1}</br:relations> <br:previous-version-valid-until>{0,1}</br:previous-version-valid-until> <br:valid-from>{0,1}</br:valid-from> <br:valid-until>{0,1}</br:valid-until> </br:time-version> </pre>
Source	<pre> <xs:element name="time-version"> <xs:complexType> <xs:sequence> <xs:element ref="br:definitie"/> <xs:element ref="br:versienummer"/> <xs:element ref="br:datum_ingang_operationaliteit"/> <xs:element ref="br:datum_einde_operationaliteit"/> <xs:element name="relations" type="br:berichtcomponent_relations" minOccurs="0"/> <xs:element ref="br:previous-version-valid-until" minOccurs="0"/> <xs:element ref="br:valid-from" minOccurs="0"/> <xs:element ref="br:valid-until" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element br:time-version/br:berichtcomponent/br:berichtcomponenten/br:mutatie/br:mutaties/br:relations

Namespace	http://www.stelselcatalogus.nl/br_import				
Diagram					
Type	br:berichtcomponent_relations				
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>0</td></tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	br:relation+				
Children	br:relation				
Instance	<pre> <br:relations> <br:relation>{1,unbounded}</br:relation> </br:relations> </pre>				
Source	<xs:element name="relations" type="br:berichtcomponent_relations" minOccurs="0"/>				
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd				

Element br:berichtcomponent_relations/br:relation

Namespace	http://www.stelselcatalogus.nl/br_import						
Diagram							
Properties	<table> <tr> <td>content:</td><td>complex</td></tr> <tr> <td>minOccurs:</td><td>1</td></tr> <tr> <td>maxOccurs:</td><td>unbounded</td></tr> </table>	content:	complex	minOccurs:	1	maxOccurs:	unbounded
content:	complex						
minOccurs:	1						
maxOccurs:	unbounded						
Model	br:relation-type-id , br:object-id						
Children	br:object-id, br:relation-type-id						

Instance	<pre><br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> </br:relation></pre>
Source	<pre><xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="component_van"/> <xs:enumeration value="onderdeel_van_berichtcomponent"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> </xs:sequence> </xs:complexType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:relation/br:berichtcomponent_relations/br:relation-type-id`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration component_van, onderdeel_van_berichtcomponent
Source	<pre><xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="component_van"/> <xs:enumeration value="onderdeel_van_berichtcomponent"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:value`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	xs:string
Properties	content: simple
Source	<pre><xs:element name="value" type="xs:string"/></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Element `br:relation-type-id`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Properties	content: simple
Facets	enumeration van_stelselcatalogus, heeft, verklaart_door, object_van, attribuut_van, gebeurtenis, betreft_object, betreft_attribuut, onderdeel_van_domein, onderdeel_van_berichtcomponent, onderdeel_van_attribuut, definitierelatie_met_object, definitierelatie_met_attribuut, definitierelatie_met_domein,

	heeft_domeinwaarde, veroorzaakt_door, service_van, berichttype_bij, component_van, opgenomen_in_berichttype, opgenomen_in_berichtcomponent, service_bij, gebruikt_in_catalogus
Used by	Element br:relation
Source	<pre> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="van_stelselcatalogus"/> <xs:enumeration value="heeft"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="object_van"/> <xs:enumeration value="attribuut_van"/> <xs:enumeration value="gebeurtenis"/> <xs:enumeration value="betreft_object"/> <xs:enumeration value="betreft_attribuut"/> <xs:enumeration value="onderdeel_van_domein"/> <xs:enumeration value="onderdeel_van_berichtcomponent"/> <xs:enumeration value="onderdeel_van_attribuut"/> <xs:enumeration value="definitierelatie_met_object"/> <xs:enumeration value="definitierelatie_met_attribuut"/> <xs:enumeration value="definitierelatie_met_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="veroorzaakt_door"/> <xs:enumeration value="service_van"/> <xs:enumeration value="berichttype_bij"/> <xs:enumeration value="component_van"/> <xs:enumeration value="opgenomen_in_berichttype"/> <xs:enumeration value="opgenomen_in_berichtcomponent"/> <xs:enumeration value="service_bij"/> <xs:enumeration value="gebruikt_in_catalogus"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Element br:relation

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	<pre> classDiagram class relation { br:relation-type-id br:object-id br:definitierelatie br:toelichting } relation --> relation_type_id : br:relation-type-id relation --> object_id : br:object-id relation --> definitierelatie : br:definitierelatie relation --> toelichting : br:toelichting </pre>
Properties	content: complex
Used by	Element br:relations
Model	br:relation-type-id, br:object-id, br:definitierelatie{0,1}, br:toelichting{0,1}
Children	br:definitierelatie, br:object-id, br:relation-type-id, br:toelichting
Instance	<pre> <br:relation> <br:relation-type-id>{1,1}</br:relation-type-id> <br:object-id>{1,1}</br:object-id> <br:definitierelatie>{0,1}</br:definitierelatie> <br:toelichting>{0,1}</br:toelichting> </br:relation> </pre>
Source	<pre> <xs:element name="relation"> <xs:complexType> <xs:sequence> <xs:element ref="br:relation-type-id"/> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd


Simple Type `br:emptyDate_type`

Namespace	http://www.stelselcatalogus.nl/br_import
Annotations	Union of <code>xs:date</code> and empty <code>xs:string</code> to allow empty date elements
Diagram	
Type	union of(<code>xs:date</code> , restriction of <code>xs:string</code>)
Used by	Elements br:previous-version-valid-until, br:valid-from, br:valid-until
Source	<pre> <xs:simpleType name="emptyDate_type"> <xs:annotation> <xs:documentation>Union of xs:date and empty xs:string to allow empty date elements</xs:documentation> </xs:annotation> <xs:union memberTypes="xs:date"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="" /> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type `br:object-id`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of <code>xs:string</code>
Facets	maxLength 60
Used by	Element br:object-id
Source	<pre> <xs:simpleType name="object-id"> <xs:restriction base="xs:string"> <xs:maxLength value="60" /> </xs:restriction> </xs:simpleType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type `br:categorie_type`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of <code>xs:string</code>
Facets	enumeration Authentiek gegeven Kadaster, Overig gegeven Kadaster, Overig gegeven Kadaster. Bij oplevering BRA: Authentiek gegeven Adressen, Overig, Overig gegeven Kadaster voor personen die niet in GBA of RNI zijn opgenomen., Overig gegeven Kadaster voor personen die niet in NHR zijn opgenomen
Used by	Element br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/br:categorie
Source	<pre> <xs:simpleType name="categorie_type"> <xs:restriction base="xs:string"> <xs:enumeration value="Authentiek gegeven Kadaster" /> <xs:enumeration value="Overig gegeven Kadaster" /> <xs:enumeration value="Overig gegeven Kadaster. Bij oplevering BRA: Authentiek gegeven Adressen" /> <xs:enumeration value="Overig" /> <xs:enumeration value="Overig gegeven Kadaster voor personen die niet in GBA of RNI zijn opgenomen." /> <xs:enumeration value="Overig gegeven Kadaster voor personen die niet in NHR zijn opgenomen" /> </xs:restriction> </xs:simpleType> </pre>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---


Simple Type `br:indicatie_historie_type`

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Facets	enumeration actuele waarde, J
Used by	Elements br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/ br:indicatie_formele_historie, br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/br:indicatie_materiele_historie
Source	<pre><xs:simpleType name="indicatie_historie_type"> <xs:restriction base="xs:string"> <xs:enumeration value="actuele waarde"/> <xs:enumeration value="J"/> </xs:restriction> </xs:simpleType></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type `br:cardinaliteit_type`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Facets	enumeration 0-1: wordt soms niet geleverd, 1-1: wordt altijd geleverd, 0-N: wordt niet altijd geleverd, kan lijst zijn, 1-N: wordt altijd geleverd, kan lijst zijn
Used by	Element br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/br:cardinaliteit
Source	<pre><xs:simpleType name="cardinaliteit_type"> <xs:restriction base="xs:string"> <xs:enumeration value="0-1: wordt soms niet geleverd"/> <xs:enumeration value="1-1: wordt altijd geleverd"/> <xs:enumeration value="0-N: wordt niet altijd geleverd, kan lijst zijn"/> <xs:enumeration value="1-N: wordt altijd geleverd, kan lijst zijn"/> </xs:restriction> </xs:simpleType></pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type `br:indicatie_authentiek_type`


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Facets	enumeration Authentiek gegeven, Niet authentiek gegeven, J, N, Authentiek gegeven uit andere bron (BGR), Authentiek gegeven uit andere bron (BRA), Authentiek gegeven uit andere bron (BRK), Authentiek gegeven uit andere bron (GBA), Authentiek gegeven uit andere bron (NHR), Authentiek gegeven uit andere bron (GBA resp. NHR)
Used by	Element br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/br:indicatie_authentiek
Source	<pre><xs:simpleType name="indicatie_authentiek_type"> <xs:restriction base="xs:string"> <xs:enumeration value="Authentiek gegeven"/> <xs:enumeration value="Niet authentiek gegeven"/> <xs:enumeration value="J"/> <xs:enumeration value="N"/> <xs:enumeration value="Authentiek gegeven uit andere bron (BGR)"/> <xs:enumeration value="Authentiek gegeven uit andere bron (BRA)"/> <xs:enumeration value="Authentiek gegeven uit andere bron (BRK)"/> <xs:enumeration value="Authentiek gegeven uit andere bron (GBA)"/> <xs:enumeration value="Authentiek gegeven uit andere bron (NHR)"/> </xs:restriction> </xs:simpleType></pre>

	<pre> <xs:enumeration value="Authentiek gegeven uit andere bron (GBA resp. NHR)"/> </xs:restriction> </xs:simpleType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type br:volledigheid_type


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Facets	enumeration -, volledig, beperkt, N, niet
Used by	Element br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version/br:volledigheid
Source	<pre> <xs:simpleType name="volledigheid_type"> <xs:restriction base="xs:string"> <xs:enumeration value="-" /> <xs:enumeration value="volledig" /> <xs:enumeration value="beperkt" /> <xs:enumeration value="N" /> <xs:enumeration value="niet" /> </xs:restriction> </xs:simpleType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Simple Type br:ja_nee_type

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Type	restriction of xs:string
Facets	enumeration Ja, Nee
Used by	Elements br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version/br:lijn, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version/br:punt, br:mutaties/br:mutatie/br:domeinwaarden/br:domeinwaarde/br:time-version/br:vlak
Source	<pre> <xs:simpleType name="ja_nee_type"> <xs:restriction base="xs:string"> <xs:enumeration value="Ja" /> <xs:enumeration value="Nee" /> </xs:restriction> </xs:simpleType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Types

Complex Type br:object_relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:objecten/br:object/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="object_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="object_van" /> <xs:enumeration value="verklaart_door" /> <xs:enumeration value="definitierelatie_met_object" /> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>

	<pre> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Type br:attribuut_relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:attributen/br:attribuut/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="attribuut_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="attribuut_van"/> <xs:enumeration value="verklaart_door"/> <xs:enumeration value="opgenomen_in_berichttype"/> <xs:enumeration value="opgenomen_in_berichtcomponent"/> <xs:enumeration value="onderdeel_van_attribuut"/> <xs:enumeration value="heeft_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_attribuut"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> <xs:element ref="br:definitierelatie" minOccurs="0"/> <xs:element ref="br:toelichting" minOccurs="0"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Type br:domein_relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:domeinen/br:domein/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="domein_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="onderdeel_van_domein"/> <xs:enumeration value="heeft_domeinwaarde"/> <xs:enumeration value="definitierelatie_met_domein"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>

	<pre> </xs:simpleType> </xs:element> <xs:element ref="br:object-id" /> <xs:element ref="br:definitierelatie" minOccurs="0" /> <xs:element ref="br:toelichting" minOccurs="0" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Type br:gebeurtenis_relations


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:gebeurtenissen/br:gebeurtenis/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="gebeurtenis_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="gebeurtenis" /> <xs:enumeration value="betreft_object" /> <xs:enumeration value="betreft_attribuut" /> <xs:enumeration value="veroorzaakt_door" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Type br:gegevensservice_relations


Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:gegevensservices/br:gegevensservice/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="gegevensservice_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="service_van" /> <xs:enumeration value="service_bij" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id" /> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>

Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd
-----------------	---

Complex Type br:berichttype_relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:berichttypes/br:berichttype/br:time-version/br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="berichttype_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="berichttype_bij"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd

Complex Type br:berichtcomponent_relations

Namespace	http://www.stelselcatalogus.nl/br_import
Diagram	
Used by	Element br:mutaties/br:mutatie/br:berichtcomponenten/br:berichtcomponent/br:time-version/ br:relations
Model	br:relation+
Children	br:relation
Source	<pre> <xs:complexType name="berichtcomponent_relations"> <xs:sequence> <xs:element name="relation" minOccurs="1" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="relation-type-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="component_van"/> <xs:enumeration value="onderdeel_van_berichtcomponent"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="br:object-id"/> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </pre>
Schema location	file:/D:/BI projecten/WAStelselcatalogus/MutatieTool/xsd/basisregistraties-mutaties.xsd