

QUIZ TIME

BRANCH: Data Analytics

NAME: Armaan Mohammed Hanif shaikh

COURSE: B.VOC

ROLL NO.: 22

BATCH: 4

DIV: D



Project Documentation: "Interactive Quiz Game with Lifelines"

Introduction

The "Quiz Time!" project is a web-based interactive quiz game designed to offer users an engaging experience through playful visuals and special lifelines. The application allows users to answer fun questions with support tools like **50/50**, **Hint**, and **Switch Question** to improve the gameplay experience. The quiz interface is styled in a colorful and user-friendly way to appeal especially to younger audiences or casual users.

Objective

The main objective of this project is:

- To build an interactive, responsive, and aesthetically pleasing quiz application.
 - To create a fun and educational tool that can be used for both learning and entertainment.
 - To implement core JavaScript logic such as DOM manipulation, event handling, and condition-based rendering.
 - To integrate lifeline functionalities for a more game-like, engaging user experience.
-

Platforms

The quiz game is designed to be **fully web-based** and works on:

-  **Web Browsers:** Google Chrome, Mozilla Firefox, Microsoft Edge, Safari, etc.
-  **Operating Systems:** Windows, macOS, Linux
-  **Responsive on Mobile Devices** (if further optimized with media queries)

No external framework is needed. It uses:

- HTML5
- CSS3
- Vanilla JavaScript (ES6+)

Code

HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>🧡 Cute Quiz Time!</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <!-- Starting Page -->
    <div class="start-container" id="start-
container">
      <h1>🧡 Welcome to Cute Quiz Time!
🧡</h1>
      <p>Answer cute and fun questions! You
have some special lifelines to help you:</p>
      <ul style="text-align:left; color:#6a1b4d;
font-size: 14px;">
        <li>🧡 <b>50/50</b>: Remove two
wrong answers (use once)</li>
        <li>🧡 <b>Hint</b>: Get a hint for the
current question (once per question)</li>
        <li>🧡 <b>Switch Question</b>: Skip a
question (use once)</li>
      </ul>
      <button id="start-btn">Start
Quiz</button>
    </div>
    <!-- Quiz Page -->
    <div class="quiz-container" id="quiz-
container" style="display:none;">
      <h1>🧡 Quiz Time! 🧡</h1>
      <div class="question-container">
        <p class="question"
id="question">Loading...</p>
        <div class="options"
id="options"></div>
        <div class="hint-text" id="hint-
text"></div>
        <div class="lifelines">
          <button id="btn-5050">50/50</button>
          <button id="btn-hint">Hint</button>
```

```
        <button id="btn-switch">Switch
Question</button>
      </div>
      <button onclick="confirmAnswer()"
id="submit-btn">Submit Answer</button>
    </div>
    <div class="result" id="result"></div>
  </div>
  <script src="script.js"></script>
</body>
</html>
```

CSS CODE:

```
body {
  background: linear-gradient(135deg, #ffe0f0,
#ffe6b3);
  font-family: "Comic Sans MS", "Segoe UI",
cursive;
  margin: 0;
  padding: 0;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

.quiz-container,
.start-container {
  background-color: #fffafc;
  border-radius: 16px;
  padding: 30px;
  box-shadow: 0 0 25px rgba(255, 192, 203,
0.6);
  width: 400px;
  text-align: center;
}

h1 {
  color: #e91e63;
  font-size: 28px;
  margin-bottom: 20px;
}

.question {
  font-size: 20px;
```

```

margin-bottom: 20px;
color: #5d3b4b;
}

.options label {
display: block;
background: #ffeef8;
margin: 10px 0;
padding: 12px;
border-radius: 10px;
cursor: pointer;
transition: 0.3s;
color: #6a1b4d;
font-size: 16px;
}

.options input[type="radio"] {
margin-right: 10px;
}

.options label:hover {
background-color: #ffd1e8;
}

button {
padding: 10px 24px;
background-color: #ffb6c1;
color: #4e2a3e;
border: none;
border-radius: 10px;
cursor: pointer;
margin-top: 20px;
font-weight: bold;
font-size: 16px;
transition: background-color 0.3s;
}

button:hover:not(:disabled) {
background-color: #f48fb1;
}

button:disabled {
background-color: #f7c7d5;
cursor: not-allowed;
}

.result {
display: none;
font-size: 18px;
margin-top: 25px;
color: #4e2a3e;
}

.quote {
color: #388e3c;

```

```

margin-top: 12px;
font-weight: bold;
font-size: 16px;
}

.lifelines {
margin-top: 15px;
display: flex;
justify-content: space-around;
}

```

```

.hint-text {
color: #7b4a5b;
margin-top: 10px;
font-style: italic;
font-size: 14px;
}

```

JAVASCRIPT CODE:

```

const quizData = [
{
  q: "🦥 Which animal is known for being super slow and sleepy?",
  options: ["Koala", "Turtle", "Sloth", "Puppy"],
  answer: "Sloth",
  hint: "It hangs around in trees all day and sleeps a lot.",
},
{
  q: "🍪 Which treat is round and usually has sprinkles?",
  options: ["Pie", "Muffin", "Donut", "Cake"],
  answer: "Donut",
  hint: "You often get it with a hole in the middle!",
},
{
  q: "🐰 What do bunnies love to munch on?",
  options: ["Cucumbers", "Carrots", "Candy", "Popcorn"],
  answer: "Carrots",
  hint: "It's orange and crunchy, and Bugs Bunny loves it.",
},
{
  q: "👤 What's the name of the happy snowman in Frozen?",
  options: ["Blizzard", "Frosty", "Olaf", "Chilly"],
  answer: "Olaf",
  hint: "He loves warm hugs and has a carrot nose.",
},

```

```

{
  q: "🐉 Which magical creature has a horn
and loves sparkles?",
  options: ["Pony", "Pegasus", "Unicorn",
"Dragon"],
  answer: "Unicorn",
  hint: "It's a horse with a single horn on its
forehead.",
},
];

```

```

let currentQuestion = 0;
let score = 0;
let used5050 = false;
let usedSwitch = false;
const usedHintForQuestion = new
Array(quizData.length).fill(false);

```

```

const startContainer =
document.getElementById("start-container");
const quizContainer =
document.getElementById("quiz-container");
const questionEl =
document.getElementById("question");
const optionsEl =
document.getElementById("options");
const hintTextEl =
document.getElementById("hint-text");
const resultEl =
document.getElementById("result");
const btn5050 =
document.getElementById("btn-5050");
const btnHint =
document.getElementById("btn-hint");
const btnSwitch =
document.getElementById("btn-switch");
const submitBtn =
document.getElementById("submit-btn");
const startBtn =
document.getElementById("start-btn");

```

```

startBtn.addEventListener("click", () => {
  startContainer.style.display = "none";
  quizContainer.style.display = "block";
  loadQuestion();
});

```

```

function loadQuestion() {
  hintTextEl.textContent = "";
  btnHint.disabled = false;

```

```

const q = quizData[currentQuestion];
questionEl.textContent = q.q;

```

```

if (used5050 && q.fiftyOptions) {

```

```

  renderOptions(q.fiftyOptions);
} else {
  renderOptions(q.options);
}
}

```

```

function renderOptions(options) {
  const optionsHTML = options
    .map(
      (opt) => `<label><input type="radio"
name="option" value="${opt}">
${opt}</label>`
    )
    .join("");
  optionsEl.innerHTML = optionsHTML;
}

```

```

function confirmAnswer() {
  const selected =
document.querySelector('input[name="option"
]:checked');
  if (!selected) {
    alert("Please pick an option first! 🤖");
    return;
  }

```

```

  if (confirm("Are you sure? 🤖")) {
    checkAnswer(selected.value);
  }
}

```

```

function checkAnswer(answer) {
  if (answer ===
quizData[currentQuestion].answer) {
    score++;
  }
  currentQuestion++;

```

```

  if (currentQuestion < quizData.length) {
    used5050 = false;
    quizData[currentQuestion].fiftyOptions =
null;
    loadQuestion();
    updateLifelinesButtons();
  } else {
    showResult();
  }
}

```

```

function showResult() {
  document.querySelector(".question-
container").style.display = "none";
  resultEl.style.display = "block";

```

```
resultEl.innerHTML = `🎉 You got ${score}
out of ${quizData.length} correct! `;
```

```
if (score === quizData.length) {
  resultEl.innerHTML += `<div
class="quote">🌟 Wow! You're a quiz
superstar! 🌈🧐</div>`;
} else if (score >= 3) {
  resultEl.innerHTML += `<div
class="quote"> Great job, smarty
paws!</div>`;
} else {
  resultEl.innerHTML += `<div
class="quote">🔥 Keep trying! You're doing
adorably well! 🤞</div>`;
}
disableAllButtons();
}
```

```
btn5050.addEventListener("click", () => {
  if (used5050) return;
  const q = quizData[currentQuestion];
  const correct = q.answer;
  const wrongOptions = q.options.filter((opt)
=> opt !== correct);
```

```
  const toRemove =
  getRandomElements(wrongOptions, 2);
  const fiftyOptions = q.options.filter((opt) =>
!toRemove.includes(opt));
  quizData[currentQuestion].fiftyOptions =
fiftyOptions;
  used5050 = true;
  loadQuestion();
  updateLifelinesButtons();
});
```

```
btnHint.addEventListener("click", () => {
  if (usedHintForQuestion[currentQuestion])
return;
  hintTextEl.textContent =
quizData[currentQuestion].hint;
  usedHintForQuestion[currentQuestion] =
true;
  btnHint.disabled = true;
});
```



```
btnSwitch.addEventListener("click", () => {
  if (usedSwitch) return;
  if (
    confirm(
      "Are you sure you want to skip this
question? You can't come back to it."
    )
  ) {
    usedSwitch = true;
    currentQuestion++;
    if (currentQuestion < quizData.length) {
      used5050 = false;
      quizData[currentQuestion].fiftyOptions =
null;
      hintTextEl.textContent = "";
      loadQuestion();
      updateLifelinesButtons();
    } else {
      showResult();
    }
  }
});
```



```
function updateLifelinesButtons() {
  btn5050.disabled = used5050;
  btnSwitch.disabled = usedSwitch;
  btnHint.disabled =
usedHintForQuestion[currentQuestion] || false;
}
```


```
function disableAllButtons() {
  btn5050.disabled = true;
  btnHint.disabled = true;
  btnSwitch.disabled = true;
  submitBtn.disabled = true;
}
```

```
function getRandomElements(arr, n) {
  const shuffled = arr.slice();
  for (let i = shuffled.length - 1; i > 0; i--) {
    const j = Math.floor(Math.random() * (i +
1));
    [shuffled[i], shuffled[j]] = [shuffled[j],
shuffled[i]];
  }
  return shuffled.slice(0, n);
}
```

Output snippets







🦋 Quiz Time! 🦋

🤖 Which treat is round and usually has sprinkles?

☐ Pie

☐ Muffin


☐ Donut

☐ Cake

You often get it with a hole in the middle!

50/50 Hint Switch Question

Submit Answer



🦋 Quiz Time! 🦋

🐰 What do bunnies love to munch on?

☐ Cucumbers

☐ Carrots



☐ Candy



☐ Popcorn

50/50 Hint Switch Question

Submit Answer







Future Enhancements

Here are a few possible future improvements:

-  **Add Timer:** Include a countdown for each question to increase challenge.
-  **Question Categories:** Let users select from categories like Science, Math, Pop Culture, etc.

-  **Scoreboard:** Implement a leaderboard to store top scores using localStorage or backend.
 -  **Multilingual Support:** Add the ability to switch between different languages.
 -  **Dynamic Questions:** Load questions from an API or JSON file to make the quiz scalable.
 -  **Fully Responsive Design:** Enhance mobile responsiveness with media queries.
 -  **Audio/Animations:** Add fun sounds and animations to make it more engaging.
-

Conclusion

The "Quiz Time!" project is a great example of combining design, logic, and creativity. It not only provides an entertaining platform for users but also serves as a hands-on learning opportunity in **front-end development**. The implementation of lifelines mirrors features from popular quiz shows, making the app more interactive and fun to play. With room for further development, this project can evolve into a more advanced and feature-rich educational game.

References

1. [MDN Web Docs](#) – for understanding HTML, CSS, and JavaScript concepts.
 2. [W3Schools](#) – for quick syntax references.
 3. [CSS-Tricks](#) – for design inspiration and layout tips.
 4. [Stack Overflow](#) – for debugging help and community Q&A.
 5. [Google Fonts](#) – for font styling.
-