Adobe CQ5 Brightcove Connector

CONTENTS:

- I. <u>Installation</u> (p. 2)
- II. API Token Configuration (p. 2)
- III. Configuration of the Video Player Components location (p. 3)
- IV. Configuration of default Video Player Component (p. 3)
- V. Configuration of default Playlist Component (p. 5)
- VI. Create the players configuration (p. 8)
- VII. <u>Using Video and Playlist Components</u> (p. 10)
- VIII. Configuration of CQ5 Video Library Manager (p. 13)
- IX. Using CQ5 Video Library Manager (p. 15)

Coresecure 2013 www.coresecure.com

Installation:


- 1. Select your CQ 5 version package for download:
 - CQ 5.5/5.6 (JAVA 1.7): brightcove_allinone-3.0.b1.zip
 - CQ 5.5/5.6 (JAVA 1.6): brightcove_allinone-3.0.b1_Java1.6.zip

It includes:

- o /libs/cq/gui/content/common/links/brightcove
- /apps/brightcove
- o /etc/designs/cs/brightcove
- 2. Install the package.


API Token Configuration:

- 1. Get your API Tokens from https://my.brightcove.com/admin/ (http://support.brightcove.com/en/docs/managing-media-api-tokens#get)
- Modify the ReadToken and WriteToken value in Adobe CQ Web Console Configuration -> Brightcove Service to match your API TOKEN



Configuration of the Video Player Components location:


Modify the Players Store Path value in Adobe CQ Web Console Configuration -> Brightcove Service to match the location where you will store the available players and their configurations.



Configuration of default Video Player Component:

Here you will configure the default values for the **playerID** and **playerKey** properties of the basic Brightcove Video component.


- 1. Navigate to your video library at http://my.brightcove.com
- 2. Go to the Publishing tab and select a Player which does not support playlists




3. Click on **Get Code** at the bottom of the Brightcove dashboard



4. You will find the **playerID** and **playerKey** within the generated code:



5. Configure these properties of **Brightcove Service** through the **Adobe CQ Web Console Configuration**




Configuration of default Playlist Component:

Here we will set up the **playerID** and **playerKey** properties for the BrightcovePlaylist component.

The configuration of the Brightcove Playlist component is nearly identical to set up for the Video Player component, except the user must select a videoPlayer that is compatible for playlists.


- 1. Navigate to your video library at http://my.brightcove.com
- 2. Go to the **Publishing** tab and select a Player which supports playlists




3. Select your preferred video player and click **Get Code** at the bottom:



4. You will find the playerID and playerKey within the generated code:




5. Configure these properties of Brightcove Service through the Adobe CQ Web Console Configuration:




Create the players configuration:

- 1. Using the siteadmin tool create the folder structure configured in the Players Store Path value in Adobe CQ Web Console Configuration -> Brightcove Service;
- 2. Create a new Brightcove Player Page;




3. Open the player page and configure the player parameters.




Using Video and Playlist Components:


4. Both new components will appear underneath the General tab in the CQ5 SideKick




- 5. Drag either component into an available Parsys.
- 6. For the **Brightcove Video** component, use the **Video** dropdown to select a video from your library.
 - a. **Note:** You can use the select box to search, so clear the current value in order to display all results.




7. For the **Brightcove Playlist** component, follow the same instructions to select a playlist



8. For either component, if you want to change the Video Player used from the default configured in **Step III**, click on the **Account Settings** tab and select the appropriate **Player**



9. The installation and configuration has created two new tabs in the **Content Finder**, for Videos and Playlists:




10. You can drag and drop Videos and Playlists from the sidekick directly onto their **Respective** components.



Configuration of CQ5 Video Library Manager:

In order to gain full functionality of the CQ5 Video Library Manager, you must set up the preview URLs.

- 1. Navigate to your video library at http://my.brightcove.com
- 2. Like in **Step II.2** and **Step III.2**, you must select a preferred video Player.
 - a. **Note: Steps 2-4** must be repeated; once for singular videos. another from video playlists.




3. At the bottom of the interface, click on the arrow to the right of **Get Code** and select **Player URL**



4. Copy the URL to the clipboard.




- 5. Paste the base URL into the appropriate variables, deleting the GET parameters (everything beyond the question mark: "?etc")
 - a. **Preview Video Player** refers to the URL for a singular video Player
 - b. Preview Playlist Player refers to the URL for a playlist video Player.




Using the CQ5 Video Library Manager:

The CQ5 Video Library Manager provides an interface that allows administrators perform major Brightcove content updates from within CQ5.



Users can edit existing Videos and Playlists, including Meta Data and Image Stills. Users can add and delete content.



NOTE: When making content changes through the CQ5 interface, take caching into account and allow up to 20 minutes for your changes to be reflected!