

# Finding an entity

To find an entity, EntityManager interface provides find() method that searches an element on the basis of primary key.

## JPA Entity Finding Example

Here, we will search a particular record and fetch it on the console.

This example contains the following steps: -

- Create an entity class named as StudentEntity.java under com.javatpoint.jpa.student package that contains attributes s\_id, s\_name, s\_age.

### StudentEntity.java

```
package com.javatpoint.jpa.student;
import javax.persistence.*;

@Entity
@Table(name="student")
public class StudentEntity {

    @Id
    private int s_id;
    private String s_name;
    private int s_age;

    public StudentEntity(int s_id, String s_name, int s_age) {
        super();
        this.s_id = s_id;
        this.s_name = s_name;
        this.s_age = s_age;
    }

    public StudentEntity() {
        super();
    }
}
```



```
}

public int getS_id() {
    return s_id;
}

public void setS_id(int s_id) {
    this.s_id = s_id;
}

public String getS_name() {
    return s_name;
}

public void setS_name(String s_name) {
    this.s_name = s_name;
}

public int getS_age() {
    return s_age;
}

public void setS_age(int s_age) {
    this.s_age = s_age;
}

}
```

- Now, map the entity class and other databases configuration in Persistence.xml file.

### Persistence.xml

```
<persistence>
<persistence-unit name="Student_details">

    <class>com.javatpoint.jpa.student.StudentEntity</class>

<properties>
<property name="javax.persistence.jdbc.driver" value="com.mysql.jdbc.Driver"/>
<property name="javax.persistence.jdbc.url" value="jdbc:mysql://localhost:3306/studentdata"/>
```



```
<property name="javax.persistence.jdbc.user" value="root"/>
<property name="javax.persistence.jdbc.password" value=""/>
<property name="eclipselink.logging.level" value="SEVERE"/>
<property name="eclipselink.ddl-generation" value="create-or-extend-tables"/>
</properties>

</persistence-unit>
</persistence>
```

- Create a persistence class named as FindStudent.java under com.javatpoint.jpa.find package to persist the entity object with data.

### FindStudent.java

```
package com.javatpoint.jpa.find;

import javax.persistence.*;

import com.javatpoint.jpa.student.*;

public class FindStudent {
    public static void main(String args[])
    {
        EntityManagerFactory emf=Persistence.createEntityManagerFactory("Student_details");
        EntityManager em=emf.createEntityManager();

        StudentEntity s=em.find(StudentEntity.class,101);

        System.out.println("Student id = "+s.getS_id());
        System.out.println("Student Name = "+s.getS_name());
        System.out.println("Student Age = "+s.getS_age());

    }
}
```

### Output:

