

Table CrossCheck

Next to Leading Order $(g - 2)_\mu$ using lattice data

Beltran Martínez, Arnau

November 12, 2024

ens	Set 1 ll	Set 1 lc	Set 2 ll	Set 2 lc
H101	172.1 +/- 0.39 172.73 +/- 0.42 1.09	173.35 +/- 0.39 173.97 +/- 0.4 1.11	150.16 +/- 0.39 150.45 +/- 0.45 0.49	155.36 +/- 0.39 155.82 +/- 0.41 0.81
B450	168.12 +/- 0.38 168.25 +/- 0.64 0.18	168.82 +/- 0.38 168.98 +/- 0.63 0.22	152.53 +/- 0.38 152.64 +/- 0.64 0.15	155.68 +/- 0.38 155.83 +/- 0.63 0.2
N202	168.14 +/- 0.68 168.28 +/- 0.66 0.15	168.45 +/- 0.69 168.59 +/- 0.67 0.15	158.36 +/- 0.67 158.54 +/- 0.67 0.19	159.92 +/- 0.68 160.08 +/- 0.68 0.17
N300	160.99 +/- 0.59 163.44 +/- 1.11 1.96	161.08 +/- 0.59 163.59 +/- 1.09 2.02	156.34 +/- 0.59 158.78 +/- 1.11 1.94	156.89 +/- 0.59 159.36 +/- 1.09 1.99
H102	178.54 +/- 0.52 179.31 +/- 0.6 0.97	179.75 +/- 0.52 180.5 +/- 0.58 0.97	157.27 +/- 0.53 157.79 +/- 0.63 0.63	162.26 +/- 0.53 162.9 +/- 0.6 0.81
N101	186.31 +/- 0.43 186.59 +/- 0.39 0.49	187.56 +/- 0.42 187.81 +/- 0.35 0.46	165.61 +/- 0.44 165.66 +/- 0.44 0.09	170.48 +/- 0.43 170.63 +/- 0.36 0.27
C101	192.19 +/- 0.41 192.85 +/- 0.46 1.08	193.4 +/- 0.41 194.03 +/- 0.43 1.06	172.25 +/- 0.43 172.69 +/- 0.48 0.68	176.94 +/- 0.42 177.48 +/- 0.44 0.88
N203	173.75 +/- 0.43 174.35 +/- 0.59 0.82	174.11 +/- 0.43 174.7 +/- 0.59 0.82	164.22 +/- 0.43 164.83 +/- 0.62 0.82	165.77 +/- 0.43 166.36 +/- 0.6 0.79
N200	180.17 +/- 0.43 180.72 +/- 0.59 0.75	180.43 +/- 0.42 180.99 +/- 0.59 0.77	171.02 +/- 0.44 171.59 +/- 0.61 0.76	172.41 +/- 0.43 172.97 +/- 0.59 0.77
D200	188.37 +/- 0.38 188.77 +/- 0.48 0.66	188.69 +/- 0.37 189.11 +/- 0.47 0.71	179.52 +/- 0.39 179.96 +/- 0.51 0.68	180.91 +/- 0.38 181.34 +/- 0.49 0.69
E250	194.75 +/- 0.26 194.9 +/- 0.18 0.48	194.96 +/- 0.26 195.19 +/- 0.18 0.72	186.36 +/- 0.27 186.54 +/- 0.23 0.5	187.61 +/- 0.26 187.82 +/- 0.19 0.65
J303	179.51 +/- 0.54 180.08 +/- 0.6 0.71	179.57 +/- 0.55 179.93 +/- 0.84 0.36	175.24 +/- 0.55 175.84 +/- 0.61 0.73	175.67 +/- 0.55 176.04 +/- 0.86 0.36
E300	188.05 +/- 0.49 188.24 +/- 0.31 0.33	188.13 +/- 0.49 188.54 +/- 0.48 0.6	183.96 +/- 0.49 184.22 +/- 0.34 0.44	184.38 +/- 0.5 184.83 +/- 0.49 0.65
J500	162.0 +/- 0.72 162.59 +/- 1.07 0.46	162.04 +/- 0.72 162.63 +/- 1.07 0.46	159.69 +/- 0.72 160.28 +/- 1.07 0.45	159.97 +/- 0.72 160.56 +/- 1.07 0.46
N451	183.4 +/- 0.28 183.68 +/- 0.31 0.69	184.05 +/- 0.28 184.37 +/- 0.3 0.78	168.49 +/- 0.27 168.76 +/- 0.35 0.61	171.4 +/- 0.27 171.71 +/- 0.32 0.73
D452	194.96 +/- 0.33 195.45 +/- 0.3 1.1	195.61 +/- 0.33 196.11 +/- 0.3 1.14	181.21 +/- 0.34 181.73 +/- 0.34 1.07	183.97 +/- 0.34 184.48 +/- 0.31 1.11
J501	170.16 +/- 0.98 171.0 +/- 0.95 0.61	170.15 +/- 0.98 170.73 +/- 1.0 0.42	167.92 +/- 0.98 168.76 +/- 0.95 0.61	168.13 +/- 0.98 168.72 +/- 1.0 0.42

Table 1: Comparison iso-vector

ens	Set 1 ll	Set 1 lc	Set 2 ll	Set 2 lc
H101	172.1 $\pm$ 0.39 172.21 $\pm$ 0.42 0.2	173.35 $\pm$ 0.39 173.43 $\pm$ 0.4 0.15	150.16 $\pm$ 0.39 150.03 $\pm$ 0.45 0.23	155.36 $\pm$ 0.39 155.33 $\pm$ 0.41 0.05
B450	168.12 $\pm$ 0.38 167.74 $\pm$ 0.64 0.51	168.82 $\pm$ 0.38 168.46 $\pm$ 0.63 0.49	152.53 $\pm$ 0.38 152.18 $\pm$ 0.64 0.46	155.68 $\pm$ 0.38 155.34 $\pm$ 0.63 0.46
N202	168.14 $\pm$ 0.68 167.78 $\pm$ 0.66 0.38	168.45 $\pm$ 0.69 168.09 $\pm$ 0.67 0.38	158.36 $\pm$ 0.67 158.07 $\pm$ 0.67 0.3	159.92 $\pm$ 0.68 159.59 $\pm$ 0.68 0.34
N300	160.99 $\pm$ 0.59 162.93 $\pm$ 1.11 1.55	161.08 $\pm$ 0.59 163.08 $\pm$ 1.09 1.61	156.34 $\pm$ 0.59 158.29 $\pm$ 1.11 1.55	156.89 $\pm$ 0.59 158.86 $\pm$ 1.09 1.58
H102	178.54 $\pm$ 0.52 178.83 $\pm$ 0.6 0.37	179.75 $\pm$ 0.52 180.01 $\pm$ 0.58 0.34	157.27 $\pm$ 0.53 157.4 $\pm$ 0.63 0.15	162.26 $\pm$ 0.53 162.45 $\pm$ 0.6 0.24
N101	186.31 $\pm$ 0.43 186.17 $\pm$ 0.39 0.24	187.56 $\pm$ 0.42 187.36 $\pm$ 0.35 0.36	165.61 $\pm$ 0.44 165.31 $\pm$ 0.44 0.49	170.48 $\pm$ 0.43 170.21 $\pm$ 0.36 0.47
C101	192.19 $\pm$ 0.41 192.49 $\pm$ 0.46 0.48	193.4 $\pm$ 0.41 193.64 $\pm$ 0.43 0.4	172.25 $\pm$ 0.43 172.38 $\pm$ 0.48 0.2	176.94 $\pm$ 0.42 177.11 $\pm$ 0.44 0.28
N203	173.75 $\pm$ 0.43 173.89 $\pm$ 0.59 0.19	174.11 $\pm$ 0.43 174.24 $\pm$ 0.59 0.17	164.22 $\pm$ 0.43 164.4 $\pm$ 0.62 0.24	165.77 $\pm$ 0.43 165.91 $\pm$ 0.6 0.18
N200	180.17 $\pm$ 0.43 180.3 $\pm$ 0.59 0.17	180.43 $\pm$ 0.42 180.56 $\pm$ 0.59 0.18	171.02 $\pm$ 0.44 171.19 $\pm$ 0.61 0.23	172.41 $\pm$ 0.43 172.56 $\pm$ 0.59 0.2
D200	188.37 $\pm$ 0.38 188.41 $\pm$ 0.48 0.07	188.69 $\pm$ 0.37 188.75 $\pm$ 0.47 0.1	179.52 $\pm$ 0.39 179.61 $\pm$ 0.51 0.15	180.91 $\pm$ 0.38 180.98 $\pm$ 0.49 0.12
E250	194.75 $\pm$ 0.26 194.61 $\pm$ 0.18 0.45	194.96 $\pm$ 0.26 194.89 $\pm$ 0.18 0.23	186.36 $\pm$ 0.27 186.26 $\pm$ 0.23 0.28	187.61 $\pm$ 0.26 187.53 $\pm$ 0.19 0.26
J303	179.51 $\pm$ 0.54 179.67 $\pm$ 0.6 0.2	179.57 $\pm$ 0.55 179.52 $\pm$ 0.84 0.05	175.24 $\pm$ 0.55 175.44 $\pm$ 0.61 0.25	175.67 $\pm$ 0.55 175.64 $\pm$ 0.86 0.03
E300	188.05 $\pm$ 0.49 187.91 $\pm$ 0.31 0.25	188.13 $\pm$ 0.49 188.21 $\pm$ 0.48 0.12	183.96 $\pm$ 0.49 183.89 $\pm$ 0.34 0.11	184.38 $\pm$ 0.5 184.51 $\pm$ 0.49 0.18
J500	162.0 $\pm$ 0.72 162.1 $\pm$ 1.07 0.08	162.04 $\pm$ 0.72 162.14 $\pm$ 1.07 0.08	159.69 $\pm$ 0.72 159.8 $\pm$ 1.07 0.08	159.97 $\pm$ 0.72 160.08 $\pm$ 1.07 0.08
N451	183.4 $\pm$ 0.28 183.26 $\pm$ 0.31 0.34	184.05 $\pm$ 0.28 183.93 $\pm$ 0.3 0.28	168.49 $\pm$ 0.27 168.38 $\pm$ 0.35 0.26	171.4 $\pm$ 0.27 171.29 $\pm$ 0.32 0.26
D452	194.96 $\pm$ 0.33 195.13 $\pm$ 0.3 0.38	195.61 $\pm$ 0.33 195.78 $\pm$ 0.3 0.39	181.21 $\pm$ 0.34 181.44 $\pm$ 0.34 0.48	183.97 $\pm$ 0.34 184.16 $\pm$ 0.31 0.41
J501	170.16 $\pm$ 0.98 170.55 $\pm$ 0.95 0.28	170.15 $\pm$ 0.98 170.28 $\pm$ 1.0 0.09	167.92 $\pm$ 0.98 168.32 $\pm$ 0.95 0.29	168.13 $\pm$ 0.98 168.27 $\pm$ 1.0 0.1

Table 2: Comparison iso-vector

ens	Set 1 ll	Set 1 lc	Set 2 ll	Set 2 lc
H101	57.36 ± 0.13 57.4 ± 0.14 0.23	57.78 ± 0.13 57.81 ± 0.13 0.17	50.05 ± 0.13 50.01 ± 0.15 0.21	51.78 ± 0.13 51.78 ± 0.14 0.02
B450	56.04 ± 0.13 55.91 ± 0.21 0.51	56.27 ± 0.13 56.15 ± 0.21 0.47	50.84 ± 0.13 50.73 ± 0.21 0.45	51.89 ± 0.13 51.78 ± 0.21 0.45
N202	56.05 ± 0.23 55.93 ± 0.22 0.39	56.15 ± 0.23 56.03 ± 0.22 0.38	52.79 ± 0.22 52.69 ± 0.22 0.32	53.31 ± 0.23 53.2 ± 0.23 0.35
N300	53.66 ± 0.2 54.31 ± 0.37 1.55	53.69 ± 0.2 54.36 ± 0.36 1.61	52.11 ± 0.2 52.76 ± 0.37 1.55	52.3 ± 0.2 52.95 ± 0.36 1.57
H102	55.3 ± 0.16 55.36 ± 0.14 0.28	55.71 ± 0.16 55.76 ± 0.12 0.23	47.94 ± 0.16 47.96 ± 0.15 0.08	49.7 ± 0.16 49.73 ± 0.13 0.16
N101	53.55 ± 0.11 53.48 ± 0.11 0.44	53.97 ± 0.11 53.89 ± 0.1 0.53	46.18 ± 0.11 46.08 ± 0.11 0.61	47.99 ± 0.11 47.9 ± 0.1 0.62
C101	52.67 ± 0.11 52.72 ± 0.1 0.36	53.08 ± 0.11 53.13 ± 0.09 0.37	45.39 ± 0.11 45.4 ± 0.1 0.09	47.18 ± 0.11 47.22 ± 0.09 0.26
N203	53.41 ± 0.13 53.46 ± 0.14 0.27	53.5 ± 0.13 53.56 ± 0.14 0.31	50.12 ± 0.13 50.19 ± 0.15 0.35	50.65 ± 0.13 50.71 ± 0.15 0.32
N200	51.61 ± 0.11 51.64 ± 0.11 0.18	51.7 ± 0.1 51.73 ± 0.11 0.22	48.35 ± 0.11 48.4 ± 0.12 0.28	48.88 ± 0.1 48.92 ± 0.11 0.27
D200	50.36 ± 0.1 50.41 ± 0.09 0.35	50.46 ± 0.1 50.53 ± 0.08 0.51	47.11 ± 0.1 47.18 ± 0.09 0.51	47.67 ± 0.09 47.74 ± 0.08 0.54
E250	49.65 ± 0.09 49.69 ± 0.08 0.37	49.76 ± 0.09 49.82 ± 0.08 0.5	46.45 ± 0.09 46.51 ± 0.08 0.51	47.01 ± 0.09 47.08 ± 0.08 0.57
J303	49.8 ± 0.12 49.79 ± 0.09 0.07	49.82 ± 0.12 49.8 ± 0.13 0.12	48.25 ± 0.12 48.26 ± 0.1 0.08	48.43 ± 0.12 48.42 ± 0.14 0.03
E300	48.77 ± 0.08 48.74 ± 0.06 0.34	48.8 ± 0.08 48.8 ± 0.09 0.02	47.24 ± 0.08 47.23 ± 0.06 0.07	47.44 ± 0.08 47.45 ± 0.09 0.1
J500	54.0 ± 0.24 54.03 ± 0.36 0.08	54.01 ± 0.24 54.05 ± 0.36 0.09	53.23 ± 0.24 53.27 ± 0.36 0.08	53.32 ± 0.24 53.36 ± 0.36 0.09
N451	52.8 ± 0.06 52.74 ± 0.05 0.8	53.01 ± 0.06 52.97 ± 0.04 0.51	47.51 ± 0.06 47.47 ± 0.06 0.4	48.6 ± 0.06 48.56 ± 0.05 0.48
D452	50.9 ± 0.1 50.89 ± 0.06 0.1	51.12 ± 0.1 51.13 ± 0.06 0.05	45.74 ± 0.1 45.76 ± 0.07 0.14	46.84 ± 0.1 46.86 ± 0.06 0.13

Table 3: Comparison iso-scalar

ens	Set 1 ll	Set 1 lc	Set 2 ll	Set 2 lc
H101	171.24 $\pm$ 0.39 171.36 $\pm$ 0.36 0.22	172.49 $\pm$ 0.39 172.57 $\pm$ 0.33 0.16	149.3 $\pm$ 0.39 149.17 $\pm$ 0.39 0.24	154.5 $\pm$ 0.39 154.47 $\pm$ 0.35 0.06
B450	166.28 $\pm$ 0.38 165.88 $\pm$ 0.44 0.68	166.98 $\pm$ 0.38 166.6 $\pm$ 0.43 0.66	150.69 $\pm$ 0.38 150.33 $\pm$ 0.45 0.62	153.84 $\pm$ 0.38 153.48 $\pm$ 0.43 0.62
N202	167.69 $\pm$ 0.68 167.34 $\pm$ 0.65 0.37	168.0 $\pm$ 0.69 167.65 $\pm$ 0.66 0.37	157.91 $\pm$ 0.67 157.64 $\pm$ 0.67 0.29	159.47 $\pm$ 0.68 159.16 $\pm$ 0.66 0.33
N300	158.99 $\pm$ 0.59 160.92 $\pm$ 0.98 1.68	159.08 $\pm$ 0.59 161.06 $\pm$ 0.97 1.75	154.34 $\pm$ 0.59 156.27 $\pm$ 0.99 1.68	154.89 $\pm$ 0.59 156.84 $\pm$ 0.97 1.72
H102	177.16 $\pm$ 0.52 177.15 $\pm$ 0.43 0.01	178.37 $\pm$ 0.52 178.33 $\pm$ 0.4 0.06	155.89 $\pm$ 0.53 155.71 $\pm$ 0.47 0.25	160.88 $\pm$ 0.53 160.77 $\pm$ 0.42 0.16
N101	186.01 $\pm$ 0.43 185.86 $\pm$ 0.38 0.26	187.26 $\pm$ 0.42 187.06 $\pm$ 0.35 0.38	165.31 $\pm$ 0.44 165.0 $\pm$ 0.43 0.51	170.18 $\pm$ 0.43 169.91 $\pm$ 0.36 0.49
C101	191.42 $\pm$ 0.41 191.68 $\pm$ 0.41 0.45	192.63 $\pm$ 0.41 192.83 $\pm$ 0.38 0.37	171.48 $\pm$ 0.43 171.57 $\pm$ 0.43 0.15	176.17 $\pm$ 0.42 176.31 $\pm$ 0.39 0.24
N203	172.98 $\pm$ 0.43 173.01 $\pm$ 0.55 0.04	173.34 $\pm$ 0.43 173.35 $\pm$ 0.54 0.02	163.45 $\pm$ 0.43 163.51 $\pm$ 0.57 0.09	165.0 $\pm$ 0.43 165.02 $\pm$ 0.56 0.03
N200	178.63 $\pm$ 0.43 178.63 $\pm$ 0.42 0.0	178.89 $\pm$ 0.42 178.9 $\pm$ 0.42 0.02	169.48 $\pm$ 0.44 169.53 $\pm$ 0.45 0.08	170.87 $\pm$ 0.43 170.89 $\pm$ 0.42 0.04
D200	187.28 $\pm$ 0.38 187.29 $\pm$ 0.39 0.02	187.6 $\pm$ 0.37 187.63 $\pm$ 0.38 0.05	178.43 $\pm$ 0.39 178.49 $\pm$ 0.43 0.11	179.82 $\pm$ 0.38 179.86 $\pm$ 0.41 0.08
E250	194.22 $\pm$ 0.26 194.07 $\pm$ 0.12 0.53	194.43 $\pm$ 0.26 194.35 $\pm$ 0.12 0.28	185.83 $\pm$ 0.27 185.72 $\pm$ 0.19 0.33	187.08 $\pm$ 0.26 186.99 $\pm$ 0.14 0.31
J303	177.72 $\pm$ 0.54 177.78 $\pm$ 0.37 0.1	177.78 $\pm$ 0.55 177.63 $\pm$ 0.69 0.17	173.45 $\pm$ 0.55 173.55 $\pm$ 0.39 0.15	173.88 $\pm$ 0.55 173.75 $\pm$ 0.72 0.15
E300	187.27 $\pm$ 0.49 187.11 $\pm$ 0.24 0.29	187.35 $\pm$ 0.49 187.42 $\pm$ 0.44 0.11	183.18 $\pm$ 0.49 183.1 $\pm$ 0.28 0.14	183.6 $\pm$ 0.5 183.71 $\pm$ 0.45 0.17
J500	160.34 $\pm$ 0.72 160.43 $\pm$ 0.99 0.07	160.38 $\pm$ 0.72 160.47 $\pm$ 0.98 0.08	158.03 $\pm$ 0.72 158.12 $\pm$ 0.99 0.08	158.31 $\pm$ 0.72 158.41 $\pm$ 0.98 0.08
N451	182.83 $\pm$ 0.28 182.66 $\pm$ 0.27 0.43	183.48 $\pm$ 0.28 183.34 $\pm$ 0.26 0.37	167.92 $\pm$ 0.27 167.78 $\pm$ 0.32 0.34	170.83 $\pm$ 0.27 170.69 $\pm$ 0.29 0.34
D452	194.01 $\pm$ 0.33 194.07 $\pm$ 0.14 0.16	194.66 $\pm$ 0.33 194.72 $\pm$ 0.13 0.17	180.26 $\pm$ 0.34 180.38 $\pm$ 0.22 0.29	183.02 $\pm$ 0.34 183.1 $\pm$ 0.16 0.21
J501	167.42 $\pm$ 0.98 167.24 $\pm$ 0.48 0.17	167.41 $\pm$ 0.98 166.97 $\pm$ 0.56 0.39	165.18 $\pm$ 0.98 165.0 $\pm$ 0.48 0.16	165.39 $\pm$ 0.98 164.96 $\pm$ 0.56 0.38

Table 4: Comparison iso-vector (No FVC)

ens	Set 1 ll	Set 1 lc	Set 2 ll	Set 2 lc
H101	57.07 ± 0.13	57.49 ± 0.13	49.76 ± 0.13	51.49 ± 0.13
	57.12 ± 0.12	57.52 ± 0.11	49.72 ± 0.13	51.49 ± 0.12
	0.25	0.18	0.22	0.02
B450	55.43 ± 0.13	55.66 ± 0.13	50.23 ± 0.13	51.28 ± 0.13
	55.29 ± 0.15	55.53 ± 0.14	50.11 ± 0.15	51.16 ± 0.14
	0.68	0.63	0.59	0.6
N202	55.9 ± 0.23	56.0 ± 0.23	52.64 ± 0.22	53.16 ± 0.23
	55.78 ± 0.22	55.88 ± 0.22	52.55 ± 0.22	53.05 ± 0.22
	0.38	0.37	0.3	0.34
N300	52.99 ± 0.2	53.02 ± 0.2	51.44 ± 0.2	51.63 ± 0.2
	53.64 ± 0.33	53.69 ± 0.32	52.09 ± 0.33	52.28 ± 0.32
	1.68	1.75	1.68	1.7
H102	55.02 ± 0.16	55.42 ± 0.16	47.66 ± 0.16	49.42 ± 0.16
	55.26 ± 0.13	55.65 ± 0.12	47.86 ± 0.14	49.63 ± 0.13
	1.17	1.15	0.93	1.05
N101	53.54 ± 0.11	53.96 ± 0.11	46.16 ± 0.11	47.98 ± 0.11
	53.48 ± 0.11	53.89 ± 0.1	46.08 ± 0.11	47.9 ± 0.1
	0.36	0.44	0.53	0.54
C101	52.66 ± 0.11	53.06 ± 0.11	45.38 ± 0.11	47.16 ± 0.11
	52.72 ± 0.1	53.13 ± 0.09	45.4 ± 0.1	47.21 ± 0.09
	0.44	0.46	0.18	0.35
N203	53.28 ± 0.13	53.36 ± 0.13	49.98 ± 0.13	50.52 ± 0.13
	53.42 ± 0.14	53.52 ± 0.14	50.15 ± 0.15	50.67 ± 0.15
	0.75	0.79	0.82	0.79
N200	51.5 ± 0.11	51.6 ± 0.1	48.24 ± 0.11	48.78 ± 0.1
	51.6 ± 0.11	51.7 ± 0.11	48.36 ± 0.12	48.89 ± 0.11
	0.63	0.7	0.72	0.75
D200	50.34 ± 0.1	50.44 ± 0.1	47.1 ± 0.1	47.66 ± 0.09
	50.4 ± 0.09	50.52 ± 0.08	47.18 ± 0.09	47.73 ± 0.08
	0.45	0.61	0.6	0.65
E250	49.65 ± 0.09	49.76 ± 0.09	46.45 ± 0.09	47.01 ± 0.09
	49.69 ± 0.08	49.82 ± 0.08	46.51 ± 0.08	47.08 ± 0.08
	0.37	0.5	0.51	0.57
J303	49.72 ± 0.12	49.74 ± 0.12	48.18 ± 0.12	48.36 ± 0.12
	49.77 ± 0.09	49.78 ± 0.13	48.24 ± 0.1	48.4 ± 0.14
	0.28	0.17	0.42	0.26
E300	48.77 ± 0.08	48.8 ± 0.08	47.24 ± 0.08	47.44 ± 0.08
	48.74 ± 0.06	48.8 ± 0.09	47.23 ± 0.06	47.45 ± 0.09
	0.34	0.02	0.08	0.09
J500	53.45 ± 0.24	53.46 ± 0.24	52.68 ± 0.24	52.77 ± 0.24
	53.48 ± 0.33	53.49 ± 0.33	52.71 ± 0.33	52.8 ± 0.33
	0.07	0.08	0.08	0.09
N451	52.77 ± 0.06	52.98 ± 0.06	47.48 ± 0.06	48.57 ± 0.06
	52.73 ± 0.05	52.96 ± 0.04	47.47 ± 0.06	48.55 ± 0.05
	0.51	0.22	0.16	0.2
D452	50.9 ± 0.1	51.12 ± 0.1	45.74 ± 0.1	46.84 ± 0.1
	50.89 ± 0.06	51.13 ± 0.06	45.76 ± 0.07	46.85 ± 0.06
	0.1	0.05	0.14	0.13

Table 5: Comparison iso-scalar (No FVC)