

create a roast generator using c++ where user will give the name and will get random roasts whenever they run the program with there name in it. create atleast 12-13 different roast templates

</> C++



```
#include <iostream>
#include <vector>
#include <cstdlib>
#include <ctime>

using namespace std;

int main() {
    string name;
    cout << "Enter your name: ";
    getline(cin, name);

    // Seed for randomness
    srand(time(0));

    // Roast templates
    vector<string> roasts = {
        name + ", tu itna slow hai ki buffering bhi tujhe dekh ke fast lagti hai.",
        name + ", tera IQ WiFi signal jaisa hai – kabhi aata hai kabhi nahi.",
        name + ", tu Google pe bhi search kare to 'Did you mean something smarter?' aata hoga.",
        name + ", tera future itna dark hai ki Black Hole bhi darr jaaye.",
        name + ", tu itna useless hai ki calculator bhi tujhe solve nahi kar sakta.",
        name + ", agar laziness Olympic sport hota, tu second aata – kyunki first ke liye mehnat chahiye.",
        name + ", tu itna confusing hai ki error 404 bhi tujhe samajh na paaye.",
        name + ", tera dimaag airplane mode pe permanently stuck hai.",
        name + ", tu itna extra hai ki even spam folder tujhe reject kar de.",
        name + ", tera logic Windows update jaisa hai – kabhi bhi restart ho jaata hai.",
        name + ", tu itna boring hai ki paint dry hona bhi exciting lagta hai.",
        name + ", agar stupidity ka tax lagta, tu sabse bada taxpayer hota.",
        name + ", tu itna irrelevant hai ki background music bhi tujhe ignore kar deta hai."
    };

    // Random roast selection
    int randomIndex = rand() % roasts.size();

    cout << "\n🔥 Roast for you:\n";
    cout << roasts[randomIndex] << endl;

    return 0;
}
```



```
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual> cd "c:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual\"  
; if ($?) { g++ roast_gen.cpp -o roast_gen } ; if ($?) { .\roast_gen }  
Enter your name: Arnav  
  
Roast for you:  
Arnav, tera dimaag airplane mode pe permanently stuck hai.  
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual>
```

Give the roasts in english and not in hindi, also remove the emojis because its not visible in terminal

```
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual> cd "c:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual\"
; if ($?) { g++ roast_gen.cpp -o roast_gen } ; if ($?) { .\roast_gen }
Enter your name: Arnav

Roast:
Arnav, if laziness were a competition, you would come second - because winning takes effort.
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual>
```

Lets do an upgrade, Ask name as well as how many roasts the user want, the limit must not exceed more than 5

```
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual> cd "c:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual\"  
; if ($?) { g++ roast_gen.cpp -o roast_gen } ; if ($?) { .\roast_gen }  
Enter your name: Arnav  
How many roasts do you want? (Max 5): 4  
  
Roasts:  
1. Arnav, your brain seems permanently stuck in airplane mode.  
2. Arnav, your future is so unclear that even a fog machine would be jealous.  
3. Arnav, you are so useless that even a calculator would refuse to process you.  
4. Arnav, your IQ is like a weak WiFi signal - unstable and unreliable.  
PS C:\Users\arnav\OneDrive\Documents\02 - C++\FOCP II - Lab Manual>
```